

CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
Order Decapoda Latreille, 1803		
Suborder Dendrobranchiata Bate, 1888		
Infraorder Penaeidea Rafinesque, 1815		
Superfamily Penaeoidea Rafinesque, 1815		
Family Penaeidae Rafinesque, 1815		
<i>Atypopenaeus stenodactylus</i> (Stimpson, 1860)	Chon Buri, Songkhla, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Metapenaeopsis barbata</i> (De Haan, 1850)	Chon Buri, Rayong, Chanthaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Gulf of Thailand; Phuket, Trang, Andaman Sea.	
<i>M. ceylonica</i> Starobogatov, 1972	Ranong, Andaman Sea.	
<i>M. crassissima</i> Racek & Dall, 1965	Chon Buri, Gulf of Thailand.	
<i>M. distincta</i> (De Man, 1907)	Chon Buri, Gulf of Thailand.	
<i>M. lamellata</i> (De Haan, 1850)	Chon Buri, Pattani, Gulf of Thailand.	
<i>M. mogiensis</i> (Rathbun, 1902)	Chon Buri, Songkhla, Pattani, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>M. mogiensis intermedia</i> Crosnier, 1991	Ranong, Andaman Sea.	
<i>M. palmensis</i> (Haswell, 1879)	Chon Buri, Rayong, Chanthaburi, Trat, Prachuap Khiri Khan, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Ranong, Phuket, Trang, Andaman Sea.	
<i>M. sinica</i> Lui & Zhong, 1988	Chon Buri, Gulf of Thailand.	
<i>M. stridulans</i> (Alcock, 1905)	Chon Buri, Rayong, Chanthaburi, Trat, Prachuap Khiri Khan, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Krabi, Trang, Ranong, Phangnga, Phuket, Andaman Sea.	
<i>M. toloensis</i> Hall, 1962	Rayong, Songkhla, Pattani, Gulf of Thailand; Ranong, Phuket, Trang, Andaman Sea.	
<i>Metapenaeus affinis</i> (H. Milne Edwards, 1837)	Chon Buri, Trat, Samut Prakan, Samut Sakhon, Phetchaburi, Prachuap Khiri Khan, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Trang, Krabi, Phuket, Satun, Andaman Sea.	
<i>M. anchistus</i> (De Man, 1920)	Trang, Phuket, Phangnga, Andaman Sea.	

CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>M. brevicornis</i> (H. Milne Edwards, 1837)	Samut Prakan, Samut Sakhon, Samut Songkhram, Chachoengsao, Phetchaburi, Surat Thani, Nakhon Si Thammarat, Phatthalung, Pattani, Chumphon , Gulf of Thailand; Phangnga, Krabi, Satun, Andaman Sea.	
<i>M. conjunctus</i> Racek & Dall, 1965	Trat, Gulf of Thailand; Phangnga , Andaman Sea.	
<i>M. dobsoni</i> (Miers, 1878)	Chumphon, Phatthalung, Gulf of Thailand; Ranong, Krabi, Satun, Andaman Sea.	
<i>M. elegans</i> De Man, 1907	Samut Sakhon, Songkhla, Pattani, Gulf of Thailand.	
<i>M. ensis</i> (De Haan, 1844)	Chon Buri, Rayong, Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Chachoengsao, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Phatthalung, Pattani, Gulf of Thailand; Ranong, Phuket, Phangnga, Krabi, Trang, Satun, Andaman Sea.	
<i>M. intermedius</i> (Kishinouye, 1900)	Trat, Chumphon, Surat Thani, Songkhla, Pattani, Gulf of Thailand.	
<i>M. krishnatrii</i> Silas & Muthu, 1976	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>M. lysianassa</i> (De Man, 1888)	Chon Buri, Trat, Samut Prakan, Phatthalung, Pattani, Gulf of Thailand; Ranong, Phuket, Phangnga, Satun, Andaman Sea.	
<i>M. moyebi</i> (Kishinouye, 1896)	Chon Buri, Chanthaburi, Trat, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Phatthalung, Pattani, Gulf of Thailand; Ranong, Trang, Phuket, Phangnga, Krabi, Satun, Andaman Sea.	
<i>M. suluensis</i> Racek & Dall, 1965	Phuket, Andaman Sea.	
<i>M. tenuipes</i> Kubo, 1949	Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Surat Thani, Nakhon Si Thammarat, Songkhla, Phatthalung, Gulf of Thailand; Trang, Andaman Sea.	
<i>Parapenaepsis cornutus</i> (Kishinouye, 1900)	Chon Buri, Chanthaburi, Samut Songkhram, Chumphon, Surat Thani, Pattani, Gulf of Thailand; Krabi, Trang, Satun, Phuket, Andaman Sea.	
<i>P. coromandelica</i> Alcock, 1906	Samut Prakan, Gulf of Thailand; Satun, Andaman Sea.	
<i>P. hardwickii</i> (Miers, 1878)	Surat Thani, Songkhla, Pattani, Gulf of Thailand; Trang, Ranong, Phangnga, Phuket, Krabi, Satun, Andaman Sea.	

CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>P. hungerfordi</i> Alcock, 1905	Chon Buri, Chanthaburi, Trat, Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Surat Thani, Songkhla, Pattani, Gulf of Thailand; Trang, Ranong, Phuket, Krabi, Satun, Andaman Sea.	
<i>P. maxillipedo</i> Alcock, 1905	Chon Buri, Chanthaburi, Prachup Khiri Khan, Nakhon Si Thammarat, Pattani, Gulf of Thailand; Ranong, Trang, Andaman Sea.	
<i>P. sculptilis</i> (Heller, 1862)	Surat Thani, Gulf of Thailand; Ranong, Satun, Andaman Sea.	
<i>P. tenella</i> (Bate, 1888)	Chon Buri, Samut Songkhram, Prachup Khiri Khan, Surat Thani, Songkhla, Gulf of Thailand; Phuket, Andaman Sea.	
<i>P. uncta</i> Alcock, 1905	Phatthalung, Gulf of Thailand; Trang, Ranong, Satun, Andaman Sea.	
<i>P. venusta</i> De Man, 1907	Chon Buri, Gulf of Thailand.	
<i>Parapenaeus longipes</i> Alcock, 1905	Rayong, Chanthaburi, Prachuap Khiri Khan, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Penaeus canaliculatus</i> (Olivier, 1811)	Trang, Ranong, Phuket, Krabi, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>P. japonicus</i> Bate, 1888	Chon Buri, Samut Songkhram, Phetchaburi, Chumphon, Nakhon Si Thammarat, Pattani, Gulf of Thailand; Trang, Ranong, Phuket, Krabi, Satun, Andaman Sea.	
<i>P. latisulcatus</i> Kishinouye, 1896	Chon Buri, Rayong, Trart, Surat Thani, Gulf of Thailand; Ranong, Phuket, Krabi, Satun, Andaman Sea.	
<i>P. longistylus</i> Kubo, 1943	Trat, Gulf of Thailand; Ranong, Andaman Sea.	
<i>P. merguiensis</i> De Man, 1888	Chon Buri, Rayong, Chanthaburi, Trat, Chachoengsao, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Narathiwat, Gulf of Thailand; Trang, Ranong, Phuket, Phangnga, Krabi, Satun, Andaman Sea.	
<i>P. monodon</i> Fabricius, 1798	Chon Buri, Rayong, Chanthaburi, Trat, Chachoengsao, Samut Sakhon, Samut Songkhram, Samut Prakan, Phetchaburi, Prachuap Khiri Khan, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Chumphon, Gulf of Thailand; Trang, Phuket, Phangnga, Krabi, Andaman Sea.	
<i>P. penicillatus</i> Alcock, 1905	Phuket, Andaman Sea.	

CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>P. semisulcatus</i> De Haan, 1850	Chon Buri, Rayong, Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Patthalung, Pattani, Narathiwat, Gulf of Thailand; Trang, Ranong, Phuket, Phangnga, Krabi, Satun, Andaman Sea.	Ranong
<i>P. silasi</i> Muthu & Motoh, 1979	Samut Prakan, Samut Sakhon, Samut Songkhram, Trat, Chumphon, Surat Thani, Nakhon si Thammarat, Phatthalung, Gulf of Thailand; Phuket, Phangnga, Krabi, Andaman Sea.	
<i>Trachypenaeus albicomus</i> Hayashi & Toriyama, 1980	Ranong, Andaman Sea .	
<i>T. asper</i> Alcock, 1905	Songkhla, Gulf of Thailand; Trang, Ranong, Andaman Sea.	
<i>T. curvirostris</i> (Stimpson, 1860)	Chon Buri, Rayong, Trat, Prachuap Khiri Khan, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Trang, Andaman Sea.	
<i>T. granulosis</i> (Haswell, 1879)	Trang, Ranong, Phuket, Andaman Sea.	
<i>T. longipes</i> (Paulson, 1875)	Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>T. malaianus</i> Balss, 1933	Chon Buri, Chanthaburi, Trat, Samut Songkhram, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Trang, Ranong, Phuket, Phangnga, Satun, Andaman Sea.	
<i>T. pescadoreensis</i> Schmitt, 1931	Chon Buri, Rayong, Prachuap Khiri Khan, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<i>T. sedili</i> Hall, 1961	Trang, Ranong, Phuket, Andaman Sea; Rayong, Gulf of Thailand.	
Family Sicyoniidae Ortmann, 1898		
<i>Sicyonia lancifera</i> (Olivier, 1811)	Trat, Nakhon si Thammarat, Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>S. ommanneyi</i> Hall, 1956	Chon Buri, Songkhla, Gulf of Thailand; Phuket, Andaman Sea.	
Family Solenoceridae Wood-Mason & Alcock, 1891		
<i>Solenocera bedokensis</i> Hall, 1962	Prachuap Khiri Khan, Chumphon, Songkhla, Gulf of Thailand; Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>S. choprai</i> Nataraj, 1945	Andaman Sea.	
<i>S. crassicornis</i> (H. Milne Edwards, 1837)	Ranong, Andaman Sea.	
<i>S. hextii</i> Wood-Mason & Alcock, 1891	Andaman Sea.	
<i>S. melantho</i> De Man, 1907	Gulf of Thailand.	
<i>S. pectinata</i> (Bate, 1888)	Songkhla, Gulf of Thailand; Phuket, Andaman Sea.	
<i>S. subnuda</i> Kubo, 1949	Chumphon, Nakhon Si Thammarat, Gulf of Thailand; Trang, Ranong, Phuket, Phangnga, Satun, Andaman Sea.	
Superfamily Sergestoidea Dana, 1852		
Family Luciferidae Dana, 1852		
<i>Lucifer hanseni</i> Nobili, 1905	Samut Prakan, Chachoengsao, Gulf of Thailand; Andaman Sea.	
Family Sergestidae Dana, 1852		
<i>Acetes erythraeus</i> Nobili, 1905	Rayong, Chanthaburi, Chumphon, Pattani, Gulf of Thailand; Ranong, Phangnga, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>A. indicus</i> H. Mline Edwards, 1830	Chachoengsao, Samut Prakan, Chon Buri, Songkhla, Phatthalung, Gulf of Thailand; Andaman Sea.	
<i>A. japonicus</i> Kishinouye, 1905	Samut Sakhon, Songkhla, Pattani, Gulf of Thailand; Ko Pan Yi, Phangnga, Andaman Sea.	
<i>A. serrulatus</i> (Kroyer, 1859)	Chachoengsao, Gulf of Thailand.	
<i>A. sibogae</i> Hansen, 1919	Gulf of Thailand; Krabi, Phangnga, Andaman Sea.	
<i>A. vulgaris</i> Hansen, 1919	Ko Kradat, Trat, Rayong, Chon Buri, Samut Prakan, Gulf of Thailand.	
Suborder Pleocyemata Burkenroad, 1963		
Infraorder Stenopodidea Claus, 1872		
Family Stenopodidae Claus, 1872		
<i>Stenopus hispidus</i> (Olivier, 1811)	Chon Buri, Gulf of Thailand; Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
Infraorder Caridea Dana, 1852		
Superfamily Atyoidea De Haan, 1849		
Family Atyidae De Haan, 1849		
<i>Atyopsis moluccensis</i> (De Haan, 1849)	Chanthaburi, Trat, East Thailand; Surat Thani (Ko Samui), Nakhon Si Thammarat, Trang, Phangnga, Phuket, South Thailand.	
<i>Caridina brachydactyla</i> De Man, 1908	Ko Chang, Trat, East Thailand.	
<i>C. gracilirostris</i> De Man, 1892	Bangkok, Nakhon Sawan, Central Thailand; Pattani, South Thailand.	
<i>C. gracillima</i> Lanchester, 1901	Phatthalung, Songkhla, South Thailand.	
<i>C. laevis</i> Heller, 1862	Bangkok, Central Thailand.	
<i>C. macrophora</i> Kemp, 1918	Phatthalung, Songkhla, Phangnga, South Thailand.	
<i>C. peninsularis</i> Kemp, 1918	Pattani, Phuket, Phangnga, South Thailand.	
<i>C. propinqua</i> De Man, 1908	Bangkok, Nonthaburi, Phra Nakhon Si Ayutthaya, Central Thailand; Songkhla, Pattani, South Thailand.	

Taxon/Species	Locality	Endemic Area
<i>C. sumatrensis</i> De Man, 1892	Pattani, Phangnga, Phuket, South Thailand.	
<i>C. tonkinensis</i> Bouvier, 1919	Chon Buri, East Thailand.	
<i>C. typus</i> H. Milne Edwards, 1837	Phangnga, Phuket, South Thailand.	
Superfamily Palaemonoidea Rafinesque, 1815		
Family Palaemonidae Rafinesque, 1815		
Subfamily Palaemoninae Rafinesque, 1815		
<i>Exopalaemon styliferus</i> (H. Milne Edwards, 1840)	Samut Sakhon, Samut Songkhram, Central Thailand, Samut Prakan, Chon Buri, Chachoengsao, East Thailand; Ranong, South Thailand.	
<i>Leander tenuicornis</i> (Say, 1818)	Chon Buri, East Thailand.	
<i>Leandrites indicus</i> Holthuis, 1950	Chon Buri, East Thailand.	
<i>L. stenopus</i> Holthuis, 1950	Chon Buri, East Thailand.	
<i>Leptocarpus potamiscus</i> (Kemp, 1917)	Bangkok, Central Thailand; Samut Prakan, Chachoengsao,	

CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>Macrobrachium equidens</i> (Dana, 1852)	East Thailand; Songkhla, Pattani, South Thailand. Chon Buri, Trat, Samut Prakan, Chachoengsao, East Thailand; Samut Sakhon, Samut Songkhram, Central Thailand; Nakhon Si Thammarat, Songkhla, South Thailand. Phetchaburi, West Thailand.	
<i>M. esculentum</i> (Thallwitz, 1891)	Lam Nam Phong, Khon Kaen, North East Thailand.	
<i>M. idae</i> (Heller, 1862)	Samut Sakon, Central Thailand; Nakhon Si Thammarat, Songkhla, Ranong, South Thailand.	
<i>M. lanchesteri</i> (De Man, 1911)	In every Provinces of Thailand.	
<i>M. lar</i> (Fabricius, 1793)	Ko Surin, Phangnga, South Thailand.	
<i>M. latidactylus</i> (Thallwitz, 1891)	Ko Kud, Trat, East Thailand; Pattani, South Thailand.	
<i>M. mirabile</i> (Kemp, 1917)	Nonthaburi, Central Thailand; Samut Prakan, Chachoengsao, East Thailand.	
<i>M. neglectus</i> (De Man, 1905)	Surat Thani, Ranong, Phuket, Phangnga, Krabi, South Thailand; Trat, East Thailand.	
<i>M. niphanae</i> Shokita & Takeda, 1989	Khao Yai, Nakhon Ratchasima, North East Thailand.	

Taxon/Species	Locality	Endemic Area
<i>M. palaemonoides</i> Holthuis, 1950	Surin, North East Thailand.	
<i>M. pilimanus</i> (De Man, 1879)	Nonthaburi, Pathum Thani, Saraburi, Lop Buri, Nakhon Nayok, Phetchabun, Kamphaeng Phet, Central Thailand; Rayong, Chanthaburi, Trat, East Thailand; Tak, Kanchanaburi, Prachuap Khiri Khan, West Thailand; Nakhon Ratchasima, Chaiyaphum, Khon Kaen, Sakon Nakhon, Ubon Ratchathani, Si Sa Ket, North East Thailand; Chumphon, Trang, Phuket, Krabi, South Thailand.	
<i>M. rosenbergii</i> (De Man, 1879)	Bangkok, Nathaburi, Pathum Thani, Pra Nakhon Si Ayutthaya, Lop Buri, Ang Thong, Chai Nat, Suphan Buri, Nakhon Sawan, Nakhon Pathom, Samut Sakhon, Samut Songkhram, Central Thailand; Chachoengsao, Rayong, Chanthaburi, Trat, Prachin Buri, East Thailand; Phetchaburi, West Thailand; Chumphon, Surat Thani, Nakhon Si Thammarat, Trang, Songkhla, Pattani, Yala, Narathiwat, Phatthalung, Phuket, Phangnga, South Thailand.	
<i>M. sintangense</i> (De Man, 1898)	Bangkok, Pra Nakhon Si Ayutthaya, Saraburi, Central Thailand; Chon Buri, Samut Prakan, Chachoengsao, Trat, East Thailand;	

Taxon/Species	Locality	Endemic Area
<i>M. yui</i> Holthuis, 1950	Surat Thani, Nakhon Si Thammarat, Phatthalung, Ranong, South Thailand. Saraburi, Lop Buri, Nakhon Nayok, Phetchbun, Phitsanulok, Kamphaeng Phet, Central Thailand; Chon Buri, Prachin Buri, East Thailand; Ratchaburi, West Thailand; Nakhon Ratchasima, Chaiyaphum, Ubon Ratchathani, North East Thailand; Utradit, North Thailand.	
<i>Palaemon semmelinkii</i> (De Man, 1881)	Chon Buri, East Thailand.	
<i>P. serrifer</i> (Stimpson, 1860)	Chon Buri, Trat, East Thailand; Phangnga, South Thailand.	
<i>P. sewelli</i> (Kemp, 1925)	Chon Buri, East Thailand.	
<i>Urocaridella urocaridella</i> (Holthuis, 1950)	Chon Buri, East Thailand.	
Subfamily Pontoniinae Kingsley, 1878		
<i>Anchistus miersi</i> (De Man, 1888)	Chon Buri, Gulf of Thailand.	
<i>Conchodytes biunguiculatus</i> (Paulson, 1875)	Chon Buri, Gulf of Thailand.	
<i>Harpiliopsis beaupresii</i> (Audouin, 1826)	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Palaemonella tenuipes</i> Dana, 1852	Ko Samui, Surat Thani, Gulf of Thailand.	
<i>Periclimenes brevicarpalis</i> (Schenkel, 1902)	Chon Buri, Gulf of Thailand.	
<i>P. consobrinus</i> (De Man, 1902)	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	
<i>P. diversipes</i> Kemp, 1992	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	
<i>P. elegans</i> (Paulson, 1875)	Chon Buri, Gulf of Thailand.	
<i>P. grandis</i> (Stimpson, 1860)	Chon Buri, Gulf of Thailand.	
<i>P. holthuisi</i> Bruce, 1969	Chon Buri, Gulf of Thailand.	
<i>P. magnificus</i> Bruce, 1979	Chon Buri, Gulf of Thailand.	
Superfamily Alpheoidea Rafinesque, 1815		
Family Alpheidae Rafinesque, 1815		
<i>Alpheopsis chalciope</i> De Man, 1910	Phuket, Andaman Sea.	Phuket
<i>A. equalis</i> Coutiere, 1896	Phuket, Andaman Sea.	Phuket
<i>Alpheus acutocarinatus</i> De Man, 1909	Thai water	

CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>A. acutofemoratus</i> Dana, 1852	Ko Kradat, Trat, Gulf of Thailand.	
<i>A. alcyone</i> De Man, 1902	Phuket, Andaman Sea.	
<i>A. bucephalus</i> Coutiere, 1905	Prao Bay, Ko Samet, Rayong, Gulf of Thailand.	
<i>A. collumianus probabilis</i> Banner, 1956	Patong Beach, Phuket, Andaman Sea.	
<i>A. crockeri</i> Armstrong, 1941	Ko Samit, Chumphon, Gulf of Thailand; Sa Ku Beach, Phuket, Andaman Sea.	
<i>A. cythereus</i> Banner & Banner, 1966	Patong Beach, Phuket, Andaman Sea.	
<i>A. deuteropus</i> Hilgendorf, 1878	Rawai Beach, Phuket, Andaman Sea.	
<i>A. dispar</i> Randall, 1840	Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>A. edwardsii</i> Audouin, 1826	Ko Sak, Chon Buri, Ban Pe, Ko Samet, Rayong, Gulf of Thailand; Trang, Andaman Sea.	
<i>A. ehlersi</i> De Man, 1909	Ko Kradat, Trat, Gulf of Thailand.	
<i>A. euphrosyne</i> De Man, 1897	Ang Sila, Chon Buri, Samut Prakan, Chachoengsao, Samut Songkhram, Songkhla Lake, Songkhla, Gulf of Thailand.	
<i>A. facetus</i> De Man, 1908	Sa Ku Beach, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>A. funafutensis</i> Borradaile, 1898	Thai water.	
<i>A. gracilipes</i> Stimpson, 1860	Ko Kradat, Trat, Gulf of Thailand.	
<i>A. gracilis simplex</i> (Banner, 1953)	Ko Sak, Chon Buri, Gulf of Thailand.	
<i>A. hippothoe</i> De Man, 1888	Ko Sichung, Chon Buri, Gulf of Thailand.	
<i>A. leviusculus</i> Dana, 1852	Ang Sila, Chon Buri, Gulf of Thailand.	
<i>A. lobidens</i> De Haan, 1849	Ko Kradat, Trat, Lem Sing, Chanthaburi, Ko Samui, Surat Thani, Songkhla Lake, Songkhla, Gulf of Thailand; Phuket, Andaman Sea.	
<i>A. lottini</i> Guerin, 1830	Rawai, Beach, Phuket, Andaman Sea.	
<i>A. malabaricus</i> (Fabricius, 1775)	Songkhla Lake, Songkhla, Gulf of Thailand.	
<i>A. malabaricus songkla</i> Banner & Banner, 1966	Songkhla Lake, Songkhla. Chumphon, Gulf of Thailand; Phuket, Andaman Sea.	
<i>A. malleodigitus</i> (Bate, 1888)	Rawai Beach, Phuket, Andaman Sea.	
<i>A. microrhynchus</i> De Man, 1897	Bangkok Noi, Bangkok.	Bangkok Noi
<i>A. microstylus</i> (Bate, 1888)	Rawai Beach, Phuket, Andaman Sea.	
<i>A. obesomanus</i> Dana, 1852	Ko Kradat, Trat, Gulf of Thailand.	

CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>A. pacificus</i> Dana, 1852	Gulf of Thailand.	
<i>A. paracrinitus</i> Miers, 1881	Ko Kradat, Trat, Gulf of Thailand.	
<i>A. paralcione</i> Coutiere, 1905	Ko Sichung, Chon Buri, Gulf of Thailand.	
<i>A. parvirostris</i> Dana, 1952	Ko Kradat, Trat, Gulf of Thailand.	
<i>A. pomatoceros</i> Banner & Banner, 1966	Ko Samui, Surat Thani, Gulf of Thailand; Patong Beach, Phuket, Andaman Sea.	
<i>A. proseuchirus</i> De Man, 1908	Gulf of Thailand.	
<i>A. rapacida</i> De Man, 1908	Gulf of Thailand.	
<i>A. rapax</i> Fabricius, 1798	Songkhla Lake, Songkhla, Gulf of Thailand.	
<i>A. serenei</i> Tiwari, 1963	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	
<i>A. strenuus</i> Dana, 1852	Phuket, Andaman Sea.	
<i>A. sudara</i> Banner & Banner, 1966	Phuket, Andaman Sea; Ko Samui, Surat Thani, Ko Kradat, Trat, Gulf of Thailand.	
<i>A. supachai</i> Banner & Banner, 1966	Ko Samui, Surat Thani, Ko Samit, Chumphon, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Athanas dimorphus seedang</i> Banner & Banner, 1966	Ko Kradat, Trat, Gulf of Thailand.	
<i>A. naga</i> Banner & Banner, 1966	Gulf of Thailand.	
<i>A. polymorphus</i> Kemp, 1915	Ban Pe, Rayong, Gulf of Thailand.	
<i>Automate gardineri</i> Coutiere, 1902	Phuket, Andaman Sea.	
<i>Racilius compressus</i> Paulson, 1875	Patong, Phuket, Andaman Sea.	
<i>Salmones brevirostris</i> (Edmondson, 1930)	Phuket, Andaman Sea.	
<i>S. bruni</i> Banner & Banner, 1966	Gulf of Thailand.	
<i>S. cristatus</i> (Coutiere, 1897)	Thai Waters.	
<i>Synalpheus acanthitelsonis</i> Coutiere, 1905	Ko Sichang, Chon Buri, Ko Samit, Chumphon, Gulf of Thailand.	
<i>S. bakeri stormi</i> De Man, 1897	Phuket, Andaman Sea.	
<i>S. bituberculatus</i> De Man, 1910	Ko Namsao, Chanthaburi, Gulf of Thailand.	
<i>S. coutieri</i> Banner, 1953	Phuket, Andaman Sea.	
<i>S. gravieri</i> Coutiere, 1905	Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>S. hastilicrassus</i> Coutiere, 1905	Ko Khang Khao, Chon Buri, Gulf of Thailand.	
<i>S. heroni</i> Coutiere, 1909	Phuket, Andaman Sea.	
<i>S. laticeps</i> Coutiere, 1905	Ko Sichang, Chon Buri, Gulf of Thailand.	
<i>S. pachymeri</i> Coutiere, 1905	Ko Kradat, Trat, Gulf of Thailand.	
<i>S. stimpsoni</i> De Man, 1888	Phuket, Andaman Sea.	
<i>S. streptodactylus</i> Coutiere, 1905	Ko Sak, Chon Buri, Gulf of Thailand.	
<i>S. thai</i> Banner & Banner, 1966	Ko Samet, Rayong, Ko Namsao, Chanthaburi, Gulf of Thailand.	
<i>S. theano</i> De Man, 1910	Thai waters.	
<i>S. tumidomanus</i> (Paulson, 1875)	Ko Sak, Chon Buri, Gulf of Thailand.	
Family Hippolytidae Dana, 1852		
<i>Exhippolysmata ensirostris</i> (Kemp, 1914)	Chon Buri, Gulf of Thailand.	
<i>Latreutes mucronatus</i> (Stimpson, 1860)	Chon Buri, Gulf of Thailand.	
<i>Lysmata vittata</i> Stimpson, 1860	Chon Buri, Gulf of Thailand.	
<i>Saron marmoratus</i> (Olivier, 1811)	Ko Samui, Surat Thani, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Thor paschalis</i> (Heller, 1862)	Ko Samui, Surat Thani, Gulf of Thailand.	
<i>Tozeuma lanceolatum</i> Stimpson, 1860	Chon Buri, Gulf of Thailand.	
Family Ogyrididae Hay and Shore, 1918		
<i>Ogyrides striaticauda</i> Kemp, 1915	Chon Buri, Gulf of Thailand.	
Superfamily Pandaloidea Haworth, 1825		
Family Pandalidae Haworth, 1825		
<i>Heterocarpoides levicarina</i> (Bate, 1888)	Chon Buri, Gulf of Thailand.	
<i>Plesionika martia orientalis</i> Chace, 1985	Chon Buri, Gulf of Thailand.	
<i>P. ocellus</i> (Bate, 1888)	Chon Buri, Gulf of Thailand.	
<i>P. quasigrandis</i> Chace, 1985	Chon Buri, Gulf of Thailand.	
Family Thalassocarididae Bate, 1888		
<i>Thalassocaris crinita</i> (Dana, 1852)	Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
Superfamily Crangonoidea Haworth, 1825		
Family Crangonidae Haworth, 1825		
<i>Pontocaris pennata</i> Bate, 1888	Chon Buri, Gulf of Thailand.	
Infraorder Astacidea Latreille, 1802		
Superfamily Nephropoidea Dana, 1852		
Family Nephropidae Dana, 1852		
<i>Nephropsis stewarti</i> Wood-Mason, 1872	Andaman Sea.	
<i>Metanephrops andamanicus</i> (Wood-Mason, 1891)	Andaman Sea.	
Infraorder Palinuridea Latreille, 1802		
Superfamily Eryonoidea De Haan, 1841		
Family Polychelidae Wood-Mason, 1875		
<i>Stereomastis andamanensis</i> (Alcock, 1894)	Andaman Sea.	

Taxon/Species	Locality	Endemic Area
Superfamily Palinuroidea Latreille, 1802		
Family Palinuridae Latreille, 1802		
<i>Linuparus trigonus</i> (Von Siebold, 1824)	South, Gulf of Thailand.	
<i>Palinustus waguensis</i> Kubo, 1963	Ranong, Andaman Sea.	
<i>Panulirus homarus</i> (Linnaeus, 1758)	Phuket, Ranong, Andaman Sea.	
<i>P. longipes</i> (A. Milne Edwards, 1868)	Phuket, Ranong, Andaman Sea.	
<i>P. ornatus</i> (Fabricius, 1798)	Satun, Phuket, Ranong, Andaman Sea.	
<i>P. penicillatus</i> (Olivier, 1791)	Phuket, Ranong, Andaman Sea.	
<i>P. polyphagus</i> (Herbst, 1793)	Ko Tao, Chumphon, Gulf of Thailand; Ko Pan Yi, Phangnga, Satun, Andaman Sea.	
<i>P. stimpsoni</i> Holthuis, 1963	Ko Si Chang, Chon Buri, Gulf of Thailand.	
<i>P. versicolor</i> (Latreille, 1804)	Satun, Phuket, Ranong, Andaman Sea.	
<i>Puerulus sewelli</i> Ramadan, 1938	Andaman Sea.	

Taxon/Species	Locality	Endemic Area
Family Scyllaridae Latreille, 1825		
<i>Scyllarides squammosus</i> (H. Milne Edwards, 1837)	Ranong, Andaman Sea.	
<i>S. tridacnophagus</i> Holthuis, 1967	Phuket, Andaman Sea.	
<i>Ibacus novemdentatus</i> Gibbes, 1850	South, Gulf of Thailand.	
<i>Parribacus antarcticus</i> (Lund, 1793)	Phuket, Andaman Sea.	
<i>Scyllarus bertholdii</i> Paulson, 1875	Nakhon Si Thammarat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>S. martensii</i> Pfeffer, 1881	Chon Buri, Rayong, Pattani, Gulf of Thailand.	
<i>S. rugosus</i> H. Milne Edwards, 1837	Chon Buri, Rayong, Pattani, Gulf of Thailand.	
<i>S. sordidus</i> (Stimpson, 1860)	Chon Buri, Rayong, Ko Chan, Prachuap Khiri Khan, Pattani, Gulf of Thailand.	
<i>Thenus orientalis</i> (Lund, 1793)	Chon Buri, Rayong, Prachuap Khiri Khan, Songkhla, Pattani, Gulf of Thailand.	
Family Synaxidae Bate, 1881		
<i>Palinurellus wieneckii</i> (De Man, 1881)	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
Infraorder Thalassinidea Latreille, 1831		
Superfamily Thalassinioidea Latreille, 1831		
Family Axiidae Huxley, 1879		
<i>Eutrichocheles modestus</i> (Herbst, 1796)	Ko Chang, Trat, Gulf of Thailand.	
Family Callianassidae Dana, 1852		
<i>Callianassa (Callichirus) ranongensis</i> Sakai, 1983	Ranong, Andaman Sea.	Ranong
Family Callianideidae Kossmann, 1880		
<i>Callianidea typa</i> H. Milne Edwards, 1837	Phuket, Andaman Sea.	
Family Laomediidae Borradaile, 1903		
<i>Laomedia healyi</i> Yaldwin & Wear, 1970	Phuket, Andaman Sea.	
Family Thalassinidae Latreille, 1831		
<i>Thalassina anomala</i> (Herbst, 1804)	Songkhla, Pattani, Narathiwat, Gulf of Thailand; Ranong, Phuket, Phangnga, Krabi, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
Family Upogebiidae Borradaile, 1903		
<i>Wolffogebia phuketensis</i> Sakai, 1982	Phuket, Andaman Sea.	Phuket
<i>Upogebia heterocheir</i> Kemp, 1915	Pak Phayun, Phatthalung, Gulf of Thailand.	
Infraorder Anomura H. Milne Edwards, 1832		
Superfamily Coenobitoidea Dana, 1851		
Family Coenobitidae Ortmann, 1892		
<i>Coenobita brevimana</i> Dana, 1853	Ko Similan, Phangnga, Andaman Sea.	
<i>C. cavipes</i> Stimpson, 1858	Chanthaburi, Gulf of Thailand; Trang, Satun, Krabi, Phuket, Andaman Sea.	
<i>C. hilgendorfi</i> Terao, 1913	Ko Similan, Phangnga, Andaman Sea.	
<i>C. rugosa</i> H. Milne Edwards, 1837	Chon Buri, Chanthaburi, Gulf of Thailand; Ko Similan, Phangnga, Phuket, Andaman Sea.	
Family Diogenidae Ortmann, 1892		
<i>Calcinus elegans</i> (H. Milne Edwards, 1836)	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>C. gaimardi</i> (H. Milne Edwards, 1848)	Phuket, Andaman Sea.	
<i>C. laevimanus</i> (Randall, 1839)	Phuket, Andaman Sea.	
<i>C. latens</i> (Randall, 1839)	Phuket, Andaman Sea.	
<i>Clibanarius arethusa</i> De Man, 1888	Rayong, Surat Thani, Gulf of Thailand.	
<i>C. cruentatus</i> (H. Milne Edwards, 1848)	Chon Buri, Rayong, Surat Thani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>C. infraspinatus</i> Hilgendorf, 1896	Chon Buri, Rayong, Samut Songkhram, Prachuap Khiri Khan, Surat Thani, Songkhla, Pattani, Gulf of Thailand; Krabi, Satun, Andaman Sea.	
<i>C. lineatus</i> (H. Milne Edwards, 1848)	Samut Prakan, Chanthaburi, Chachoengsao, Samut Sakhon, Gulf of Thailand; Phangnga, Krabi, Andaman Sea.	
<i>C. longitarsus</i> (De Haan, 1849)	Samut Prakan, Chon Buri, Rayong, Chanthaburi, Trat, Chachoengsao, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Trang, Ranong, Phuket, Krabi, Satun, Andaman Sea.	

CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>C. merguiensis</i> De Man, 1888	Chon Buri, Rayong, Chanthaburi, Chumphon, Surat Thani, Nakhon Si Thammarat, Gulf of Thailand; Phuket, Krabi, Andaman Sea.	
<i>C. padavensis</i> De Man, 1888	Ranong, Phuket, Phangnga, Krabi, Trang, Satun, Andaman Sea.	
<i>C. striolatus</i> Dana, 1852	Nakhon si Thammarat, Phatthalung, Pattani, Narathiwat, Gulf of Thailand.	
<i>C. virescens</i> (Krauss, 1843)	Phuket, Andaman Sea.	
<i>Diogenes avarus</i> Heller, 1865	Chon Buri, Rayong, Chanthaburi, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Songkhla, Gulf of Thailand; Ranong, Phuket, Satun, Andaman Sea.	
<i>D. custos</i> (Fabricius, 1798)	Krabi, Satun, Andaman Sea.	
<i>D. diogenes</i> (Herbst, 1791)	Chanthaburi, Prachuap Khiri Khan, Songkhla, Pattani, Gulf of Thailand.	
<i>D. gardineri</i> Alcock, 1905	Chon Buri, Surat Thani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>D. goniochirus</i> Forest, 1956	Phetchaburi, Pattani, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>D. planimanus</i> Henderson, 1893	Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<i>D. rectimanus</i> Miers, 1884	Prachuap Khiri Khan, Pattani, Gulf of Thailand; Trang, Andaman Sea.	
<i>Dradanus hessii</i> (Miers, 1884)	Chon Buri, Rayong, Trat, Samut Prakan, Samut Sakhon, Prachuap Khiri Khan, Surat Thani, Songkhla, Pattani, Gulf of Thailand; Trang, Phuket, Andaman Sea.	
<i>D. imbricatus</i> (H. Milne Edwards, 1848)	Chon Buri, Chanthaburi, Trat, Chumphon, Surat Thani, Pattani, Gulf of Thailand.	
<i>D. lagopodes</i> (Forskal, 1775)	Chon Buri, Prachuap Khiri Khan, Surat Thani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>D. megistos</i> (Herbst, 1804)	Chon Buri, Rayong, Prachuap Khiri Khan, Gulf of Thailand; Trang, Satun, Phuket Krabi, Andaman Sea.	
Superfamily Paguroidea Latreille, 1803		
Family Paguridae Latreille, 1803		
<i>Spiropagurus spiriger</i> (De Haan, 1849)	Samut Sakhon, Surat Thani, Pattani, Gulf of Thailand.	
<i>S. spiriger profundorum</i> Alcock, 1905	Pattani, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
Superfamily Galatheoidea Samouelle, 1819		
Family Porcellanidae Haworth, 1825		
<i>Enosteoides ornatus</i> (Stimpson, 1858)	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	
<i>Lissoporcellana spinuligera</i> (Dana, 1853)	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	
<i>Pachycheles garciaensis</i> (Ward, 1942)	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	
<i>P. sculptus</i> (H. Milne Edwards, 1837)	Ko Chang, Trat, Gulf of Thailand.	
<i>Petrolisthes asiaticus</i> (Leach, 1820)	Ko Chang, Ko Kradat, Trat, Gulf of Thailand.	
<i>P. boscii</i> (Audouin, 1826)	Ko Chang, Trat, Gulf of Thailand.	
<i>P. hastatus</i> Stimpson, 1858	Ko Chang, Trat, Gulf of Thailand.	
<i>P. lamarckii</i> (Leach, 1820)	Chon Buri, Gulf of Thailand.	
<i>P. teres</i> Melin, 1939	Ko Chang, Trat, Gulf of Thailand.	
<i>Pisidia gordonii</i> (Johnson, 1970)	Ko Khang Khao, Chon Buri, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>P. serratifrons</i> (Stimpson, 1858)	Ko Khang Khao, Chon Buri, Gulf of Thailand.	
<i>Polyonyx biunguiculatus</i> (Dana, 1852)	Ko Mesan, Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>P. obesulus</i> Miers, 1884	Ko Kut, Trat, Gulf of Thailand.	
<i>P. telestophilus</i> Johnson, 1958	Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>Porcellanella picta</i> Stimpson, 1858	Chon Buri, Gulf of Thailand.	
<i>Pseudoporcellanella manoliensis</i> Sankarankutty, 1961	Chon Buri, Gulf of Thailand.	
<i>Raphidopus ciliatus</i> Stimpson, 1858	Ranong, Andaman Sea.	
Superfamily Hippoidea Latreille, 1825		
Family Albuneidae Stimpson, 1858		
<i>Albunea symnista</i> (Linnaeus, 1766)	Bang San Beach, Chon Buri, Gulf of Thailand; Mai Kao Beach, Suan Maprao Beach, Phuket, Andaman Sea.	
Family Hippidae Latreille, 1825		
<i>Emerita emeritus</i> (Linnaeus, 1767)	Mai Kao Beach, Suan Maprao Beach, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>Hippa adactyla</i> Fabricius, 1787	Mai Kao Beach, Suan Maprao Beach, Phuket, Andaman Sea.	
<i>H. celaeno</i> (De Man, 1896)	Chon Buri, Ko Chan Beach, Prachuap Khiri Khan, Ko TanNok, Ko Phangan, Surat Thani, Gulf of Thailand.	
Infraorder Brachyura Latreille, 1803		
Section Dromiacea De Haan, 1833		
Superfamily Dromioidea De Haan, 1833		
Family Dromiidae De Haan, 1833		
<i>Conchoecetes andamanicus</i> Alcock, 1899	Gulf of Thailand; Andaman Sea.	
<i>C. artificiosus</i> (Fabricius, 1791)	Ko Samit, Ko Chuen, Rayong, Gulf of Thailand.	
<i>Cryptodromia canaliculata</i> Stimpson, 1858	Chon Buri, Rayong, Songkhla, Gulf of Thailand.	
<i>C. pileifera</i> Alcock, 1899	Andaman Sea.	
<i>Dromia dehaani</i> Rathbun, 1923	Phuket, Andaman Sea.	
<i>Dromidia unidentata</i> (Ruppell, 1830)	Ko Kram, Chon Buri, Ko Chuen, Rayong, Ko Kadat, Trat, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Dromidiopsis cranioides</i> (De Man, 1888)	Ko Mesan, Chon Buri, Ko Samit, Ko Chuen, Rayong, Trat, Samut Songkhram, Phetchaburi, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
Section Archaeobrachyura Guinot, 1977		
Superfamily Raninoidea De Haan, 1839		
Family Raninidae De Haan, 1839		
Subfamily Ranininae Serene & Umali, 1972		
<i>Ranina ranina</i> (Linnaeus, 1758)	Phuket, Phangnga, Andaman Sea.	Phangnga
<i>Raninoides personatus</i> Henderson, 1888	Phuket, Andaman Sea.	
<i>R. serratifrons</i> Henderson, 1893	Phuket, Andaman Sea.	
Subfamily Notopinae Serene & Umali, 1972		
<i>Notopus dorsipes</i> (Fabricius, 1798)	Phuket, Andaman Sea.	
<i>Cosmonotus grayi</i> Adams & White, 1848	Phuket, Andaman.	

Taxon/Species	Locality	Endemic Area
Section Oxystomata H. Milne Edwards, 1834		
Superfamily Dorippoidea MacLeay, 1838		
Family Dorippidae MacLeay, 1838		
<i>Dorippe dorsipes</i> (Linnaeus, 1758)	Ko Mesan, Cap Liant, Chon Buri, Ban Pe, Rayong, Gulf of Thailand.	
<i>D. quadridens</i> (Fabricius, 1793)	Trat, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Andaman Sea.	
<i>Dorippoides facchino</i> (Herbst, 1785)	Chon Buri, Rayong, Chanthaburi, Ko Chang, Ko Kadat, Lem Ngob, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Petchaburi, Prachuap Khiri Khan, Chumphon, Ko Samui, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand.	
<i>Neodorippe callida</i> (Fabricius, 1798)	Ko Chik, Paknam Wen, Chanthaburi, Ko Chang, Trat, Chumphon, Pattani, Gulf of Thailand; Ranong, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
Superfamily Leucosioidea Samouelle, 1819		
Family Calappidae De Haan, 1833		
Subfamily Calappinae Alcock, 1896		
<i>Calappa calappa</i> (Linnaeus, 1758)	Phuket, Andaman Sea.	
<i>C. gallus</i> (Herbst, 1803)	Phuket, Andaman Sea.	
<i>C. hepatica</i> (Linnaeus, 1758)	Phuket, Andaman Sea.	
<i>C. lophos</i> (Herbst, 1782)	Phuket, Andaman Sea.	
<i>C. philagius</i> (Linnaeus, 1758)	Chanthaburi, Prachuap Khiri Khan, Songkhla, Pattani, Gulf of Thailand.	
<i>C. terrae-reginae</i> Ward, 1936	Chon Buri, Rayong, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
Subfamily Matutinae Alcock, 1896		
<i>Ashtoret lunaris</i> (Forskal, 1775)	Ko Kam, Ko Mesan, Chon Buri, Ko Kadat, Trat, Pattani, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Matuta planipes</i> Fabricius, 1798	Pattani, Gulf of Thailand; Ranong, Andaman Sea.	
<i>M. victor</i> (Fabricius, 1781)	Ko Chik, Chanthaburi, Ko Chang, Trat, Ko Kong,	
	Prachuap Khiri Khan, Chumphon, Ko Samui, Surat Thani,	
	Songkhla, Pattani, Gulf of Thailand; Ranong, Trang,	
	Andaman Sea.	
Family Leucosiidae Samouelle, 1819		
Subfamily Cryptocneminae Stimpson, 1858		
<i>Cryptocnemus mortenseni</i> Rathbun, 1909	Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>C. siamensis</i> Serene & Soh, 1976	Gulf of Thailand.	
<i>Onychomorpha lamelligera</i> Stimpson, 1858	Ko Kam, Ko Lan, Chon Buri, Gulf of Thailand.	
Subfamily Ebaliinae Stimpson, 1871		
<i>Drachiella morum</i> (Alcock, 1896)	Phuket, Andaman Sea.	
<i>Ebalia heterochalaza</i> Kemp, 1915	Gulf of Thailand.	
<i>E. malefactrix</i> Kemp, 1915	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>E. tuberculosa</i> (A. Milne Edwards, 1873)	Ko Mesan, Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>E. woodmasoni</i> Alcock, 1896	Ko Kadat, Trat, Gulf of Thailand.	
<i>Heteronucia mesanensis</i> Rathbun, 1909	Ko Mesan, Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>Nuciops modesta</i> (Ihle, 1918)	Phuket, Andaman Sea.	
<i>Oreophorus rugosus</i> Stimpson, 1858	Ko Kram, Chon Buri, Gulf of Thailand.	
<i>Tlos muriger</i> Adams & White, 1843	Ko Chuen, Chon Buri, Ko Kut, Trat.	
Subfamily Leucosiinae Miers, 1886		
<i>Leucosia anatum</i> (Herbst, 1783)	Chon Buri, Gulf of Thailand.	
<i>L. craniolaris</i> (Linnaeus, 1758)	Ko Chuen, Chon Buri, Ko Samit, Rayong, Ko Chang, Ko Kadat, Trat, Pattani, Gulf of Thailand.	
<i>L. haematostrita</i> Adams & White, 1748	Ko Sakait, Ko Kam, Ko Chuen, Chon Buri, Ko Chang, Gulf of Thailand.	
<i>L. haswelli</i> Miers, 1884	Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>L. longifrons</i> De Haan, 1850	Rayong, Ko Mak, Ko Kadat, Trat, Songkhla, Pattani, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>L. margaritata</i> A. Milne Edwards, 1874	Ko Chuen, Chon Buri, Ko Kadat, Ko Kut, Ko Chang, Trat, Gulf of Thailand.	
<i>L. perlata</i> De Haan, 1841	Chon Buri, Gulf of Thailand.	
<i>L. pulcherrima</i> Miers, 1896	Ko Kadat, Trat, Gulf of Thailand.	
<i>L. urania</i> (Herbst, 1786)	Ko Lan, Chon Buri, Ko Chang, Ko Kadat, Trat, Gulf of Thailand.	
<i>L. vittata</i> Stimpson, 1858	Ko Chang, Trat, Gulf of Thailand.	
<i>L. whitei</i> Bell, 1855	Ko Chuen, Chon Buri, Gulf of Thailand.	
Subfamily Philyrinae Rathbun, 1937		
<i>Arcania crinaceus</i> (Fabricius, 1798)	Prachuap Khiri Khan, Gulf of Thailand.	
<i>A. heptacantha</i> (De Haan, 1861)	Chon Buri, Ko Kut, Ko Chang, Trat, Samut Sakhon, Petchaburi, Chumphon, Surat Thani, Gulf of Thailand.	
<i>A. novemspinosa</i> Adams & White, 1848	Chon Buri, Songkhla, Gulf of Thailand.	
<i>A. septemspinosa</i> (Fabricius, 1798)	Ko Samit, Rayong, Ko Kut, Ko Chang, Trat, Surat Thani, Pattani, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>A. undecimspinosus</i> De Haan, 1850	Ko Kam, Chon Buri, Trat, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<i>Iphiculus spongiosus</i> Adams & White, 1848	Ko Samit, Rayong, Ko Kadat, Ko Kut, Ko Chang, Trat, Phetchaburi, Chumphon, Gulf of Thailand.	
<i>Ixa cylindrus</i> (Fabricius, 1777)	Ko Sakait, Chon Buri, Kung Kaben, Chanthaburi, Ko Kadat, Trat, Samut Sakhon, Phetchaburi, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<i>I. edwardsi</i> Lucas, 1858	Nakhon Si Thammarat, Songkhla, Gulf of Thailand.	
<i>Myra affinis</i> Bell, 1855	Ko Mesan, Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>M. coalita</i> (Hilgendorf, 1873)	Chon Buri, Songkhla, Gulf of Thailand.	
<i>M. elegans</i> Bell, 1855	Ko Sichang, Ko Chuen, Chon Buri, Ko Kut, Ko Kadat, Ko Chang, Ko Kong, Trat, Chumphon, Gulf of Thailand.	
<i>M. fugax</i> (Fabricius, 1798)	Samut Prakan, Samut Sakhon, Songkhla, Gulf of Thailand.	
<i>M. pentacantha</i> Alcock, 1896	Kung Kaben, Chanthaburi, Ko Kadat, Trat, Gulf of Thailand.	
<i>Myrodes eudactylus</i> Bell, 1855	Ko Chuen, Chon Buri, Ko Kadat, Lem Ngob, Trat, Gulf of Thailand.	

CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>Nursia lar</i> (Fabricius, 1798)	Ko Lan, Ko Chuen, Chon Buri, Rayong, Ko Chang, Ko Kut, Ko Kadat, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Nursilia tonsor</i> Alcock, 1898	Phuket, Andaman Sea.	
<i>Paranursia abbreviata</i> (Bell, 1855)	Phuket, Andaman Sea.	
<i>Pariphiculus mariannae</i> (Herklots, 1852)	Gulf of Thailand.	
<i>Philyra globulosa</i> H. Milne Edwards, 1837	Gulf of Thailand.	
<i>P. granulosa</i> Ihle, 1918	Phuket, Andaman Sea.	
<i>P. heterograna</i> Ortmann, 1892	Prachuap Khiri Khan, Songkhla, Pattani, Narathiwat, Gulf of Thailand.	
<i>P. olivacea</i> Rathbun, 1909	Lem Ngob, Trat, Chumphon, Gulf of Thailand; Ranong, Andaman Sea.	
<i>Pseudophilyra melita</i> De Man, 1888	Ko Mesan, Ko Kam, Cap Liant, Chon Buri, Gulf of Thailand.	
<i>P. tridentata</i> Miers, 1848	Ko Mesan, Ko Chuen, Chon Buri, Ko Kadat, Trat, Gulf of Thailand.	
<i>Randallia eburnea</i> Alcock, 1896	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>R. glans</i> Alcock, 1896	Phuket, Andaman Sea.	
Section Oxyrhyncha Latreille, 1803		
Superfamily Majoidea Samouelle, 1819		
Family Majidae Samouelle, 1819		
Subfamily Acanthonychinae Alcock, 1895		
<i>Menaethius monoceros</i> (Latrielle, 1825)	Ko Kadat, Ko Chang, Trat, Gulf of Thailand.	
Subfamily Inachinae MacLeay, 1838		
<i>Achaeus affinis</i> Miers, 1879	Ko Kam, Ko Rin, Chon Buri, Gulf of Thailand.	
<i>A. fissifrons</i> (Haswell, 1879)	Phuket, Andaman Sea.	
<i>A. lacertosus</i> Stimpson, 1857	Ko Chuen, Ko Kram, Gulf of Thailand.	
<i>Camposcia retusa</i> Latreille, 1892	Phuket, Andaman Sea.	
<i>Criocarcinus superciliosus</i> (Herbst, 1788)	Phuket, Andaman Sea.	
<i>Paratymolus pubescens</i> Miers, 1879	Kung Kaben, Chanthaburi, Ko Kadat, Trat, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
Subfamily Majinae Balss, 1929		
<i>Chlorinoides aculaetus</i> (H. Milne Edwards, 1834)	Ko Kam, Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>C. longispinus</i> (De Haan, 1839)	Phuket, Andaman Sea.	
<i>Schizophrys aspera</i> (H. Milne Edwards, 1834)	Phuket, Andaman Sea.	
<i>S. longipes</i> (Linnaeus, 1767)	Phuket, Andaman Sea.	
Subfamily Mithracinae Balss, 1929		
<i>Micippa philyra</i> (Herbst, 1803)	Ko Mesan, Chon Buri, Ko Kadat, Ko Mak, Ko Chang, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>M. thalia</i> (Herbst, 1803)	Ko Kam, Chon Buri, Ko Kadat, Ko Kut, Trat, Phetchaburi, Gulf of Thailand.	
Subfamily Pisinae Alcock, 1895		
<i>Doclea alcocki</i> Laurie, 1906	Phuket, Andaman Sea.	
<i>D. armata</i> (De Haan, 1893)	Chon Buri, Gulf of Thailand.	
<i>D. canalifera</i> Stimpson, 1857	Ko Kram, Chon Buri, Ko Kadat, Trat, Prachuap Khiri Khan,	

Taxon/Species	Locality	Endemic Area
<i>D. gracilipes</i> Stimpson, 1857	Chumphon, Surat Thani, Pattani, Gulf of Thailand.	
<i>D. terruptera</i> Walker, 1890	Pattani, Gulf of Thailand.	
<i>D. ovis</i> (Herbst, 1788)	Ko Samit, Rayong, Ko Chang, Ko Kut, Trat, Gulf of Thailand.	
<i>Hyastenus aries</i> (Latreille, 1825)	Chon Buri, Samut Sakhon, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>H. diacanthus</i> (De Haan, 1839)	Chon Buri, Phetchaburi, Gulf of Thailand; Phuket, Andaman Sea.	
<i>H. hilgendorfi</i> De Man, 1888	Ko Rin, Ko Chuen, Chon Buri, Ko Kut, Ko Kadat, Trat, Phetchaburi, Prachuap Khiri Khan, Songkhla, Pattani, Gulf of Thailand.	
<i>H. oryx</i> A. Milne Edwards, 1872	Ko Mesan, Ko Kram, Chon Buri, Gulf of Thailand.	
<i>H. planasius</i> (Adams & White, 1848)	Ko Mak, Trat, Gulf of Thailand.	
<i>H. spinosus</i> A. Milne Edwards, 1872	Ko Kam, Ko Chuen, Ko Mesan, Chon Buri, Gulf of Thailand.	
<i>H. spinosus</i> A. Milne Edwards, 1872	Ko Kram, Ko Chuen, Chon Buri, Ko Kadat, Ko Chang, Trat, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Phalangipus indicus</i> (Leach, 1815)	Chon Buri, Gulf of Thailand.	
<i>P. longipes</i> (Linnaeus, 1758)	Ko Kam, Ko Chuen, Chon Buri, Chanthaburi, Surat Thani, Songkhla, Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Thacanophrys albanyensis</i> (Ward, 1933)	Chon Buri, Gulf of Thailand.	
<i>T. halimoides</i> (Miers, 1879)	Chon Buri, Gulf of Thailand.	
Superfamily Hymenosomatoidea MacLeay, 1838		
Family Hymenosomatidae MacLeay, 1838		
<i>Limnopilos naiyanetri</i> Christina, Chuang & Ng, 1991	Tha Chin River, Nakhon Chaisi, Nakhon Pathom, Central Thailand.	
<i>Neorhynchoplax exiguus</i> (Kemp, 1917)	Gulf of Thailand.	
<i>Rynchoplax coralicola</i> Rathbun, 1909	Gulf of Thailand.	
<i>Trigonoplax unguiformis</i> (De Haan, 1839)	La un, Rangong, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
Superfamily Parthenopoidea MacLeay, 1838		
Family Parthenopidae MacLeay, 1838		
Subfamily Aethrinae Dana, 1852		
<i>Cryptopodia anagulata</i> H. Milne Edwards & Lucas, 1841	Phuket, Andaman Sea.	
<i>C. dorsalis</i> White, 1847	Chon Buri, Gulf of Thailand.	
<i>C. fornicata</i> (Fabricius, 1781)	Chon Buri, Kung Kaben, Chanthaburi, Ko Kadat, Ko Kut, Trat, Rayong, Samut Prakan, Samut Sakhon, Phetchaburi, Chumphon, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<i>C. laevimana</i> Miers, 1879	Ko Mesan, Ko Chuen, Chon Buri, Gulf of Thailand.	
Subfamily Eumedoninae Miers, 1879		
<i>Echinoecus pentagonus</i> (White, 1847)	Ko Kram, Chon Buri, Ko Kadat, Ko Kut, Trat, Gulf of Thailand.	
<i>Rhabdonotus pictus</i> A. Milne Edwards, 1878	Phuket, Andaman Sea.	
<i>Zebrida adamsi</i> White, 1847	Ko Kram, Ko Mesan, Ko Chuen, Chon Buri, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
Subfamily Parthenopinae Miers, 1879		
<i>Aulacolambrus hoplonotus</i> (Adams & White, 1848)	Ko Mesan, Ko Rin, Chon Buri, Gulf of Thailand.	
<i>A. whitei</i> H. Milne Edwards, 1872	Phuket, Andaman Sea.	
<i>Daldorfia horrida</i> (Linnaeus, 1758)	Ko Samui, Surat Thani, Phuket, Andaman Sea.	
<i>Parthenope longimanus</i> (Linnaeus, 1764)	Ko Kram, Ko Chuen, Chon Buri, Rayong, Ko Kut, Trat, Samut Sakhon, Chumphon, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>P. pransor</i> (Herbst, 1796)	Chon Buri, Gulf of Thailand.	
<i>Platylambrus echinatus</i> (Herbst, 1790)	Ko Lan, Ko Kram, Chon Buri, Rayong, Phuket, Andaman Sea.	
<i>Pseudolambrus calappoides</i> (Adams & White, 1848)	Ko Mesan, Ko Rin, Chon Buri, Gulf of Thailand.	
<i>P. harpax</i> (Adams & White, 1848)	Ko Mesan, Ko Kram, Chon Buri, Gulf of Thailand.	
<i>P. ozakii</i> Sakai, 1969	Songkhla, Gulf of Thailand.	
<i>Rhinolambrus contrarius</i> (Herbst, 1796)	Trat, Phetchaburi, Chumphon, Songkhla, Pattani, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>R. longispinis</i> (Miers, 1879)	Ko Kam, Chon Buri, Ko Tulu, Rayong, Ko Kut, Ko Kadat, Trat, Gulf of Thailand.	
<i>R. pelagicus</i> (Ruppell, 1830)	Ko Kadat, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
Section Cancridea Latreille, 1803		
Superfamily Cancroidea Latreille, 1803		
Family Corystidae Samouelle, 1819		
<i>Gomezia bicornis</i> Gray, 1831	Chon Buri, Gulf of Thailand.	
<i>Jonas distincta</i> (De Haan, 1835)	Chumphon, Songkhla, Gulf of Thailand.	
Family Thiidae Dana, 1852		
<i>Kraussia nitida</i> Stimpson, 1858	Ko Mesan, Chon Buri, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
Section Brachyrhyncha Borradaile, 1907		
Superfamily Portunoidea Rafinesque, 1815		
Family Portunidae Rafinesque, 1815		
Subfamily Caphyrinae Alcock, 1899		
<i>Lissocarcinus arkati</i> Kemp, 1923	Nakhon Si Thammarat, Gulf of Thailand.	
<i>L. boholensis</i> Semper, 1880	Ko Kut, Trat, Gulf of Thailand.	
Subfamily Catoptrinae Borradaile, 1903		
<i>Carupa tenuipes</i> Dana, 1851	Gulf of Thailand.	
<i>Libystes alphonsi</i> Alcock, 1900	Phuket, Andaman Sea.	
<i>L. edwardsi</i> Alcock, 1900	Phuket, Andaman Sea.	
Subfamily Podophthalminae Borradaile, 1907		
<i>Podophthalmus vigil</i> (Fabricius, 1798)	Chon Buri, Rayong, Chanthaburi, Ko Chang, Ko Kong, Trat,	

Taxon/Species	Locality	Endemic Area
<p>Subfamily Portuninae Stephenson and Campbell, 1960</p>	<p>Samut Sakhon, Samut Songkhram, Prachuap Khiri Khan, Chumphon, Surat Thani, Songkhla, Pattani, Gulf of Thailand; Trang, Phuket, Andaman Sea.</p>	
<p><i>Charybdis acutifrons</i> (De Man, 1879)</p>	<p>Phuket, Andaman Sea.</p>	
<p><i>C. affinis</i> Dana, 1852</p>	<p>Chon Buri, Chanthaburi, Lem Ngob, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Chumphon, Songkhla, Pattani, Nakhon Si Thammarat, Gulf of Thailand; Trang, Satun, Ranong, Phuket, Krabi, Andaman Sea.</p>	
<p><i>C. anisodon</i> (De Haan, 1850)</p>	<p>Chon Buri, Paknam Wen, Chanthaburi, Ko Chang, Trat, Samut Sakhon, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Trang, Ranong, Satun, Phuket, Phangnga, Krabi, Andaman Sea.</p>	
<p><i>C. annulata</i> (Fabricius, 1798)</p>	<p>Ko Kam, Chon Buri, Rayong, Chanthaburi, Prachuap Khiri Khan, Songkhla, Gulf of Thailand.</p>	

CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>C. beauforti</i> Leene & Buitendijk, 1949	Ranong, Phuket, Andaman Sea.	
<i>C. callianassa</i> (Herbst, 1789)	Paknam Wen, Chonhaburi, Ko Kut, Trat, Samut Prakan, Samut Sakhon, Prachuap Khiri Khan, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand.	
<i>C. feriatus</i> (Linnaeus, 1758)	Chon Buri, Rayong, Chanthaburi, Ko Kut, Ko Kong, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Trang, Satun, Ranong, Phuket, Andaman Sea.	
<i>C. hellerii</i> (A. Milne Edwards, 1861)	Chon Buri, Rayong, Trat, Prachuap Khiri Khan, Pattani, Gulf of Thailand; Satun, Ranong, Phuket, Andaman Sea.	
<i>C. hongkongensis</i> Shen, 1834	Ranong, Andaman Sea.	
<i>C. lucifera</i> (Fabricius, 1798)	Chonhaburi, Lem Ngob, Ko Kong, Trat, Samut Songkhram, Prachuap Khiri Khan, Gulf of Thailand; Krabi, Andaman Sea.	
<i>C. miles</i> De Haan, 1835	Chanthaburi, Samut Prakan, Nakhon Si Thammarat, Songkhla, Gulf of Thailand; Trang, Satun, Ranong, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>C. natator</i> (Herbst, 1789)	Ko Mesan, Chon Buri, Rayong, Chanthaburi, Samut Sakhon, Phetchaburi, Prachuap Khiri Khan, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Trang, Ranong, Phuket, Krabi, Andaman Sea.	
<i>C. ornata</i> (A. Milne Edwards, 1861)	Ko Samit, Rayong, Ko Kadat, Ko Kut, Trat, Gulf of Thailand.	
<i>C. rorstrata</i> (A. Milne Edwards, 1861)	Gulf of Thailand; Andaman Sea.	
<i>C. truncata</i> (Fabricius, 1798)	Chon Buri, Rayong, Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Trang, Satun, Phuket, Krabi, Andaman Sea.	
<i>C. vadorum</i> Alcock, 1899	Chon Buri, Chanthaburi, Trat, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Pattani, Gulf of Thailand; Trang, Phuket, Andaman Sea.	
<i>C. variegata</i> (Fabricius, 1798)	Ko Kam, Chon Buri, Chanthaburi, Prachuap Khiri Khan, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Trang, Satun, Phangnga, Krabi, Andaman Sea.	

CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>Lupocyclus rotundatus</i> Adams & White, 1848	Chon Buri, Chanthaburi, Trat, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<i>Portunus argentatus</i> (White, 1847)	Songkhla, Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>P. brockii</i> (De Man, 1887)	Chanthaburi, Ko Kadat, Ko Mak, Ko Chang, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>P. gladiator</i> (Fabricius, 1798)	Ko Kam, Ko Mesan, Chon Buri, Rayong, Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Prachuap Khiri Khan, Chumphon, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Trang, Ranong, Phuket, Phangnga, Andaman Sea.	
<i>P. gracilimanus</i> (Stimpson, 1858)	Ko Lan, Ko Kram, Ko Chuen, Chon Buri, Rayong, Chanthaburi, Ko Kut, Ko Kadat, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<i>P. granulatus</i> (H. Milne Edwards, 1834)	Ko Kadat, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>P. hastatoides</i> (Fabricius, 1798)	Chon Buri, Ko Samit, Rayong, Chanthaburi, Ko Kadat, Ko Kut, Ko -Kong, Trat, Samut Sakhon, Phetchaburi, Prachuap Khiri Khan,	

Taxon/Species	Locality	Endemic Area
	Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Trang, Satun, Phuket, Phangnga, Krabi, Andaman Sea.	
<i>P. inominatus</i> (Rathbun, 1909)	Ko Kadat, Ko Mak, Trat, Gulf of Thailand.	
<i>P. longispinosus</i> (Dana, 1852)	Ko Kadat, Ko Mak, Trat, Gulf of Thailand; Andaman Sea.	
<i>P. minutus</i> (Shen, 1937)	Chanthaburi, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
73 <i>P. orbicularis</i> (Richters, 1880)	Phuket, Andaman Sea.	
<i>P. orbitosinus</i> Rathbun, 1911	Phuket, Andaman Sea.	
<i>P. pelagicus</i> (Linnaeus, 1758)	Chon Buri, Rayong, Chanthaburi, Lem Ngob, Ko Chang, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Trang, Satun, Ranong, Phuket, Phangnga, Krabi, Andaman Sea.	
<i>P. pseudoargentatus</i> Stephenson, 1961	Surat Thani, Nakhon Si Thammarat, Gulf of Thailand.	

CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>P. pulchricristatus</i> (Gordon, 1931)	Ko Samit, Rayong, Chanthaburi, Ko Kut, Trat, Nakhon Si Thammarat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>P. rubromarginatus</i> (Lanchester, 1900)	Gulf of Thailand.	
<i>P. sanguinolentus</i> (Herbst, 1783)	Chon Buri, Rayong, Chanthaburi, Ko Chang, Trat, Samut Sakhon, Chumphon, Sarat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Trang, Satun, Ranong, Phuket, Krabi, Andaman Sea.	
<i>P. tenuipes</i> (De Haan, 1835)	Ko Kam, Chon Buri, Ko Samit, Rayong, Chanthaburi, Trat, Samut Prakan, Songkhla, Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>P. tuberculosus</i> (A. Milne Edwards, 1861)	Ko Kram, Chon Buri, Rayong, Chanthaburi, Ko Kadat, Ko Kut, Ko Mak, Trat, Phetchaburi, Prachuap Khiri Khan, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>P. tweediei</i> (Shen, 1938)	Chon Buri, Rayong, Chanthaburi, Trat, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla,	

Taxon/Species	Locality	Endemic Area
<i>Scylla serrata</i> (Forsk., 1755)	Pattani, Gulf of Thailand; Trang, Satun, Ranong, Phuket, Phangnga, Krabi, Andaman Sea. Chon Buri, Rayong, Chanthaburi, Samut Prakan, Samut Sakhon, Phetchaburi, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Trang, Satun, Ranong, Phuket, Phangnga, Krabi, Andaman Sea.	
<i>S. tranquebarica</i> (Fabricius, 1789)	Rayong, Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<i>Thalamita admete</i> (Herbst, 1803)	Chon Buri, Gulf of Thailand.	
<i>T. chaptali</i> Audouin & Savigny, 1825	Chanthaburi, Gulf of Thailand.	
<i>T. crenata</i> (Latreille, 1829)	Chon Buri, Rayong, Chanthaburi, Ko Chang, Trat, Samut Prakan, Samut Sakhon, Prachuap Khiri Khan, Chumphon, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Satun, Ranong, Phuket, Phangnga, Krabi, Andaman Sea.	
<i>T. danae</i> Stimpson, 1858	Chon Buri, Gulf of Thailand; Phuket, Andaman Sea.	

CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>T. foresti</i> Crosnier, 1962	Phuket, Andaman Sea.	
<i>T. imparimanus</i> Alcock, 1899	Ko Mesan, Chon Buri, Ko Chang, Trat, Gulf of Thailand.	
<i>T. muusi</i> Serene & Soh, 1976	Phuket, Andaman Sea.	
<i>T. parvidens</i> (Rathbun, 1907)	Phuket, Andaman Sea.	
<i>T. picta</i> Stimpson, 1858	Rayong, Gulf of Thailand.	
<i>T. prymna</i> (Herbst, 1794)	Ko Chang, Chon Buri, Samut Prakan, Prachuap Khiri Khan, Surat Thani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>T. sexlobata</i> Miers, 1886	Phuket, Andaman Sea.	
<i>T. sima</i> H. Milne Edwards, 1834	Ko Chuen, Ko Mesam, Chon Buri, Rayong, Ko Kadat, Trat, Samut Prakan, Samut Sakhon, Phetchaburi, Prachuap Khiri Khan, Chumphon, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Trang, Satun, Krabi, Andaman Sea.	
<i>T. spinifera</i> Borradaile, 1903	Phuket, Andaman Sea.	
<i>T. spinimana</i> Dana, 1852	Chon Buri, Gulf of Thailand; Phuket, Andaman Sea.	
<i>T. stimpsoni</i> A. Milne Edwards, 1861	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>T. tenuipes</i> Borradaile, 1902	Chon Buri, Gulf of Thailand; Phuket, Andaman Sea.	
Superfamily Xanthoidea MacLeay, 1838		
Family Carpiliidae Ortmann, 1893		
<i>Carpilius convexus</i> (Forsk., 1775)	Rawai Beach, Phuket, Andaman Sea.	
<i>C. maculatus</i> (Linnaeus, 1758)	Rawai Beach, Phuket, Andaman Sea.	
<i>Liagore rubromaculata</i> De Haan, 1835	Trat, Samut Prakan, Nakhon Si Thammarat, Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
Family Goneplacidae MacLeay, 1838		
Subfamily Carcinoplacinae Miers, 1886		
<i>Carcinoplax longimanus</i> (De Haan, 1835)	Samut Prakan, Samut Sakhon, Surat Thani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>C. purpurea</i> Rathbun, 1914	Gulf of Thailand.	
<i>C. sinica</i> Chen, 1984	Gulf of Thailand.	

CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>Eucrate alcocki</i> Serene, 1971	Chon Buri, Trat, Samut Sakhon, Phetchaburi, Pattani, Gulf of Thailand.	
<i>E. crenata</i> De Haan, 1835	Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>E. solaris</i> Yang & Sun, 1979	Gulf of Thailand.	
<i>E. sulcatifrons</i> (Stimpson, 1858)	Gulf of Thailand.	
<i>Heteroplax dentata</i> Stimpson, 1858	Ko Kakat, Trat, Gulf of Thailand.	
<i>H. nitida</i> Miers, 1879	Gulf of Thailand; Andaman Sea.	
<i>H. transversa</i> Stimpson, 1858	Ko Kadat, Trat , Gulf of Thailand.	
<i>Litocheira cristata</i> Rathbun, 1909	Ko Chuen, Chon Buri, Ko Tulu, Rayong, Gulf of Thailand.	
<i>L. setosa</i> (A. Milne Edwards, 1873)	Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>Viaderina striata</i> (De Man, 1888)	Phuket, Andaman Sea.	
<i>V. typica</i> Ward, 1942	Phuket, Andaman Sea.	
Subfamily Chasmocarcininae Serene, 1964		
<i>Camatopsis rubida</i> Alcock & Anderson, 1899	Ko Mak, Trat, Gulf of Thailand; Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>Chasmocarcinops gelasimoides</i> Alcock, 1900	Ko Kadat, Ko Kut, Ko Bidang, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Hepthopelta mortenseni</i> Serene, 1964	Andaman Sea.	
<i>Megaesthesius sagedae</i> Rathbun, 1909	Andaman Sea.	
<i>Scalopidia spinosipes</i> Stimpson, 1858	Ko Samit, Rayong, Ko Kut, Trat, Gulf of Thailand; Andama Sea.	
Subfamily Goneplacinae Miers, 1886		
<i>Notonyx vitreus</i> Alcock, 1900	Phuket, Andaman Sea.	
<i>Singhaplax ockelmanni</i> (Serene, 1971)	Phuket, Andaman Sea.	
Subfamily Prionoplacinae Alcock, 1900		
<i>Homoioplax haswelli</i> Rathbun, 1914	Andaman Sea.	
<i>Lophoplax takakurai</i> Sakai, 1935	Andaman Sea.	
Subfamily Rhizopinae Miers, 1886		
<i>Ceratoplax ciliata</i> Stimpson, 1858	Rayong, Ko Kadat, Trat, Gulf of Thailand.	
<i>C. fulgida</i> Rathbun, 1914	Andaman Sea.	

CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>C. hispida</i> Alcock, 1896	Rayong, Gulf of Thailand.	
<i>Mertonia lanka</i> Lauire, 1906	Ko Mesan, Cap Liant, Chon Buri, Gulf of Thailand; Andaman Sea.	
<i>Rhizopa gracilipes</i> Stimpson, 1858	Ko Chang, Ko Kut, Ko Bidang, Trat, Gulf of Thailand.	
<i>R. sasekumari</i> Serene, 1970	Ranong, Andaman Sea.	
<i>Typhlocarcinodes hirsutus</i> (Borradaile, 1903)	Andaman Sea.	
<i>Typhlocarcinops canaliculata</i> Rathbun, 1909	Ko Mesan, Chon Buri, Ko Mak, Trat, Gulf of Thailand.	
<i>Typhlocarcinus nudus</i> Stimpson, 1858	Ko Kadat, Ko Kut, Ko Bidang, Trat, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<i>T. rubidus</i> Alcock, 1900	Andaman Sea.	
<i>T. villosus</i> Stimpson, 1858	Ko Chuen, Chon Buri, Ko Samit, Rayong, Gulf of Thailand.	
<i>Xenophthalmodes dolichophallus</i> Tesch, 1918	Andaman Sea.	

Taxon/Species	Locality	Endemic Area
Family Hexapodidae Miers, 1886		
Subfamily Hexapodinae Alcock, 1900		
<i>Hexapus edwardsi</i> Serene & Soh, 1976	Andaman Sea.	
<i>H. granuliferus</i> Campbell & Stephenson, 1970	Andaman Sea.	
<i>H. sexpes</i> (Fabricius, 1798)	Andaman Sea.	
<i>H. stephenseni</i> Serene & Soh, 1976	Andaman Sea.	
<i>Lambdophallus anfractus</i> Rathbun, 1909	Ko Chang, Ko Kut, Ko Kong, Trat, Gulf of Thailand.	
<i>Thaumastoplax chuenensis</i> Rathbun, 1909	Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>T. orientalis</i> Rathbun, 1909	Ko Kut, Trat, Gulf of Thailand; Andaman Sea.	
Family Menippidae Ortmann, 1893		
Subfamily Eriphiinae Alcock, 1898		
<i>Eriphia scabricula</i> Dana, 1852	Naiyang Beach, Phuket, Andaman Sea.	
<i>E. sebana</i> (Shaw & Nodder, 1803)	Lem Phanwa, Naiyang Beach, Patong Beach, Kata Beach, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>E. smithi</i> MacLeay, 1838	Ang Sila, Chon Buri, Ko Chang, Trat, Gulf of Thailand; Lem Phanwa, Phuket, Andaman Sea.	
<i>Globopilumnus actumnoides</i> (A. Milne, Edwards, 1873)	Ko Khang Khao, Chon Buri, Gulf of Thailand.	
Subfamily Oziinae Alcock, 1898		
<i>Baptozius vinosus</i> (H. Milne Edwards, 1834)	Phuket, Andaman Sea.	
<i>Epixanthus corrosus</i> A. Milne Edwards, 1873	Patong Beach, Phuket, Andaman Sea.	
<i>E. dentatus</i> (White, 1847)	Ko Ma Phrao, Phuket, Andaman Sea.	
<i>E. frontalis</i> (H. Milne Edwards, 1834)	Ko Chik, Chanthaburi, Gulf of Thailand; Lem Phanwa, Ao Yon, Phuket, Andaman Sea.	
<i>Myomenippe granulosa</i> (A. Milne Edwards, 1867)	Lem Ngob, Ko Chang, Trat, Gulf of Thailand; Ranong, Andaman Sea.	
<i>M. hardwicki</i> (Gray, 1831)	Gulf of Thailand.	
<i>Ozius granulatus</i> De Man, 1879	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>O. guttatus</i> H. Milne Edwards, 1834	Chon Buri, Gulf of Thailand.	
<i>Sphaerozius nitidus</i> Stimpson, 1858	Ko Kong, Trat, Chumphon, Gulf of Thailand; Ko Ma Phrao, Phuket, Andaman Sea.	
Family Pilumnidae Samouelle, 1819		
Subfamily Halimediinae Alcock, 1898		
<i>Halimede ochtodes</i> (Herbst, 1783)	Ko Lan, Ko Chuen, Chon Buri, Rayong, Ko Kadat, Trat, Pattani, Gulf of Thailand.	
<i>H. thurstoni</i> Henderson, 1893	Ko Kam, Ko Rin, Ko Mesan, Chon Buri, Ko Kut, Ko Kadat, Trat, Gulf of Thailand.	
Subfamily Heteropanopeinae Alcock, 1898		
<i>Eurycarcinus orientalis</i> A. Milne Edwards, 1868	Lem Ngob, Trat, Gulf of Thailand.	
<i>Glabropilumnus dispar</i> (Dana, 1852)	Ko Khang Khao, Chon Buri, Gulf of Thailand.	
<i>G. edamensis</i> (De Man, 1887)	Ko Chang, Ko Kadat, Trat, Gulf of Thailand.	
<i>G. laevimanus</i> (Dana, 1852)	Ko Khaeo, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>G. seminudus</i> (Miers, 1884)	Ko Khaeo, Phuket, Andaman Sea.	
<i>Heteropanope changensis</i> (Rathbun, 1909)	Ko Chang, Trat, Gulf of Thailand; Lem Phanwa, Phuket, Andaman Sea.	
<i>H. glabra</i> Stimpson, 1858	Ko Ma Phrao, Phuket, Andaman Sea.	
<i>Nanopilumnus rouxi</i> (Balss, 1935)	Ko Khang Khao, Chon Buri, Gulf of Thailand.	
<i>Pilumnopeus indicus</i> (De Man, 1887)	Ranong, Andaman Sea.	
<i>P. makiana</i> (Rathbun, 1929)	Lem Phanwa, Phuket, Andaman Sea.	
<i>P. sexangula</i> (Rathbun, 1909)	Gulf of Thailand.	
Subfamily Heteropilumninae Serene, 1984		
<i>Heteropilumnus cristatus</i> (Rathbun, 1909)	Ko Chuen, Chon Buri, Ko Tulu, Rayong, Gulf of Thailand.	
<i>H. setosus</i> (A. Milne Edwards, 1873)	Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>H. trichophorus</i> (De Man, 1895)	Ko Kadat, Trat, Gulf of Thailand.	
Subfamily Pilumninae Samouelle, 1819		
<i>Actumnus asper</i> (Ruppell, 1861)	Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>A. carinatus</i> Bouvier, 1915	Phuket, Andaman Sea.	
<i>A. digitalis</i> Rathbun, 1907	Ko Khaeo, Phuket, Andaman Sea.	
<i>A. dorsipes</i> (Stimpson, 1858)	Ko Kram, Chon Buri, Gulf of Thailand.	
<i>A. elegans</i> De Man, 1887	Ko Khang Khao, Chon Buri, Gulf of Thailand.	
<i>A. obesus</i> Dana, 1852	Ao Tung Khen, Phuket, Andaman Sea.	
<i>A. setifer</i> (De Haan, 1835)	Ko Mesan, Ko Chuen, Chon Buri, Ko Kadat, Trat, Gulf of Thailand.	
<i>A. squamosus</i> (De Haan, 1835)	Ko Rin, Ko Kam, Ko Chuen, Ko Mesan, Chon Buri, Ko Samit, Rayong, Gulf of Thailand.	
<i>Pilumnus cursor</i> A. Milne Edwards, 1873	Ko Samui, Surat Thani, Gulf of Thailand.	
<i>P. forskali</i> A. Milne Edwards, 1873	Gulf of Thailand.	
<i>P. hirsutus</i> Stimpson, 1858	Ko Chuen, Ko Kam, Ko Mesan, Chon Buri, Ko Kadat, Trat, Gulf of Thailand.	
<i>P. longicornis</i> Hilgendorf, 1878	Ko Chuen, Ko Mesan, Ko Kram, Chon Buri, Rayong, Ko Kadat, Trat, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>P. minutus</i> De Haan, 1835	Phetchaburi, Gulf of Thailand.	
<i>P. parapilumnoides</i> Takeda & Miyake, 1970	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	
<i>P. scabriusculus</i> Adams & White, 1848	Lem Phanwa, Naiyang Beach, Rawai Beach, Phuket, Andaman Sea.	
<i>P. vesperilio</i> (Fabricius, 1793)	Ko Mesan, Chon Buri, Ko Chang, Trat, Gulf of Thailand; Lem Phanwa, Ao Tung Khen, Ao Yon, Ko Ma Phrao, Rawai Beach, Naiyang Beach, Patong Beach, Phuket, Andaman Sea.	
<i>Parapanope siamensis</i> Guinot, 1985	Paknam Samut Prakan, Gulf of Thailand.	
Subfamily Planopilumninae Serene, 1984		
<i>Planopilumnus penicillatus</i> (Gordon, 1930)	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	
Family Trapeziidae Miers, 1886		
Subfamily Domeciinae Ortmann, 1893		
<i>Maldivia triungiculata</i> (Borradaile, 1902)	Ao Tung Khen, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
Subfamily Trapeziinae Miers, 1886		
<i>Trapezia areolata</i> Dana, 1852	Ko Lon, Ko Hee, Phuket, Andaman Sea.	
<i>T. cymodoce</i> (Herbst, 1801)	Naiyang Beach, Ko Lon, Ko Hee, Phuket, Andaman Sea.	
<i>T. ferruginae</i> Latreille, 1825	Ko Lon, Phuket, Andaman Sea.	
<i>T. wardi</i> Serene, 1970	Ko Lon, Phuket, Andaman Sea.	
<i>Tetralia glaberrima</i> (Herbst, 1790)	Ko Kadat, Trat, Gulf of Thailand; Ko Khaeo, Phuket, Andaman Sea.	
Family Xanthidae MacLeay, 1838		
Subfamily Actaeinae Alcock, 1898		
<i>Actaea calculosa</i> (H. Milne Edwards, 1834)	Ko Mesan, Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>A. modesta</i> (De Man, 1888)	Ko Khaeo, Phuket, Andaman Sea.	
<i>A. polyacantha</i> (Heller, 1861)	Ko Khaeo, Phuket, Andaman Sea.	
<i>A. savignyi</i> (H. Milne Edwards, 1834)	Ko Kam, Chon Buri, Ko Kut, Ko Kadat, Trat, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>Actaeodes hirsutissimus</i> (Ruppell, 1830)	Lem Phanwa, Rawai Beach, Naiyang Beach, Phuket, Andaman Sea.	
<i>A. semoni</i> (Ortmann, 1894)	Ko Khang Khao, Chon Buri, Gulf of Thailand.	
<i>A. tomentosus</i> (H. Milne Edwards, 1834)	Lem Phanwa, Rawai Beach, Naiyang Beach, Patong Beach, Phuket, Andaman Sea.	
<i>Epiactaea margaritifera</i> (Odhner, 1925)	Ko Chuen, Ko Kram, Chon Buri, Gulf of Thailand.	
<i>Gaillardiellus ruppellii</i> (Krauss, 1843)	Lem Phanwa, Rawai Beach, Ao Yon, Phuket, Andaman Sea.	
<i>Psaumis cavipes</i> (Dana, 1852)	Lem Phanwa, Rawai Beach, Phuket, Andaman Sea.	
<i>Pseudoliomera granosimana</i> (A. Milne Edwards, 1865)	Ko Khaeo, Phuket, Andaman Sea.	
<i>P. speciosa</i> (Dana, 1852)	Ko Khaeo, Phuket, Andaman Sea.	
Subfamily Chlorodiinae Alcock, 1898		
<i>Chlorodiella cytherea</i> (Dana, 1852)	Lem Phanwa, Rawai Beach, Phuket, Andaman Sea.	
<i>C. laevisissima</i> (Dana, 1852)	Ko Khaeo, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>C. nigra</i> (Forsk., 1775)	Ko Samui, Surat Thani, Gulf of Thailand; Lem Phanwa, Rawai Beach, Patong Beach, Ao Yon, Ao Ma Kham, Phuket, Andaman Sea.	
<i>Pilodius areolatus</i> (H. Milne Edwards, 1834)	Naiyang Beach, Phuket, Andaman Sea.	
<i>P. granulatus</i> Stimpson, 1858	Ko Khang Khao, Chon Buri, Gulf of Thailand.	
<i>P. nigrocrinitus</i> Stimpson, 1858	Ko Chang, Ko Kadat, Trat, Gulf of Thailand; Lem Phanwa, Rawai Beach, Patong Beach, Ao Tung Khen, Ao Yon, Ao Ma Kham, Phuket, Andaman Sea.	
<i>P. pugil</i> Dana, 1852	Lem Phanwa, Rawai Beach, Naiyang Beach, Patong Beach, Phuket, Andaman Sea.	
<i>P. scabriculus</i> Dana, 1852	Ko Khaeo, Phuket, Andaman Sea.	
<i>P. serenei</i> Miyake & Takeda, 1968	Ko Khang Khao, Chon Buri, Ko Samui, Surat Thani, Gulf of Thailand.	
<i>Phymodius monticulosus</i> (Dana, 1852)	Lem Phanwa, Rawai Beach, Patong Beach, Ao Tung Khen, Ao Yon, Ao Ma Kham, Phuket, Andaman Sea.	
<i>P. nitidus</i> (Dana, 1852)	Ko Khaeo, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>P. ungulatus</i> (H. Milne Edwards, 1834)	Phuket, Andaman Sea.	
Subfamily Cymoinae Alcock, 1898		
<i>Cymo andreossi</i> (Audouin, 1826)	Ko Khang Khao, Chon Buri, Gulf of Thailand.	
<i>C. melanodactylus</i> De Haan, 1833	Ko Kadat, Trat, Gulf of Thailand; Lem Phanwa, Ko Lon, Phuket, Andaman Sea.	
<i>C. quadrilobatus</i> Miers, 1884	Ko Lon, Phuket, Andaman Sea.	
Subfamily Etisinae Ortmann, 1893		
<i>Etisus anaglyptus</i> H. Milne Edwards, 1834	Lem Phanwa, Phuket, Andamna Sea.	
<i>E. electra</i> (Herbst, 1801)	Lem Phanwa, Rawai Beach, Naiyang Beach, Patong Beach, Ao Tung Khen, Ao Yon, Ao Ma Kham, Phuket, Andaman Sea.	
<i>E. frontalis</i> Dana, 1852	Rawai Beach, Phuket, Andaman Sea.	
<i>E. laevimanus</i> Randall, 1840	Lem Phanwa, Rawai Beach, Naiyang Beach, Patong Beach, Ao Tung Khen, Phuket, Andaman Sea.	
<i>E. utilis</i> Jacquinot, 1852	Lem Phanwa, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
Subfamily Euxanthinae Alcock, 1898		
<i>Euxanthus exsculptus</i> (Herbst, 1790)	Rawai Beach, Patong Beach, Phuket, Andaman Sea.	
<i>Hypocolpus granulatus</i> (De Haan, 1837)	Ko Kram, Chon Buri, Gulf of Thailand.	
<i>Medaeops granulosus</i> (Haswell, 1882)	Andaman Sea.	
Subfamily Galeninae Alcock, 1898		
<i>Galene bispinosa</i> (Herbst, 1783)	Chon Buri, Trat, Samut Sakhon, Phetchaburi, Chumphon, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Ko Si Le, Phuket, Andaman Sea.	
Subfamily Liomerinae Sakai, 1976		
<i>Liomera bella</i> (Dana, 1852)	Rawai Beach, Niyang Beach, Patong Beach, Phuket, Andaman Sea.	
<i>L. cinctimana</i> (White, 1847)	Ko Khaeo, Phuket, Andaman Sea.	
<i>L. erythra</i> (Lancherster, 1901)	Ko Chuen, Ko Mesan, Chon Buri, Gulf of Thailand.	
<i>L. guttata</i> (De Man, 1888)	Chon Buri, Gulf of Thailand.	
<i>L. laevis</i> (A. Milne Edwards, 1873)	Lem Phanwa, Rawai Beach, Naiyang Beach, Patong Beach,	

Taxon/Species	Locality	Endemic Area
<i>L. margaritata</i> (A. Milne Edwards, 1873)	Ao Tung Khen, Ao Yon, Phuket, Andaman Sea.	
<i>L. stimpsoni</i> (A. Milne Edwards, 1865)	Ko Chang, Gulf of Thailand.	
<i>L. venosa</i> (H. Milne Edwards, 1834)	Phuket, Andaman Sea.	
Subfamily Xanthinae MacLeay, 1838	Lem Phanwa, Phuket, Andaman Sea.	
<i>Demania cultripipes</i> (Alcock, 1898)	Chon Buri, Gulf of Thailand.	
<i>D. scaberrima</i> (Walker, 1887)	Ang Sila, Ko Chuen, Chon Buri, Trat, Chumphon, Songkhla, Pattani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Leptodius exaratus</i> (H. Milne Edwards, 1834)	Ko Chik, Chanthaburi, Lem Ngob, Trat, Gulf of Thailand; Lem Phanwa, Rawai Beach, Naiyang Beach, Patong Beach, Ao Tung Khen, Ao Yon, Phuket, Andaman Sea.	
<i>L. gracilis</i> (Dana, 1852)	Phuket, Andaman Sea.	
<i>L. nudipes</i> (Dana, 1852)	Lem Phanwa, Rawai Beach, Naiyang Beach, Andaman Sea.	
<i>L. sanguineus</i> (H. Milne Edwards, 1834)	Ko Chang, Ko Kadat, Trat, Gulf of Thailand; Patong Beach, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>Macromedaeus crassimanus</i> (A. Milne Edwards, 1867)	Rawai Beach, Naiyang Beach, Patong Beach, Phuket, Andaman Sea.	
<i>Neoxanthops lineatus</i> (A. Milne Edwards, 1867)	Ko Chuen, Ko Lan, Ko Mesan, Chon Buri, Rayong, Ko Kadat, Ko Kut, Trat, Gulf of Thailand.	
<i>Xanthias lamarcki</i> (H. Milne Edwards, 1834)	Lem Phanwa, Rawai Beach, Naiyang Beach, Patong Beach, Ao Tung Khen, Phuket, Andaman Sea.	
<i>X. punctatus</i> (H. Milne Edwards, 1834)	Rawai Beach, Phuket, Andaman Sea.	
Subfamily Zalasiinae Serene, 1968		
<i>Zalasius sakaii</i> Balss, 1938	Chon Buri, Gulf of Thailand.	
Subfamily Zosiminae Alcock, 1898		
<i>Atergatis dilatatus</i> De Haan, 1835	Ko Chang, Trat, Gulf of Thailand; Phanwa, Rawai Beach, Naiyang Beach, Patong Beach, Ao Tung Khen, Ao Kham, Phuket, Andaman Sea.	
<i>A. floridus</i> (Linnaeus, 1767)	Sattahip, Chop Buri, Ko Kadat, Trat, Gulf of Thailand; Lem Phanwa, Rawai Beach, Naiyang Beach, Patong Beach, Ao Kham, Ao Tung Khen, Phuket, Andaman Sea.	

CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>A. integerrimus</i> (Lamarck, 1801)	Lem Phawa, Rawai Beach, Naiyang Beach, Patong Beach, Ao Kham, Ao Tung Khen, Phuket, Andaman Sea.	
<i>A. reticulatus</i> De Haan, 1835	Phuket, Andaman Sea.	
<i>A. roseus</i> (Ruppell, 1830)	Lem Phawa, Rawai Beach, Patong Beach, Phuket, Andaman Sea.	
<i>Lophozozymus dodone</i> (Herbst, 1801)	Lem Phanwa, Phuket, Andaman Sea.	
<i>L. pictor</i> (Fabricius, 1798)	Phuket, Andaman Sea.	
<i>Platypodia alcocki</i> Buitendijk, 1941	Lem Phanwa, Rawai Beach, Ao Tung Khen, Phuket, Andaman Sea.	
<i>P. anaglypta</i> (Heller, 1861)	Rawai Beach, Phuket, Andaman Sea.	
<i>P. granulosa</i> (Ruppell, 1830)	Andaman Sea.	
<i>P. semigranosa</i> (Heller, 1861)	Phuket, Andaman Sea.	
<i>Zozimus aeneus</i> (Linnaeus, 1758)	Naiyang Beach, Phuket, Andaman Sea.	
<i>Zozymodes cavipes</i> (Dana, 1852)	Lem Phanwa, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
Superfamily Grapsidoidea MacLeay, 1838		
Family Gecarcinidae MacLeay, 1838		
<i>Cardisoma carnifex</i> (Herbst, 1794)	Sattahip, Chon Buri, Ko Kadat, Trat, Gulf of Thailand; Lem Phanwa, Phuket, Andaman Sea.	
<i>C. hirtipes</i> Dana, 1851	Ko Surin, Phangnga, Andaman Sea.	
<i>Gecarcoidea lalandii</i> H. Milne Edwards, 1837	Ko Tannok, Samui, Surat Thani, Gulf of Thailand; Ko Surin, Ko Similan, Phangnga, Andaman Sea.	
Family Grapsidae MacLeay, 1838		
Subfamily Grapsinae Dana, 1851		
<i>Geograpsus crinipes</i> (Dana, 1851)	Phuket, Andaman Sea.	
<i>G. grayi</i> (H. Milne Edwards, 1853)	Phuket, Andaman Sea.	
<i>Grapsus albolineatus</i> Lamarck, 1818	Chon Buri, Rayong, Chanthaburi, Trat, Prachuap Khiri Khan, Chumphon, Songkhla, Gulf of Thailand; Ko Similan, Phangnga, Andaman Sea.	

CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>G. tenuicrustatus</i> (Herbst, 1783)	Ko Kadat, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Metopograpsus frontalis</i> Miers, 1880	Chon Buri, Rayong, Chanthaburi, Trat, Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Gulf of Thailand; Ranong, Andaman Sea.	
<i>M. latifrons</i> (White, 1847)	Lem Ngob, Ko Chang, Ko Kong, Trat, Chumphon, Gulf of Thailand; Ranong, Andaman Sea.	
<i>M. messor</i> (Forsk., 1775)	Lem Ngob, Ko Chang, Trat, Gulf of Thailand.	
<i>M. oceanicus</i> (Jacquinot, 1853)	Chon Buri, Rayong, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>M. quadridentatus</i> Stimpson, 1858	Chon Buri, Lem Ngob, Ko Chang, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>M. thukuhar</i> (Owen, 1839)	Phuket, Andaman Sea.	
<i>Pachygrapsus minutus</i> A. Milne Edwards, 1873	Phuket, Andaman Sea.	
<i>P. planifrons</i> De Man, 1888	Phuket, Andaman Sea.	
<i>P. propinquus</i> De Man, 1908	Chon Buri, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
Subfamily Plagusiinae Dana, 1851		
<i>Percnon planissimum</i> (Herbst, 1804)	Chon Buri, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Plagusia tuberculata</i> Lamarck, 1818	Ko Kut, Ko Kadat, Trat, Surat Thani, Pattani, Gulf of Thailand.	
Subfamily Sesarminae Dana, 1852		
<i>Bresedium sediliensis</i> (Tweedie, 1940)	Nakhon Si Thammarat, Pattani, Gulf of Thailand.	
<i>Chiromantes indarum</i> (De Man, 1902)	Chon Buri, Chanthaburi, Gulf of Thailand; Phuket, Andaman Sea.	
<i>C. lividum</i> (A. Milne Edwards, 1869)	Ko Chang, Trat, Gulf of Thailand.	
<i>Clistocoeloma merguiensis</i> De Man, 1888	Chon Buri, Chanthaburi, Trat, Chumphon, Surat Thani, Songkhla, Narathiwat, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<i>C. suvaense</i> Edmondson, 1951	Ko Chik, Chanthaburi, Ko Chang, Trat, Gulf of Thailand.	
<i>Geosesarma krathing</i> Ng & Naiyanetr, 1992	Krathing Waterfall area, Chanthaburi, East Thailand.	
<i>Helice leachi</i> Hess, 1865	Phuket, Andaman Sea.	
<i>Holometopus limbense</i> Rathbun, 1914	Chanthaburi, Trat, Chumphon, Surat Thani,	

CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>Labuanium politum</i> (De Man, 1887)	Nakhon Si Thammarat, Songkhla, Gulf of Thailand.	
<i>Metaplax cernulata</i> (Gerstaecker, 1856)	Chumphon, Surat Thani, Pattani, Narathiwat, Gulf of Thailand;	
<i>M. dentipes</i> (Heller, 1830)	Ranong, Andaman Sea.	
<i>M. distinctus</i> H. Milne Edwards, 1852	Ranong, Phuket, Andaman Sea.	
<i>M. elegans</i> De Man, 1888	Chon Buri, Lem Ngob, Trat, Chachoengsao, Samut Prakan,	
<i>M. longipes</i> Stimpson, 1858	Samut Sakhon, Chumphon, Surat Thani, Gulf of Thailand;	
<i>Metasesarma aubryi</i> A. Milne Edwards, 1869	Ranong, Andaman Sea.	
<i>Nanosesarma andersoni</i> (De Man, 1887)	Ranong, Phuket, Andaman Sea.	
<i>N. batavicum</i> (Moreira, 1903)	Ko Kut, Trat, Gulf of Thailand.	
	Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi,	
	Surat Thani, Nakhon Si Thammarat, Gulf of Thailand; Ranong,	
	Phuket, Andaman Sea.	
	Chanthaburi, Trat, Chumphon, Narathiwat, Gulf of Thailand;	
	Ranong, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>N. edamensis</i> (De Man, 1887)	Gulf of Thailand.	
<i>N. minutum</i> (De Man, 1887)	Chanthaburi, Ko Chang, Ko Kong, Trat, Surat Thani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>N. pontianacensis</i> (De Man, 1895)	Chon Buri, Chanthaburi, Songkhla, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Neopisesarma brockii</i> (De Man, 1887)	Rayong, Chanthaburi, Trat, Gulf of Thailand.	
<i>N. mederi</i> (H. Milne Edwards, 1853)	Chon Buri, Rayong, Chanthaburi, Trat, Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<i>N. palawanensis</i> (Rathbun, 1914)	Phuket, Andaman Sea.	
<i>N. singaporensis</i> (Tweedie, 1940)	Samut Prakan, Chumphon, Songkhla, Narathiwat, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<i>N. versicolor</i> (Tweedie, 1940)	Chanthaburi, Trat, Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Prachuap Khiri Khan, Gulf of Thailand;	

CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
	Ranong, Phuket, Andaman Sea.	
<i>Neosarmatium indicum</i> (A. Milne Edwards, 1868)	Trat, Gulf of Thailand.	
<i>N. meinerti</i> (De Man, 1887)	Phuket, Andaman Sea.	
<i>N. smithi</i> (H. Milne Edwards, 1853)	Lem Ngob, Trat, Samut Sakhon, Chumphon, Gulf of Thailand;	
	Ranong, Andaman Sea.	
<i>Neosesarma gemmiferum</i> (Tweedie, 1936)	Samut Songkhram, Gulf of Thailand.	
<i>Parasesarma lanchesteri</i> (Tweedie, 1950)	Chon Buri, Chanthaburi, Trat, Chachoengsao, Samut Prakan,	
	Samut Sakhon, Samut Songkhram, Phetchaburi,	
	Prachuap Khiri Khan, Chumphon, Surat Thani, Gulf of Thailand.	
<i>P. lepidum</i> (Tweedie, 1950)	Phuket, Andaman Sea.	
<i>P. leptosoma</i> (Hilgendorf, 1869)	Rayong, Gulf of Thailand.	
<i>P. melissum</i> De Man, 1887	Ranong, Phuket, Andaman Sea.	
<i>P. pictum</i> (De Haan, 1835)	Chon Buri, Rayong, Chanthaburi, Trat, Surat Thani, Songkhla,	
	Gulf of Thailand.	
<i>P. plicatum</i> (Latreille, 1806)	Chon Buri, Rayong, Chanthaburi, Trat, Prachuap Khiri Khan,	

Taxon/Species	Locality	Endemic Area
<i>Perisesarma darwinensis</i> (Campbell, 1967)	Chumphon, Surat Thani, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>P. dussumieri</i> (H. Milne Edwards, 1853)	Phuket, Andaman Sea.	
<i>P. eumolpe</i> (De Man, 1895)	Ranong, Phuket, Andaman Sea.	
	Chon Buri, Rayong, Chanthaburi, Trat, Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>P. fasciata</i> (Lanchester, 1900)	Rayong, Ko Kut, Ko Kong, Trat, Surat Thani, Songkhla, Pattani, Narathiwat, Gulf of Thailand.	
<i>P. haswelli</i> (De Man, 1887)	Lem Ngob, Trat, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<i>P. onychophorum</i> (De Man, 1895)	Ranong, Phuket, Andaman Sea.	
<i>P. semperi</i> (Burger, 1893)	Samut Songkhram, Gulf of Thailand.	
<i>Pseudosesarma bocourti</i> (A. Milne Edwards, 1868)	Samut Prakan, Nakhon Si Thammarat, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>P. crassimanum</i> (De Man, 1887)	Songkhla, Pattani, Gulf of Thailand; Ranong, Andaman Sea.	
<i>P. laevimana</i> (Zehntner, 1894)	Ranong, Andaman Sea.	
<i>P. moeschi</i> (De Man, 1892)	Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Ranong, Andaman Sea.	
<i>Sarmatium crassum</i> Dana, 1851	Gulf of Thailand.	
<i>S. germaini</i> (A. Milne Edwards, 1868)	Gulf of Thailand; Andaman Sea.	
<i>S. punctatum</i> (A. Milne Edwards, 1875)	Ranong, Andaman Sea.	
<i>Sesarmoides borneensis</i> (De Man, 1887)	Pattani, Gulf of Thailand.	
<i>S. kraussi</i> (De Man, 1887)	Pattani, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
Subfamily Varuninae Alcock, 1900		
<i>Acmaeopleura rotunda</i> Rathbun, 1909	Ko Kut, Trat, Gulf of Thailand.	
<i>Ilyograpus paludicola</i> (Rathbun, 1909)	Lem Ngob, Trat, Gulf of Thailand.	
<i>Ptychognathus barbatus</i> (A. Milne Edwards, 1873)	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>Pyxidognathus deianira</i> De Man, 1888	Ranong, Andaman Sea.	
<i>Varuna litterata</i> (Fabricius, 1798)	Ko Chuen, Ko Mesan, Chon Buri, Chanthaburi, Lem Ngob, Trat, Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Phuket, Andaman Sea.	
Family Mictyridae Dana, 1851		
<i>Mictyris longicarpus</i> Latreille, 1806	Chon Buri, Gulf of Thailand.	
Superfamily Pinnotheroidea De Haan, 1833		
Family Pinnotheidae De Haan, 1833		
Subfamily Asthenognathinae Stimpson, 1858		
<i>Asthenognathus gallardoi</i> Serene & Soh, 1976	Phuket, Andaman Sea.	
<i>A. hexagonum</i> Rathbun, 1909	Ko Kong, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Mortensenella forceps</i> Rathbun, 1909	Ko Chang, Trat, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
Subfamily Pinnotherelinae Alcock, 1909		
<i>Pinnixa haematosticta</i> Sakai, 1934	Phuket, Andaman Sea.	
<i>Tetrias fischeri</i> (A. Milne Edwards, 1867)	Phuket, Andaman Sea.	
Subfamily Pinnotherinae De Haan, 1833		
<i>Pinnotheres affinis</i> Burger, 1893	Ko Chang, Trat, Gulf of Thailand.	
<i>P. burgeri</i> Rathbun, 1909	Ko Kut, Trat, Gulf of Thailand.	
<i>P. cardii</i> Burger, 1893	Ko Chuen, Chon Buri, Gulf of Thailand.	
<i>P. glaberrimus</i> Burger, 1893	Ko Kram, Chon Buri, Gulf of Thailand.	
<i>P. gracilis</i> Burger, 1893	Ko Kadat, Trat, Gulf of Thailand.	
<i>P. kamensis</i> Rathbun, 1909	Ko Kam, Chon Buri, Gulf of Thailand.	
<i>P. kutensis</i> Rathbun, 1909	Ko Kut, Trat, Gulf of Thailand.	
<i>P. lanensis</i> Rathbun, 1909	Ko Lan, Chon Buri, Gulf of Thailand.	
<i>P. nigrans</i> Rathbun, 1909	Ko Lan, Chon Buri, Gulf of Thailand.	
<i>P. parvulus</i> Stimpson, 1858	Lem Ngob, Trat, Gulf of Thailand.	

Taxon/Species	Locality	Endemic Area
<i>P. quadratus</i> Rathbun, 1909	Ko Chang, Trat, Gulf of Thailand.	
<i>P. siamensis</i> Rathbun, 1909	Ko Chuen, Chon Buri, Ko Kut, Trat, Gulf of Thailand.	
<i>P. sinensis</i> Shen, 1932	Chumphon, Gulf of Thailand; Ranong, Andaman Sea.	
Subfamily Xenophthalminae Alcock, 1900		
<i>Neoxenophthalmus obscurus</i> (Henderson, 1893)	Ko Chang, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
<i>Xenophthalmus pinnotheroides</i> White, 1846	Ko Kadat, Ko Kut, Trat, Gulf of Thailand; Phuket, Andaman Sea.	
Superfamily Potamoidea Ortmann, 1896		
Family Gecarcinucidae Rathbun, 1904		
Subfamily Liotelphusinae Bott, 1969		
<i>Phricotelphusa aedes</i> (Kemp, 1923)	Nahkon Si Thammarat, South Thailand.	Nakhon Si Thammarat
<i>P. deharvengi</i> Ng, 1988	Tham Phung Chang, Phangnga, South Thailand.	Tham Phung Chang
<i>P. limula</i> (Hilgendorf, 1882)	Phuket, Phangnga, South Thailand.	Phuket
<i>P. ranongi</i> Naiyanetr, 1982	Ranong, South Thailand.	Ranong

Taxon/Species	Locality	Endemic Area
<i>P. sirindhorn</i> Naiyanetr, 1989	Ranong, South Thailand; Ratchaburi, Phetchaburi, West Thailand.	
<i>Thaksinthelphusa yongchindaratae</i> (Naiyanetr, 1988)	Takua Pa, Phangnga, South Thailand.	Takua Pa
Family Parathelphusidae Alcock, 1910		
Subfamily Somanniathelphusinae Bott, 1968		
<i>Chulathelphusa brandti</i> (Bott, 1968)	Dan Sai, Loei, North East Thailand; Chiang Mai, Chiang Rai, North Thailand.	
<i>C. neisi</i> (Rathbun, 1902)	Si Sa Ket, Mukdahan, North East Thailand.	
<i>Esantheiphusa chiangmai</i> (Ng & Naiyanetr, 1993)	Chiang Mai, Chiang Rai, Mae Hong Son, North Thailand.	
<i>E. denchaii</i> (Naiyanetr, 1984)	Phrae, North Thailand.	Phrae
<i>E. dugasti</i> (Rathbun, 1902)	Nakhon Phanom, Mukdahan, Sakon Nakhon, North East Thailand.	
<i>E. fangensis</i> (Naiyanetr, 1978)	Fang, Chiang Mai, Chiang Rai, Lampang, North Thailand.	
<i>E. nani</i> (Naiyanetr, 1984)	Nan, Phayao, North Thailand.	

Taxon/Species	Locality	Endemic Area
<i>E. phetchaburi</i> (Ng & Naiyanetr, 1993)	Phetchaburi, Prachuap Khiri Khan, West Thailand; Chumphon, South Thailand.	
<i>Heterothelphusa beauvoisi</i> (Rathbun, 1902)	Nakhon Ratchasima, Si Sa Ket, Ubon Ratchathani, Khon Kaen, Maha Sarakham, Kalasin, North East Thailand.	
<i>Mekhongthelphusa kengsaphu</i> Naiyanetr & Ng, 1995	Kengsaphu, Ubon Ratchathani, North East Thailand.	Kengsaphu
<i>M. tetragonum</i> (Rathbun, 1902)	Mukdahan, Nong Khai, North East Thailand.	Kekhong River
<i>Salangathelphusa brevicarinata</i> (Hilgendorf, 1882)	Phuket, Phangnga, Krabi, Trang, Phatthalung, Nakhon Si Thammarat, Surat Thani, South Thailand.	
<i>Sayamia bangkokensis</i> (Naiyanetr, 1982)	Bangkok, Nonthaburi, Pathum Thani, Samut Prakan, Samut Sakhon, Samut Songkhram, Suphan Buri, Sing Buri, Nakhon Pathom, Nakhon Nayok, Lop Buri, Ang Thong, Chai Nat, Phra Nakhon Si Ayuttaya, Nakhon Sawan, Sukhothai, Kamphaeng Phet, Phitsanulok, Central Thailand; Chachoengsao, East Thailand; Uttaradit, North Thailand; Chumphon, South Thailand.	

CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>S. germaini</i> (Rathbun, 1902)	Suphan Buri, Chai Nat, Uthai Thani, Lop Buri, Nakhon Nayok, Saraburi, Nakhon Sawan, Phichit, Centrat Thailand; Kanchanaburi, Ratchaburi, Phetchaburi, Prachuap Khiri Khan, West Thailand; Chanthaburi, Trat, East Thailand; Ranong, Surat Thani, Nakhon Si Thammarat, Songkhla, South Thailand.	
<i>S. maehongsonensis</i> (Naiyanetr, 1987)	Mae Hong Son, North Thailand.	Mae Hong Son
<i>S. sexpunctatum</i> (Lanchester, 1906)	Nakhon Nayok, Central Thailand; Phetchaburi, West Thailand; Chachoengsao, Chon Buri, Chanthaburi, Prachin Buri, East Thailand; Chumphon, Phangnga, Surat Thani, Krabi, Nakhon Si Thammarat, Trang, Phatthalung, Satun, Sognkhla, Phuket, Pattani, Yala, Narathiwat, South Thailand.	
<i>Siamthelphusa acutidens</i> Ng & Naiyanetr, 1997	Lamphun, North Thailand; Tak, West Thailand; Phitsanulok, Centrat Thailand.	
<i>S. faxoni</i> (Rathbun, 1902)	Phra Nakhon Si Ayutthaya, Khok Samrong, Lop Buri, Central Thailand.	
<i>S. holthuisi</i> Naiyanetr & Ng, 1991	Khao Rakum, Trat, East Thailand	Trat

Taxon/Species	Locality	Endemic Area
<i>S. improvisa</i> (Lanchester, 1901)	Nakhon Si Thammarat, Phatthalung, Ko Samui, Ko Phangan, Surat Thani, South Thailand.	
<i>S. nan</i> Ng & Naiyanetr, 1997	Na Muan, Nan, North Thailand.	Nan
<i>S. paviei</i> (De Man, 1898)	Chiang Mai, Lamphun, Lampang, North Thailand.	
<i>S. transversa</i> Ng & Naiyanetr, 1997	Nam Mae Lai, Phrae, North Thailand.	Phrae
<i>S. variegata</i> Ng & Naiyanetr, 1997	Phukae, Saraburi, Phetchabun, Central Thailand.	
Family Potamidae Ortmann, 1896		
Subfamily Potaminae Ortmann, 1896		
<i>Demanietta manii</i> (Rathbun, 1904)	Nakhon Si Thammarat, Trang, Phatthalung, South Thailand.	
<i>D. smalleyi</i> (Bott, 1966)	Chumphon, Ranong, Phangnga, Phuket, Krabi, South Thailand.	
<i>D. tritrunensis</i> (Naiyanetr, 1986)	Tritrung, Kanchanaburi	Tritrung Waterfall
<i>Dromothelphusa namuan</i> (Naiyanetr, 1993)	Namuan, Nan, North Thailand.	Namuan
<i>D. nayung</i> (Naiyanetr, 1993)	Nayung, Udon Thani, North East Thailand.	Nayung
<i>D. phrae</i> (Naiyanetr, 1984)	Den Chai, Phrae, North Thailand.	Phrae

CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>D. sangwan</i> Naiyanetr, 1997	Doi Tung, Chiang Rai, North Thailand.	Doi Tung
<i>Esanpotamon namson</i> Naiyanetr & Ng, 1997	Nam Som, Udon Thani, North East, Thailand.	Nam Som
<i>Kanpotamon duangkhaei</i> Ng & Naiyanetr, 1993	Sai Yok, Kanchanaburi, West Thailand.	Sai Yok
<i>Larnaudia beusekoma</i> (Bott, 1970)	Nakhon Nayok, Central Thailand; Wang Nam Khieo, Nakhon Ratchasima, North East Thailand.	Nakhon Nayok
<i>L. chaiyaphumi</i> Naiyanetr, 1982	Phu Khieo, Chaiyaphum, North East Thailand.	Chaiyaphum
<i>L. larnaudii</i> (A. Milne Edwards, 1869)	Saraburi, Central Thailand.	Saraburi
<i>Phaibulamon stilipes</i> Ng, 1992	Tham Nam Pah Khoan, Kwai Valley, Kanchanaburi, West Thailand.	Tham Nam Pah Khoan
<i>Potamon alcockianum</i> Kemp, 1923	Khum Tan, Lampang, Lamphun, Song, Phrae, Mae Phun, Uttaradit, North Thailand; Tak, West Thailand; Uthai Thani, Central Thailand.	
<i>P. boonyaratae</i> (Naiyanetr, 1987)	Khao Rakum, Trat, East Thailand.	Khao Rakum, Trat
<i>P. doichiangdao</i> Naiyanetr & Ng, 1990	Doi Chiangdao, Chiang Mai, North Thailand.	Doi Chiangdao
<i>P. doisutep</i> Natyanetr & Ng, 1990	Doi Sutep, Chiang Mai, North Thailand.	Doi Sutep

Taxon/Species	Locality	Endemic Area
<i>P. erawanense</i> Naiyanetr, 1992	Erawan, Kanchanaburi, West Thailand.	Erawan Waterfall
<i>P. jarujini</i> Ng & Naiyanetr, 1993	Omkoï, Chiang Mai, North Thailand.	
<i>P. kanchanaburiense</i> Naiyanetr, 1992	Sai Yok, Kanchanaburi, West Thailand.	Sai Yok
<i>P. lipkei</i> Ng & Naiyanetr, 1993	Chiang Khong, Chiang Rai, North Thailand.	
<i>P. maehongsonense</i> Naiyanetr, 1992	Amphoe Muang, Pai, Mae Hong Son, North Thailand.	
<i>P. maesariang</i> Ng & Naiyanetr, 1993	Mae Sariang, Mae Hong Son, North Thailand.	
<i>P. maesotense</i> Naiyanetr, 1992	Mae Sot, Tak, West Thailand.	Mae Sot
<i>P. namlang</i> Ng & Naiyanetr, 1993	Tham Hud, Nam Lang, Pang Ma Pha, Mae Hong Son, North Thailand.	Tham Hud, Nam Lang
<i>P. nan</i> Ng & Naiyanetr, 1993	Sa, Nan, North Thailand.	
<i>P. phuluangensis</i> (Bott, 1970)	Phu Luang, Udon Thani, North Thailand.	Phu Luang, Udon
<i>P. phuphanense</i> Naiyanetr, 1992	Phu Phan, Sakhon Nakhon, Nong Phok, Roi Et, North East Thailand.	Phu Phan Ranges
<i>P. smithianum</i> Kemp, 1923	Chanthaburi, Rayong, Chon Buri, East Thailand.	Chanthaburi Range

CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>P. somchaiti</i> Ng & Naiyanetr, 1993	Si Songkhram, Nakhon Phanom, North East Thailand.	
<i>P. ubon</i> Ng & Naiyanetr, 1993	Senangkhanikhom, Ubon Ratchathani, North East Thailand.	
<i>P. yotdomensis</i> (Naiyanetr, 1984)	Nam Yun, Ubon Ratchathani, North East Thailand.	
<i>Pudaengon mukdahan</i> Ng & Naiyanetr, 1995	Ban Na Sinuan, Mukdahan, North East Thailand.	Ban Na Sinuan
<i>P. sakonnakorn</i> Ng & Naiyanetr, 1995	Ban Chiang Khua, Sakon Nakhon, North East Thailand.	Ban Chiang Khua
<i>P. thatphanom</i> Ng & Naiyanetr, 1995	Ban Fang Daeng, That Phanom, Nakhon Phanom, North East Thailand.	Ban Fang Daeng
<i>P. wanonniwat</i> Ng & Naiyanetr, 1995	Wanon Niwat, Sakon Nakhon, North East Thailand.	Wanon Niwat
<i>Stoliczia ekavibhathai</i> Ng & Naiyanetr, 1986	Chat Wa Rin, Sungai Padi, Narathiwat, Yala, Pattani, South Thailand.	
<i>S. panhai</i> Ng & Naiyanetr, 1986	Ton Nga Chang, Songkhla, South Thailand.	Songkhla
<i>Terrapotamon abbotti</i> (Rathbun, 1898)	Krabi, Nakhon Si Thammarat, South Thailand.	
<i>T. palian</i> Ng & Naiyanetr, 1997	Palian, Trang, South Thailand.	Palian
<i>Thaiphusa chantaburiensis</i> (Chuensri, 1973)	Pong Nam Ron, Chanthaburi, East Thailand.	Pong Nam Ron

Taxon/Species	Locality	Endemic Area
<i>T. sirikit</i> (Naiyanetr, 1992)	Ban Nam Chon, Sai Yok, Kanchanaburi, West Thailand.	Ban Nam Chon
<i>Thaipotamon chulabhorn</i> Naiyanetr, 1993	Bung Dun Lumphun, Na Chuak, Maha Sarakham, North East Thailand.	Bung Dun Lumphun
<i>T. dansai</i> Ng & Naiyanetr, 1993	Ban Na Wa, Dan Sai, Loei, North East Thailand.	Ban Na Wa, Dan Sai
<i>T. lomkao</i> Ng & Naiyanetr, 1993	Lomkao, Phetchabun, Central Thailand.	
<i>T. siamensis</i> (A. Milne Edwards, 1869)	Bangkok, Central Thailand.	Bangkok
<i>T. smitinandi</i> (Naiyanetr & Turkey, 1984)	Pong Nam Ron, Chanthaburi, East Thailand.	Pong Nam Ron
<i>T. varoonphornae</i> Ng & Naiyanetr, 1993	Sa Kao, East Thailand.	Sa Kao
Superfamily Ocypodoidea Rafinesque, 1815		
Family Ocypodidae Rafinesque, 1815		
Subfamily Camptandrinae Stimpson, 1858		
<i>Camptandrium sexdentatum</i> Stimpson, 1858	Gulf of Thailand.	
<i>Leipocten sordidulum</i> Kemp, 1915	Ranong, Phuket, Andaman Sea.	
<i>Paracleistostoma depressum</i> De Man, 1895	Ranong, Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>P. longimanus</i> Tweedie, 1937	Ang Sila, Chon Buri, Gulf of Thailand.	
<i>P. microcheirum</i> Tweedie, 1937	Phuket, Andaman Sea.	
<i>Tylodiplax tetratylophora</i> De Man, 1895	Ranong, Phuket, Andaman Sea.	
Subfamily Macrophthalminae Dana, 1852		
<i>Cleistostoma lingulatum</i> Rathbun, 1909	Lem Ngob, Trat, Gulf of Thailand.	
<i>Macrophthalmus bosci</i> Audouin & Savigny, 1825	Phuket, Andaman Sea.	
<i>M. brevis</i> (Herbst, 1804)	Phuket, Andaman Sea.	
<i>M. convexus</i> Stimpson, 1858	Ko Chang, Trat, Ko Phangan, Surat Thani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>M. crassipes</i> H. Milne Edwards, 1906	Ko Chang, Trat, Gulf of Thailand.	
<i>M. definitus</i> Adams & White, 1848	Chumphon, Gulf of Thailand; Phuket, Phangnga, Satun, Andaman Sea.	
<i>M. dentatus</i> Stimpson, 1858	Ko Chang, Ko Kadat, Ko Kut, Trat, Gulf of Thailand.	
<i>M. erato</i> De Man, 1888	Chon Buri, Rayong, Ko Chang, Trat, Gulf of Thailand; Ranong, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>M. laevimanus</i> H. Milne Edwards, 1852	Chon Buri, Samut Songkhram, Chumphon, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<i>M. latreillei</i> (Desmarest, 1822)	Ko Chang, Ko Kut, Ko Kong, Trat, Samut Sakhon, Samut Songkhram, Gulf of Thailand.	
<i>M. milloti</i> Crosnier, 1965	Ko Phangan, Surat Thai, Gulf of Thailand; Phuket, Andaman Sea.	
<i>M. pacificus</i> Dana, 1851	Ang Sila, Chon Buri, Prachuap Khiri Khan, Gulf of Thailand; Trang, Ranong, Phuket, Krabi, Andaman Sea.	
<i>M. parvimanus</i> Guerin, 1834	Phuket, Krabi, Andaman Sea.	
<i>M. quadratus</i> A. Milne Edwards, 1873	Phuket, Andaman Sea.	
<i>M. sulcatus</i> H. Milne Edwards, 1852	Chon Buri, Gulf of Thailand.	
<i>M. teschi</i> Kemp, 1919	Chon Buri, Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Ranong, Andaman Sea.	
<i>M. tomentosus</i> Souleyet, 1841	Chon Buri, Samut Sakhon, Samut Songkhram, Phetchaburi, Gulf of Thailand; Ranong, Phuket, Phangnga, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>M. transversus</i> (Latreille, 1817)	Phuket, Andaman Sea.	
<i>M. verreauxi</i> H. Milne Edwards, 1848	Ko Mesan, Chon Buri, Ko Kadat, Ko Mak, Trat, Ko Phangan, Surat Thani, Gulf of Thailand; Phuket, Andaman Sea.	
<i>M. vietnamensis</i> Serene, 1971	Trat, Chumphon, Gulf of Thailand.	
Subfamily Ocypodinae Dana, 1851		
<i>Ocypode ceratophthalma</i> (Pallas, 1772)	Ko Mesan, Chon Buri, Ko Chang, Ko Mak, Ko Kadat, Trat, Chumphon, Gulf of Thailand; Phuket, Andaman Sea.	
<i>O. cordimana</i> Latreille, 1818	Chon Buri, Gulf of Thailand.	
<i>O. nobilii</i> De Man, 1902	Ko Kong, Trat, Ko Tao, Surat Thani, Gulf of Thailand.	
<i>O. stimpsoni</i> Ortmann, 1897	Gulf of Thailand.	
<i>Uca annulipes</i> (H. Milne Edwards, 1837)	Chon Buri, Rayong, Trat, Samut Prakan, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Pattani, Narathiwat, Gulf of Thailand; Trang, Satun, Ranong, Phuket, Phangnga, Krabi, Andaman Sea.	
<i>U. bellator</i> (Adams & White, 1848)	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>U. bengali</i> Crane, 1975	Trang, Satun, Ranong, Phuket, Phagnga, Krabi, Andaman Sea.	
<i>U. coarctata</i> (H. Milne Edwards, 1852)	Phuket, Andaman Sea.	
<i>U. dussumieri</i> (H. Milne Edwards, 1852)	Ranong, Phuket, Andaman Sea.	
<i>U. forcipata</i> (Adams & White, 1848)	Chon Buri, Chanthaburi, Trat, Chachaoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Songkhla, Pattani, Gulf of Thailand; Trang, Satun, Ranong, Phuket, Phangnga, Krabi, Andaman Sea.	
<i>U. hesperiae</i> Crane, 1975	Ranong, Phuket, Phangnga, Andaman Sea.	
<i>U. paradussumieri</i> (Bott, 1973)	Trat, Chachoengsao, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Gulf of Thailand; Trat, Ranong, Phuket, Andaman Sea.	
<i>U. perplexa</i> (H. Milne Edwards, 1837)	Chon Buri, Rayong, Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Gulf of Thailand; Trang, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>U. rosea</i> (Tweedie, 1937)	Ranong, Phuket, Andaman Sea.	
<i>U. tetragonon</i> (Herbst, 1790)	Ranong, Phuket, Andaman Sea.	
<i>U. triangularis</i> (A. Milne Edwards, 1873)	Chon Buri, Gulf of Thailand; Phuket, Andaman Sea.	
<i>U. urvillei</i> (H. Milne Edwards, 1852)	Chumphon, Songkhla, Gulf of Thailand; Trat, Ranong, Phuket, Phangnga, Krabi, Andaman Sea.	
<i>U. vocans</i> (Linnaeus, 1758)	Chon Buri, Rayong, Chanthaburi, Trat, Samut Prakan, Prachuap Khiri Khan, Chumphon, Surat Thani, Gulf of Thailand; Phuket, Andaman Sea.	
Subfamily Scopimerinae Alcock, 1900		
<i>Dotilla myctiroides</i> (H. Milne Edwards, 1852)	Gulf of Thailand; Phuket, Krabi, Andaman Sea.	
<i>D. wichmanni</i> De Man, 1892	Lem Sing, Chanthaburi, Ko Kong, Trat, Phoom Riang, Surat Thani, Gulf of Thailand.	
<i>Dotilopsis brevitarsis</i> (De Man, 1888)	Ranong, Phuket, Andaman Sea.	
<i>Ilyoplax delsmani</i> De Man, 1926	Phuket, Andaman Sea.	
<i>I. integer</i> (Tesch, 1918)	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>I. lingulatus</i> (Rathbun, 1909)	Chumphon, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<i>I. obliquus</i> Tweedie, 1935	Phuket, Andaman Sea.	
<i>I. orientalis</i> (De Man, 1888)	Samut Songkhram, Chumphon, Gulf of Thailand; Phuket, Andaman Sea.	
<i>I. punctatus</i> Tweedie, 1935	Ranong, Phuket, Andaman Sea.	
<i>Scopimera intermedia</i> Balss, 1934	Gulf of Thailand.	
<i>S. pilula</i> Kemp, 1919	Phuket, Andaman Sea.	
<i>S. proxima</i> Kemp, 1919	Gulf of Thailand; Phuket, Andaman Sea.	
Family Palicidae Rathbun, 1898		
<i>Pleurophrycoides roseus</i> (Nobili, 1906)	Gulf of Thailand.	
Superfamily Hapalocarcinoidea		
Calman, 1900		
Family Hapalocarcinidae Calman, 1900		
<i>Cryptochirus coralliodytes</i> Heller, 1861	Phuket, Andaman Sea.	

CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>Favicola rugosum</i> (Edmondson, 1933)	Phuket, Andaman Sea.	
<i>Pseudocryptochirus crescentus</i> (Edmondson, 1925)	Phuket, Andaman Sea.	
<i>P. sheni</i> (Fize & Serene, 1955)	Phuket, Andaman Sea.	
<i>Troglocarcinus heimi</i> Fize & Serene, 1955	Phuket, Andaman Sea.	

ORDER STOMATOPODA

Taxon/Species	Locality	Endemic Area
Order Stomatopoda Latreille, 1817 Suborder Unipeltata Latreille, 1825 Superfamily Gonodactyloidea Giesbrecht, 1910		
Family Eurysquillidae Manning, 1977		
<i>Coronidopsis bicuspis</i> Hansen, 1926	Andaman Sea.	
<i>Manningia pilaensis</i> (De Man, 1888)	Chon Buri, Pattani, Gulf of Thailand.	
<i>M. thorsoni</i> Naiyanetr, 1987	Ao Nam Bo, Phuket, Andaman Sea.	Phuket
Family Gonodactylidae Giesbrecht, 1910		
<i>Gonodactylaceus mutatus</i> (Lanchester, 1903)	Lem Phanwa, Phuket, Andaman Sea.	
<i>G. siamensis</i> (Manning & Reaka, 1981)	Sattahip, Chon Buri, Gulf of Thailand.	Sattahip
<i>G. ternatensis</i> (De Man, 1902)	Gulf of Thailand; Lem Phanwa, Phuket, Andaman Sea.	
<i>Gonodactylellus affinis</i> (De Man, 1902)	Phuket, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>G. snidvongsi</i> (Naiyanetr, 1987)	Ko Kangkao, Chon Buri, Gulf of Thailand.	Ko Kangkao
<i>Gonodactylinus viridis</i> (Serene, 1954)	Lem Phanwa, Phuket, Andaman Sea.	
<i>Gonodactylus chiragra</i> (Fabricius, 1781)	Rayong, Gulf of Thailand; Lem Phanwa, Phuket, Andaman Sea.	
<i>G. platysoma</i> Wood-Mason, 1895	Naiyang Beach, Phuket, Andaman Sea.	
<i>G. smithii</i> Pocock, 1893	Rayong, Gulf of Thailand; Lem Phanwa, Phuket, Andaman Sea.	
Family Odontodactylidae Manning, 1980		
<i>Odontodactylus scyllarus</i> (Linnaeus, 1758)	Lem Phanwa, Phuket, Andaman Sea.	
<i>Raoulius cultrifer</i> (White, 1850)	Chon Buri, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
Family Protosquillidae Manning, 1980		
<i>Haptosquilla glyptocercus</i> (Wood-Mason, 1875)	Lem Phanwa, Phuket, Andaman Sea.	
<i>H. pulchella</i> (Miers, 1880)	Phuket, Andaman Sea.	
<i>Siamosquilla hyllebergi</i> Naiyanetr, 1989	Ko Similan, Ko Surin, Phangnga, Andaman Sea.	

Taxon/Species	Locality	Endemic Area
Family Pseudosquillidae Manning, 1977		
<i>Pseudosquilla ciliata</i> (Fabricius, 1787)	Lem Phanwa, Phuket, Andaman Sea.	
Superfamily Lysiosquilloidea Giesbrecht, 1910		
Family Lysiosquillidae Giesbrecht, 1910		
<i>Lysiosquilla tredecimdentata</i> Holthuis, 1941	Lem Phanwa, Phuket, Andaman Sea.	
<i>Lysiosquillina maculata</i> (Fabricius, 1793)	Phuket, Phangnga, Andaman Sea.	
<i>Lysiosquilloides siamensis</i> (Naiyanetr, 1980)	Chon Buri, Phetchaburi, Pattani, Gulf of Thailand.	
Family Nannosquillidae Manning, 1980		
<i>Acanthosquilla acanthocarpus</i> (Claus, 1871)	Bang San, Chon Buri, Hua Hin, Prachuap Khiri Khan, Gulf of Thailand.	
<i>A. derijardi</i> Manning, 1970	Pattani, Gulf of Thailand.	
<i>A. multifasciata</i> (Wood-Mason, 1895)	Naiyang Beach, Phuket, Andaman Sea.	
<i>A. sirindhorn</i> Naiyanetr, 1995	Pattani, Gulf of Thailand.	Pattani

Taxon/Species	Locality	Endemic Area
<i>A. tigrina</i> (Nobili, 1903)	Bang San, Chon Buri, Gulf of Thailand.	
<i>Alachosquilla vicina</i> (Nobili, 1904)	Bang San, Chon Buri, Gulf of Thailand.	
Superfamily Squilloidea Latreille, 1803		
Family Harpiosquillidae Manning, 1980		
<i>Harpiosquilla annandalei</i> (Kemp, 1911)	Ban Pe, Rayong, Gulf of Thailand.	
<i>H. harpax</i> (De Haan, 1844)	Chon Buri, Rayong, Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Phetchaburi, Prachuap Khiri Khan, Chumphon, Ko Samui, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Kantang, Trang, Satun, Andaman Sea.	
<i>H. japonica</i> Manning, 1969	Gulf of Thailand.	
<i>H. raphidea</i> (Fabricius, 1798)	Chon Buri, Chanthaburi, Trat, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Satun, Ranong, Andaman Sea.	
<i>Pullosquilla thomassini</i> Manning, 1978	Ao Kamala, Phuket, Andaman Sea.	
Family Squillidae Latreille, 1803		
<i>Anchisquilla fasciata</i> (De Haan, 1844)	Chon Buri, Rayong, Samut Sakhon, Phetchaburi, Surat Thani,	

Taxon/Species	Locality	Endemic Area
<i>Carinosquilla carinata</i> (Serene, 1950)	Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Sutun, Andaman Sea.	Ko Phai, Chon Buri
<i>C. thailandensis</i> Naiyanetr, 1983	Songkhla, Pattani, Gulf of Thailand.	
<i>Clorida bombayensis</i> (Chhapgar & Sane, 1967)	Ko Phai, Chon Buri, Gulf of Thailand.	
<i>C. decorata</i> Wood-Mason, 1875	Gulf of Thailand.	
<i>C. latreillei</i> Eydoux & Souleyet, 1842	Chon Buri, Trat, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	
<i>C. rotundicauda</i> (Miers, 1880)	Pattani, Gulf of Thailand.	
<i>Cloridina chlorida</i> (Brooks, 1886)	Ao Nam Bo, Phuket, Andaman Sea.	
<i>C. malaccensis</i> (Manning, 1968)	Gulf of Thailand; Andaman Sea.	
<i>C. microphthalma</i> (H. Milne Edwards, 1837)	Chon Buri, Songkhla, Gulf of Thailand; Andaman Sea.	
<i>C. thailandica</i> (Naiyanetr, 1980)	Chon Buri, Tung Ka, Chumphon, Gulf of Thailand.	
<i>C. verrucosa</i> (Hansen, 1926)	Chon Buri, Pattani, Gulf of Thailand.	
<i>Cloridopsis bengalensis</i> (Tiwari & Biswas, 1952)	Andaman Sea.	
	Andaman Sea.	

Taxon/Species	Locality	Endemic Area
<i>C. immaculata</i> (Kemp, 1913)	Chon Buri, Chanthaburi, Samut Prakan, Samut Sakhon, Samut Songkhram, Chumphon, Nakhon Si Thammarat, Songkhla, Gulf of Thailand; Ranong, Andaman Sea.	
<i>C. scorpio</i> (Latreille, 1828)	Chon Buri, Chanthaburi, Samut Prakan, Samut Sakhon, Samut Songkhram, Chumphon, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Satun, Ranong, Andaman Sea.	
<i>Dictyosquilla foveolata</i> (Wood-Mason, 1895)	Samut Prakan, Nakhon Si Thammarat, Pattani, Gulf of Thailand.	
<i>Erugosquilla woodmasoni</i> (Kemp, 1911)	Chon Buri, Rayong, Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand; Phuket, Krabi, Andaman Sea.	
<i>Fallosquilla fallax</i> (Bouvier, 1914)	Andaman Sea.	
<i>Keijia lirata</i> (Kemp & Chopra, 1921)	Songkhla, Pattani, Gulf of Thailand.	Pattani
<i>Levisquilla incerta</i> (Hansen, 1926)	Andaman Sea.	
<i>L. inermis</i> (Manning, 1965)	Andaman Sea.	
<i>L. minor</i> (Jurich, 1904)	Andaman Sea.	

CHECKLIST OF CRUSTACEAN FAUNA IN THAILAND

Taxon/Species	Locality	Endemic Area
<i>Miyakea nepa</i> (Latrielle, 1825)	Chon Buri, Rayong, Chanthaburi, Trat, Samut Prakan, Samut Sakhon, Samut Songkhram, Phetchaburi, Prachuap Khiri Khan, Chumphon, Surat Thani, Nakhon Si Thammarat, Songkhla, Pattani, Narathiwat, Gulf of Thailand; Satun, Phuket, Krabi, Andaman Sea.	
<i>Oratosquilla gonypetes</i> (Kemp, 1911)	Andaman Sea.	
<i>O. interrupta</i> (Kemp, 1911)	Chon Buri, Samut Prakan, Surat Thani, Songkhla, Pattani, Gulf of Thailand; Andaman Sea.	
<i>O. perpensa</i> (Kemp, 1911)	Chon Buri, Rayong, Prachuap Khiri Khan, Surat Thani, Songkhla, Pattani, Gulf of Thailand; Andaman Sea.	
<i>O. quinquentata</i> (Brooks, 1886)	Chon Buri, Pattani, Gulf of Thailand; Andaman Sea.	
<i>O. solicitans</i> Manning, 1978	Chon Buri, Chumphon, Surat Thani, Pattani, Gulf of Thailand; Ranong, Phuket, Andaman Sea.	
<i>Toshimitsu tiwarii</i> (Blumstein, 1974)	Rayong, Nakhon Si Thammarat, Songkhla, Pattani, Gulf of Thailand.	



LITERATURE CITED

Literature Cited

- Alcock, A. 1910. Catalogue of the Indian Decapoda Crustacea in Indian Museum. Part 1 : Brachyurd, Fasc. 2: The Indian freshwater crabs-Potamonidae. Calcutta. pp. 1-135, figs. 1-72.
- Banner, A.H. and Banner, D.M. 1960. The Alpheid Shrimp of Thailand. Siam Soc. monogr. Ser.no.3, 168 pp., figs. 1-62.
- _____. 1981. Annotated checklist of the Alpheid shrimp of the Red Sea and Gulf of Aden. Zool.Verh., Leiden. 190 : 1-99.
- Banpavichit, S. 1979. Taxonomy of Fiddler Crabs in Thailand. M.Sc.Thesis, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok. 182 pp., pls. 1-28.
- Bhatia, U. 1974. Distribution of spiny lobsters along the West coast of Thailand with observations on their fishing grounds. Phuket Mar. Biol. Cent. Res. Bull., 5 : 1-20, figs. 1-6.
- Boonruang, P. and Phasuk, B. 1975. Species composition and abundance distribution of Anomuran sand crabs and populations *Emerita emeritus* (L.) along the Indian Ocean coast of Thailand (Decapoda : Hippidae). Ibid., 8 : 1-19, figs. 1-4.
- Bott, R. 1970. Die Susswasserkrabben von Europa, Asien, Australien und ihre Stammesgeschichte. Abh. Senckenb. Naturforsch. Ges., 526 : 1-338, Abb. 1-8, Taf. 1-58.
- Bowman, T. E. and Abele, L.G. 1982. Classification of the Recent Crustacea. Biology of Crustacea., Vol. 1., Academic Press, pp. 1-27.
- Burkenroad, M.D. 1983. Natural Classification of Dendrobrachiata with a Key to recent genera. Crustacean Issue I : Crustacean Phylogeny. A. A. Balkema, Rotterdam. pp. 280-281.
- Chace, F. A. Jr. 1983. The Atya-like Shrimps of the Indo-Pacific Region (Decapoda : Atyidae). Smithsonian Contr. Zool., 384 : 1-54.
- Chace, F. A. Jr. and Bruce, A. J. 1993. The Caridean Shrimps (Crustacea : Decapoda) of the Albatross Philippine Expedition 1907-1910, Part 6 : Superfamily Palaemonoidea. Smithsonian Contr. Zool., 543 : 1-152.
- _____. 1997. The Caridean Shrimps ((Crustacea : Decapoda) of the Albatross Philippine Expedition 1907-1910, Part 7 : Families Atyidae, Eumonotidae, Rhynchocinetidae, Bathypalaemonellidae, Processidae, and Hippolytidae. Ibid., 587 : 1-106.

Literature Cited

- Chaitiamvong, S. and Supongpan, M. 1992. A guide to Penaeoid Shrimps found in Thai waters. ASEAN-Australia Mar. Sci. Proj. : Living Coastal Resources. 77 pp., figs. 1-21, pls. 1-56.
- Chuensri, C. 1973. Freshwater Crabs of Thailand. Coll. Fish. Kasetsart Univ., Bangkok., 49 pp., figs. 1-7.
- Crane, J. 1975. Fiddler Crabs of the World. Princeton., 736 pp., figs. 1-101, pls. 1-50.
- Crosnier, A. 1991. Crustacea Decapoda : Les *Metapenaeopsis* indo-ouest-pacifiques sans appareil stridulant (Penaeidae) Deuxieme partie In : Results des Campagnes MUSORSTOM, Vol.9. Mem. Mus. natn. Hist. nat., (A). 152 : 155-297, Paris.
- CTNRC staff. 1971. Checklist of Animals in the Centre for Thai National Reference collections (CTNRC) of the Applied Scientific Research Corporation of Thailand. Appl. Sci. Res. Corp. Thailand. Bangkok., pp. 10-17.
- Dai Ai-Yun and Siliang, Yang. 1991. Crabs of The China Seas. China Ocean Press Beijing., 682 pp., figs. 1-295, pls. 1-74.
- Dingle, H., Cadwell, R.L. and R.B. Manning. 1977. Stomatopods of Phuket Island, Thailand. Phuket Mar. Biol. Cent. Res. Bull., 20 : 1-20, figs. 1-11.
- Efford, I.E. 1976. Distribution of the sand crabs in the Genus *Emerita* (Decapoda : Hippidae). Crustaceana 30(2) : 169-183.
- Frith, D.W. 1977. A Preliminary list of Macrofauna from a mangrove forest and adjacent biotopes at Surin Island, Western Peninsular Thailand. Phuket Mar. Biol. Cent. Res. Bull., 17 : 1-14.
- Frith, D.W. and Alexander, G.L. 1978. A Preliminary list of Land crabs (Crustacea : Decapoda) from Koh Similan, Andaman Sea, including eight species to Thailand. Ibid. 24 : 1-6.
- Frith, D.W. and Frith, C.B. 1978. Notes on the ecology of fiddler crabs populations (Ocypodidae : Genus *Uca*) on Phuket Surin and Yao Yai Islands, Western Peninsular Thailand. Ibid. 25 : 1-13.
- Frith, D.W. , Tantasiriwong, R. and O. Bhatia. 1976. Zonation of Macrofauna on a mangrove shore, Phuket Island. Ibid. 10 : 1-37.
- Guinot, D. 1985. Revision du genre *Parapanope* De Man, 1895 (Crustacea Decapoda Brachyura) avec description de trois especes nouvelles. Bull. Mus. natn. Hist. nat., Paris, 4e sor., 7, Section A, n 3 : 677-707.

Literature Cited

- Haig, J. 1964. Porcellanid Crabs from the Indo-West Pacific, Part I. Paper from Dr. Th. Mortensen's Pacific Expedition 1914-1916, 81, Allan Hancock, Found. Contr., 258 : 356-386, figs. 1-3.
- Holthuis, L. B. 1947. Biological results of the Snellius Expedition XIV. The Decapoda Macrura of the Snellius Expedition I. The Stenopodidae, Nephropsidae, Scyllaridae and Palinuridae. *Temminckia* 7 : 87-145.
- _____. 1950. The Decapoda of the Siboga Expedition X. Palaemoninae. *Siboga Exped. monogr.* 39 a9, 268 pp., figs. 1-52.
- _____. 1991. FAO Species Catalogue Vol. 13, Marine Lobsters of the World. An Annotated and Illustrated Catalogue of Species of Interest to Fisheries Known to Date. FAO Fish. Synop. No. 125, Vol. 13, 292 pp., figs. 1-459.
- _____. 1993. The Recent Genera of the Caridean and Stenopodidean Shrimps (Crustacea, Decapoda) with an appendix on the Order Amphionidacea. *Nation Nat. Hist. Mus., Leiden.*, 328 pp.
- Holthuis, L.B. and Manning, R.B. 1990. Crabs of the Subfamily Dorippinae MacLeay, 1838 from the Indo-West Pacific Region (Crustacea : Decapoda : Dorippidae). *Res. Crust. Special No.* 3, 151 pp.
- Holthuis, L.B. and Rosa, H.Jr. 1965. List of Species of Shrimps and Prawns of Economic Value. FAO Fish. Techn. Pap., 52 : 1-21.
- Kemp, S. 1918. Zoological results of a tour in Far East. *Mem. Asiat. Soc. Bengal. Calcutta*, 6 : 217-297, figs. 1-12.
- _____. 1923. On a Collection of River Crabs from Siam and Annam. *Jour. Nat. Hist. Soc. Siam.* 6 : 1-42, pls. 1-4.
- Khoyngam, N. 1984. Species Diversity of the Marine Crabs in Developing Industrial Areas on the East coast of Thailand. M.Sc. Thesis, Dept. Biol., Fac. Sci., Kasetsart Univ., Bangkok., 125 pp., pls. 1-14.
- Khoyngam, P. 1982. Taxonomic Study on the Marine Crabs, collected from the Fisherman Wharves, in the Gulf of Thailand. M.Sc. Thesis, Dept. Biol., Fac. Sci., Kasetsart Univ., Bangkok., 196 pp., 1-22.
- Kongkayen, S. 1979. Taxonomy of Xanthid Crabs of Phuket Province. M.Sc. Thesis, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 428 pp., pls. 1-82.

Literature Cited

- Kubo, I. 1949. Studies on the Peneids of Japanese and its adjacent waters. Jour. Tokyo Coll. Fish., 36(1) : 355-358, figs. 130.
- Kwantong, S. 1995. Distribution of Some Edible Animals in the Lower North-Eastern Thailand. M.Sc. Thesis, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 288 pp., pls. 1-23.
- Lanchester, W. 1901. On the Crustacea, collected during the "Skeat Expedition" to the Malay Peninsula. Proc. Zool. Soc., London., 2 : 534-574.
- _____. 1906. Report on the Crustacea. In : Fasciculi malayensis., Part 3 : 127-134, pl. 1.
- Leelapiyanart, N. 1989. Taxonomy of Penaeoid Shrimps in Thailand. M.Sc. Thesis., Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 456 pp., pls. 1-86.
- Leelawathanagoon, P. 1975. Taxonomy of Palaemonid Shrimps in Thailand. M.Sc. Thesis., Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 174 pp., pls. 1-25.
- Lumubol, P. 1974. Taxonomic study on the Peneid Shrimps in the Gulf of Thailand. M.Sc. Thesis., Kasetsart Univ., Bangkok., 121 pp., pls. 1-10.
- Lundore, S. 1974. A Checklist of the Marine Brachyura in the Reference Collection at PMBC, Thailand. Phuket Mar. Biol. Cent. Res. Bull., 4 : 1-11.
- Machjalib, B. 1973. Grapsid Crabs in the Gulf of Thailand. M.Sc. Thesis., Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 229pp., pls. 1-40.
- Manning, R. B. 1978a. Notes on Some Species of the *Falcatus* Group of *Gonodactylus* (Crustacea : Stomatopoda : Gonodactylidae). Smithsonian Contr. Zool., 258 : 1-15, figs. 1-13.
- _____. 1978b. New and Rare Stomatopod Crustacea from the Indo-West Pacific Region. Ibid. 264 : 1-36, figs. 1-16.
- _____. 1978c. Further Observations on *Oratosquilla* with Accounts of Two New Genera and Nine Species (Crustacea : Stomatopoda : Squillidae). Ibid. 272 : 1-44, figs. 1-25.
- _____. 1979. Notes on Two Species of Stomatopod Crustacea from Phuket Island, Thailand. Proc. Biol. Soc. Wash., 92(2) : 394-398, fig. 1.
- _____. 1995. Stomatopod Crustacea of Vietnam : The Legacy of Raoul Serene. Crustacean Res. Special No. 4., 339 pp., figs. 1-142, pls. 1-38.

Literature Cited

- Milne Edwards, A. 1869. Revision du genre *Thelphuse* et description de quelques especes nouvelles faisant partie de la collection du Museum. Nouv. Arch. Mus. Hist. nat. Paris., 5 : 161-191, pls. 8-11.
- Miquel, J.C. 1982. Le genre *Metapenaeus* (Crustacea, Penaeidae) : taxonomie, biologie et peches mondiales. Zool. Verh. Leiden., 195 : 1-137.
- Mizuno, T. and Mori, S. 1970. Preliminary hydrobiological survey of some South East Asia in land waters. Biol. Jour. Linn. Soc., 2 : 77-117, figs. 1-13, pls. 1-4.
- Naiyanetr, P. 1963. Scyllarid lobsters and their Phyllosoma larvae in the Gulf of Thailand. M.Sc. Thesis, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 107 pp., pls. 1-39.
- _____. 1963. Jour. Natn. Res. Coun. Thailand 4(1-4) : 63-72, pl. 1.
- _____. 1968. Preliminary Study of Stomatopoda of Thailand. Abst. Crustacean, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., pp. 5-7.
- _____. 1970. Spiny Lobsters of Thailand. Ibid., p. 8.
- _____. 1972. Box Crabs of Thailand. Ibid., p. 11.
- _____. 1973a. Parasitic Sacculina in Portunid and Grapsid Crabs. Ibid., p. ?2.
- _____. 1973b. Pu Tale. Ibid., p. 13.
- _____. 1973c. Pu Kem. Ibid., pp. 14-15.
- _____. 1974. Sexual Dimorphism of Crustaceans. Ibid., pp. 16-17.
- _____. 1975a. Poisonous Crabs. Ibid., p. 22.
- _____. 1975b. Distribution of Freshwater crabs Genus *Somanniathelphusa* in Thailand. Ibid., pp. 23-24.
- _____. 1976. Ecology of Freshwater Crabs. Ibid., pp. 25-26.
- _____. 1978a. Six New Species of Freshwater Crabs of Thailand. Abst. Natn. Confer. Agri. Biol. Sci., Kasetsart Univ., Bangkok., p. 84.
- _____. 1978b. The Geographic Distribution of Freshwater Carbs in Thailand. Geogr. Jour. Geogr. Assoc. Thailand. 3(3) : 24-43, pl. 1.
- _____. 1978c. Sand Crabs of Thailand (Decapoda : Anomura : Hippidae and Albuneidae). Rep. Sci. Res. Fac. Sci., Chulalongkorn Univ., Bangkok., 3 : 330-338, pl. 1.

Literature Cited

- _____. 1979a. The relationships between the Waterfall crabs and Tenasserim Ranges. Sci. Seminar, Fac. Sci., Chulalongkorn Univ., Bangkok., p. 17.
- _____. 1979b. *Clorida thailandica*, a new Stomatopod Crustacean from Thailand. Abst. Sci. Confer., Sci. Soc. Thailand., p. 138.
- _____. 1980a. The Use of Freshwater Shrimps and Crabs as the evidence of Geographical Relationships of Thailand. Jour. Natn. Res. Coun. Thailand. 12(1) : 1-38, figs. 1-7.
- _____. 1980b. Stomatopoda of Thailand. Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 97 pp., pls. 1-35.
- _____. 1980c. Crustacean Fauna of Thailand (Decapoda and Stomatopoda). Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 73 pp.
- _____. 1983a. Two stomatopod crustaceans from the Gulf of Thailand with a key to the genus *Carinosquilla* Manning, 1968. Senckenbergiana biol., 63(1982), (5/6) : 393-399.
- _____. 1983b. Crab of San Ka La Khiri. Geogr. Jour., Geogr. Assoc. Thailand., 8(2) : 43-46, pl. 1.
- _____. 1983c. Geographic Distribution of Kung Ka Po (*Macrobrachium equidens*) in Thailand. Ibid. 8(3) : 27-31, pl. 1.
- _____. 1984a. Scyllarid Lobsters of Thailand. Proc. 22 nd Confer. Fish. Sect., Kasetsart Univ., Bangkok., p. 33.
- _____. 1984b. Two new species of Pu Na in Thailand. Ibid., p. 34.
- _____. 1984c. *Ranguna phrae*, a new species of land crab of Thailand. Proc. 5th Seminar Wildlife of Thailand, Fac. Forest., Kasetsart Univ., Bangkok., 5 : 231.
- _____. 1984d. *Potamicus yotdomensis*, a new species of water fall crab of Thailand. Ibid., 5 : 232.
- _____. 1985a. New Record of a Spiny Lobster, *Panulirus stimpsoni* Holthuis, 1963 in the Gulf of Thailand. Proc. 23rd Confer. Fish. Sect., Kasetsart Univ., Bangkok., p.1.
- _____. 1985b. *Mekhongthelphusa*, a new genus of freshwater crab (Decapoda, Parathelphusidae). Ibid., p. 2.
- _____. 1985c. Crabs of Tenasserim. Proc. 6th Seminar Wildlife of Thailand, Fac. Forest., Kasetsart Univ., Bangkok. 6 : 260.
- _____. 1986. Crab of Tenasserim Range Part II., *Ranguna trirungensis* n. sp., Proc. 7th Seminar Wildlife of Thailand, Fac. Forest., Kasetsart Univ., Bangkok., pp. 11-1-2-3, fig. 1.

Literature Cited

- _____. 1987a. New freshwater crab of Thailand, *Ranguna boonyaratae*. Proc. 25th Confer. Fish. Sect., Kasetsart Univ., Bangkok., pp. 201-203.
- _____. 1987b. Two new stomatopod crustaceans from Thailand with a key to the genus *Manningia* Serene, 1962. Crustaceana 53(3) : 237-242.
- _____. 1987c. Type specimens of freshwater crabs. Chulalongkorn Univ. Mus. Nat. Hist., Bangkok., pp. 75-80, fig. 1.
- _____. 1987d. Waterfall crabs as the intermediate host of Paragonimiasis. Proc. 8th Seminar Wildlife of Thailand, Fac. Forest., Kasetsart Univ., Bangkok., p. 10-1.
- _____. 1988a. New freshwater crab of Thailand, *Phricotelphusa yongchindaratae*. Proc. 26th Confer. Fish. Sect., Kasetsart Univ., Bangkok., pp. 199-200.
- _____. 1988b. Freshwater crabs in Thailand. In : Book published in memory of the Royal Cremation of Associate Professor Dr. Praphun Chitachumnong, Mahidol University, Phaisalsipa Press., Bangkok., 15 pp., 8 colour plates.
- _____. 1989a. *Phricotelphusa sirindhorn* n.sp., a new freshwater crab from Thailand (Decapoda, Brachyura, Gecarcinucidae). Crustaceana 65(3) : 225-229, pl. 1, figs. 1-2.
- _____. 1989b. *Siamosquilla hyllebergi*, a new genus and new species of stomatopod crustacean from Thailand. Biology of Stomatopods., Selected Symposia and Monographs U.Z.I., 3, Mucchi, Modena, pp. 281-284.
- _____. 1992a. *Demanietta sirikit* n.sp., a new freshwater crab from Thailand. (Decapoda, Brachyura, Potamidae). Crustaceana 62(2) : 113-120, pl. 1, figs. 1-3
- _____. 1992b. Validation of five new species of Thai potamon crabs (Crustacea : Decapoda : Brachyura). Raffles Bull. Zool., 40(1) : 1-7.
- _____. 1992c. Crustacean Fauna of Thailand (Decapoda and Stomatopoda). 2nd Ed., Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 71 pp.
- _____. 1993. *Thaipotamon chulabhorn* n.sp., a new freshwater crab from Thailand (Decapoda, Brachyura, Potamidae). Crustaceana 65(1) : 1-7, pl. 1, fig. 1.
- _____. 1994a. On two species of terrestrial crabs of the genus *Dromothelphusa* Naiyanetr, 1992 (Crustacea : Decapoda : Brachyura : Potamidae) from Thailand. Raffles Bull. Zool., 42(3) : 689-694.

Literature Cited

- _____. 1994b. On three new genera of Thai ricefield crabs allied to *Somaniathelphusa* Bott, 1968 (Crustacea : Decapoda : Brachyura : Parathelphusidae). *Ibid.*, 42(3) : 695-700.
- _____. 1995. *Acanthosquilla sirindhorn* n.sp., a new mantis shrimp from Thailand (Stomatopoda, Nannosquillidae). *Crustaceana* 68(4) : 409-417, pl. 1, figs. 1-2.
- _____. 1996. Freshwater shrimps and crabs in Thailand and Indo-China. *Biodiversity and Dynamics of Ecosystems, DIWPA Series Vol. 1*:353-357.
- _____. 1997. *Dromothelphusa sangwan* n.sp., a new freshwater crab from Thailand (Decapoda, Brachyura, Potamidae). *Crustaceana* 70(4) : 385-393, pl. 1, fig. 1.
- Naiyanetr, P. and Machjajib, S. 1973. Some Mangrove Arthropods in the Gulf of Thailand. *Proc. 1st Thai. Natn. Seminar Mangrove Ecol.*, 1(2) : 263-271.
- Naiyanetr, P. and Narkasem, N. 1974. Waterfall crabs. *Abst. Crustacean, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok.*, pp. 18-19.
- Naiyanetr, P. and Ng, P.K.L. 1990a. *Siamthelphusa holthuisi* spec.nov., a new species of gecarcinucoid freshwater crab (Crustacea : Brachyura : Decapoda) from Thailand. *Zool. Med., Leiden.*, 63(17) : 235-239.
- _____. 1990b. Two new species of *Potamon* Savigny, 1816 s.l. from Chiangmai Province, north-western Thailand, with a note on *Potamon (Potamon) cochinchinensis* De Man, 1898 (Crustacea, Decapoda, Brachyura, Potamidae). *Spixiana* 13(2) : 121-130.
- _____. 1995. The river crabs of the genus *Mekhongthelphusa* Naiyanetr, 1985 (Crustacea : Decapoda : Brachyura : Parathelphusidae) with description of a new species from Thailand. *Zool. Med., Leiden.*, 69 : 365-374.
- _____. 1997. *Esanpotamon namsom*, a new genus and species of potamid crab (Crustacea : Decapoda : Brachyura) from a waterfall in north eastern Thailand. *Proc. Bio. Soc. Wash.*, 110(3) : 417-421.
- Naiyanetr, P. and Takeda, M. 1989. Thai freshwater crabs collected during the field survey in 1987. In : K. Kawashima (Ed.), *Paragonimus in Asia. Biology, Genetic variation and speciation. Paragonimus Research Report2*, Kyushu University, Japan., pp. 114-121.

Literature Cited

- Naiyanetr, P. and Turkay, M. 1983. On the status of *Clorida pelamidae* Blumstein, 1970 and its presumed identity with *C. thailandica* Naiyanetr, 1980. *Senckenbergiana biol.*, 63(1982), (5/6) : 401-405.
- _____. 1984. *Ranguna smitinandi*, a new species of land crab of Thailand. *Proc. 5th Seminar Wildlife of Thailand, Fac. Forest., Kasetsart Univ., Bangkok.*, 5:230.
- Naiyanetr, P. Jr. 1997. Taxonomic study of Marine Crabs Family Portunidae in the Gulf of Thailand. M.Sc. Thesis, Kasetsart Univ., Bangkok., 246 pp., pls. 1-31.
- Nakasone, Y., Makot Tsuchiya, Vipoosit Manthachitra and Moritaka Nishihira. 1986. Species Composition of Decapod Crustaceans associated with living corals in the Gulf of Thailand. *Galaxea*, 5 : 141-156.
- Nakasone, Y., Moritaka Nishihira, Takao Suzuki and Nittharatana Paphavasit. 1997. Species Composition and Distribution of Decapod and Stomatopod Crustaceans and Allometry of Some Crab Species at Samut Songkhram Mangrove Swamp, Thailand. In : *Benthic Communities and Biodiversity in Thai Mangrove Swamps*. Biol. Inst., Tohoku Univ., pp. 131-146.
- Ng, P.K.L. and Naiyanetr, P. 1992. On a new species of *Geosesarma* de Man, 1892 (Crustacea : Decapoda : Brachyura : Grapsidae) from Chanthaburi Province, eastern Thailand. *Zool. Med., Leiden.*, 66 : 446-452.
- _____. 1993. New and recently described freshwater crabs (Crustacea : Decapoda : Brachyura : Potamidae, Gecarcinucidae and Parathelphusidae) from Thailand. *Zool. Verh., Leiden.*, 284 : 1-117, figs. 1-68.
- _____. 1995. *Pudaengon*, a new genus of terrestrial crabs (Crustacea : Decapoda : Brachyura : Potamidae) from Thailand and Laos with descriptions of seven new species. *Reffles Bull. Zool.*, 43(2) : 355-376.
- _____. 1997. Revision of the genus *Siamthelphusa* Bott, 1968 (Crustacea : Decapoda : Brachyura : Parathelphusidae) with descriptions of five new species from Thailand. *Jour. Nat. Hist.*, (in press).
- Ng, P.K.L. and Nakasone, Y., 1994. On the porcellanid genera *Raphidopus* Stimpson, 1858 and *Pseudoporcellanella* Sankarankutty, 1961 with description of a new mangrove species, *Raphidopus johnsoni* from Singapore. *Crustacean* 66(1) : 1-21.

Literature Cited

- Omori, M. 1975. The Systematics, Biogeography and Fishery of Epipelagic shrimps of the genus *Acetes* (Crustacea, Decapoda, Sergestidae). Bull. Ocean Res. Inst., Tokyo Univ., 7 : 1-89.
- Pitagsalee, C. 1980. Taxonomy of Hermit Crabs in Thailand. M.Sc. Thesis, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 276 pp., Pls. 1-69.
- Pramual, T. 1990. Taxonomy of Rice-field Crabs and Characters of Gonopod, Ommatidia by Scanning Electron Microscopy. M.Sc. Thesis, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 193 pp., pls. 1-69.
- Racek, A.A. 1970. Indo-West Pacific Penaeid Prawn Species of Commercial Importance. FAO Proc. IPFC, 14th Session, 3 : 1-30., pl. 1.
- Rathbun, M.J. 1904. Les crabs d'eau douce (Potamonidae). Nouv. Arch. Mus. d'Hist. Nat. Paris., (4)6 : 225-310, pls. 9-18 ; (4)7 : 159-191, pls. 13-22.
- _____. 1909. New Crabs from the Gulf of Siam. Proc. Biol. Soc. Wash., 22 : 107-114.
- _____. 1910. Brachyura. The Danish Exped. to Siam 1899-1900, V-Kgl. Danske Vid. Selsk. Skr., 7, 5 : 303-367, pls. 1-2.
- Rungruang, C. 1987. Taxonomy of Crabs Genus *Macrophthalmus* (Decapoda : Brachyura) along the Coasts of Thailand. M.Sc. Thesis, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 192 pp., pls. 1-26.
- Sakai, K. 1982. Revision of Upogebiidae (Decapoda, Thalassinidea) in The Indo-West Pacific Region. Res. Crust. Special No. 1, pp. 75-84, figs. 17-20.
- _____. 1983. On a new Species of the Genus *Callianassa* (Crustacea, Decapoda) from Thailand. Res. Crust., 12 : 111-115.
- Sakai, T. 1976. Crabs of Japan and the Adjacent Seas. Kodansha, Japan., 773 pp., pls. 1-252.
- Sangmanee, S. 1987. Mangrove Decapod Crustacean and Stomatopod Crustacean in Changwat Chumphon and Changwat Ranong. M.Sc. Thesis, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 577 pp., pls. 1-24.
- Schram, F.R. 1986. Crustacea. Oxford Univ. Press. N.Y., pp. 252-253, 272-273, 306-308.
- Serene, R. 1966. Notes on the Brachyura of the Marine fauna of Thailand. Research project no. 18/1, Appl. Sci. Res. Corp. Thailand., 1 : 1-13.

Literature Cited

- _____. 1968. Brachyura of the Indo-Pacific region. Singapore Natn. Acad. Sci. Special publ., 1 : 33-112.
- Serene, R. and Crosnier, A. 1984. Crustaces Decapodes Brachyours de l'Océan Indien occidental et la Mer Rouge. Xanthoidea : Xanthidae et Trapeziidae ; Addendum : Carpiliidae et Menippidae. Institut Français de Recherche Scientifique pour le Développement et la Coopération. Faune Tropicale XXIV, 349 pp., pls. 1-48.
- Serene, R. and Lohavanijaya, P. 1973. The Brachyura (Crustacea : Decapoda) collected by Naga Expedition, including a Review of the Homolidae. Naga Report. 4(4) : 1-146, figs. 1-186, pls. 1-21.
- Serene, R. and Soh, C.L. 1976. Brachyura collected during the Thai-Danish Expedition (1966). Phuket Mr. Biol. Sci. Res. Bull., 12 : 1-37, figs. 1-28, pls. 1-8.
- Stephenson, W. 1967. The Portunid crabs (Crustacea : Portunidae) collected by the Naga Expedition. Naga Report. 4(1) : 7-37, pls. 1-4.
- Sucondhama, P. 1961. The Distribution of *Lucifer hanseni* Nobili in the Gulf of Thailand. B.Sc. Thesis, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 40 pp., pls. 1-7.
- Suphunwong, K. 1964. The Collection and Identification of some marine crabs. Senior Project, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 45 pp., pls. 1-11.
- Suvatti, C. 1950. Fauna of Thailand. Dept. Fish., Bangkok, Thailand., pp. 132-177.
- Turkay, M. 1987. The identity of *Potamon rangoonense* Rathbun, 1904 and *Thelphusa larnaudii* A. Milne Edwards, 1896 with introduction of *Neolarnaudia botti* n.g.n.sp. (Crustacea : Decapoda : Potamidae). Senckenbergiana biol., 67(1986), (4/6) : 386-396.
- _____. 1989. *Ranguna* Bott, 1966 and *Larnaudia* Bott, 1966 (Crustacea, Decapoda) : proposed fixation of *Thelphusa longipes* A. Milne Edwards, 1869 and *Thelphusa larnaudii* A. Milne Edwards, 1869 as the respective type species. Bull. Zool. Nomenclature., 46(2) : 101-103.
- Tweedei, M.W.F. 1950. Notes on Grapsid Crabs from The Raffles Museum. Bull. Raffles Mus., 23 : 310-316.
- Vatcharanon, P. 1987. Some Ecological Studies of Mud lobster *Thalassina anomala* (Herbst, 1804), M.Sc. Thesis, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 121 pp., figs. 1-49.

Literature Cited

- Viruphantu, S. 1989. Taxonomy of Portunid Crabs in Thailand. M.Sc. Thesis, Dept. Biol., Fsc. Sci., Chulalongkorn Univ., Bangkok., 334 pp., pls. 1-11.
- Wattanatongchai, B. 1995. Geographical Distribution of Stomatopods in the Gulf of Thailand. M.Sc. Thesis, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 140 pp., pls 1-7.
- Wood-Mason, J. 1871. Contribution to Indian Carcinology. Jour. Asiat. Soc. Bengal. Calcutta., 40(2) : 189-207, 449-454., pls. 11-14, 27.
- Yamaguchi, T. 1994. Fiddler crabs of the genus *Uca* in the collections of three natural history museum in Europe. Calanus 11 : 151-189.
- Yongchindarat, K. 1988. Geographic Distribution of Freshwater shrimps and Crabs in Changwat Phuket and Changwat Phangnga. M.Sc. Thesis, Dept. Biol., Fac. Sci., Chulalongkorn Univ., Bangkok., 178 pp., pls. 1-25.



INDEX OF SPECIES

INDEX

<i>Acanthosquilla acanthocarpus</i> (Claus, 1871)	124
<i>Acanthosquilla derijardi</i> Manning, 1970	124
<i>Acanthosquilla multifasciata</i> (Wood-Mason, 1895)	124
<i>Acanthosquilla sirindhorn</i> Naiyanetr, 1995	124
<i>Acanthosquilla tigrina</i> (Nobili, 1903)	125
<i>Acetes erythraeus</i> Nobili, 1905	28
<i>Acetes indicus</i> H. Milne Edwards, 1830	29
<i>Acetes japonicus</i> Kishinouye, 1905	29
<i>Acetes serrulatus</i> (Kroyer, 1859)	29
<i>Acetes sibogae</i> Hansen, 1919	29
<i>Acetes vulgaris</i> Hansen, 1919	29
<i>Achaeus affinis</i> Miers, 1879	61
<i>Achaeus fissifrons</i> (Haswell, 1879)	61
<i>Achaeus lacertosus</i> Stimpson, 1857	61
<i>Acmaeopleura rotunda</i> Rathbun, 1909	102
<i>Actaea calculosa</i> (H. Milne Edwards, 1834)	87
<i>Actaea modesta</i> (De Man, 1888)	87
<i>Actaea polyacantha</i> (Heller, 1861)	87
<i>Actaea savignyi</i> (H. Milne Edwards, 1834)	87
<i>Actaeodes hirsutissimus</i> (Ruppell, 1830)	88
<i>Actaeodes semoni</i> (Ortmann, 1894)	88
<i>Actaeodes tomentosus</i> (H. Milne Edwards, 1834)	88
<i>Actumnus asper</i> (Ruppell, 1861)	84
<i>Actumnus carinatus</i> Bouvier, 1915	85
<i>Actumnus digitalis</i> Rathbun, 1907	85
<i>Actumnus dorsipes</i> (Stimpson, 1858)	85
<i>Actumnus elegans</i> De Man, 1887	85
<i>Actumnus obesus</i> Dana, 1852	85
<i>Actumnus setifer</i> (De Haan, 1835)	85
<i>Actumnus squamosus</i> (De Haan, 1835)	85
<i>Alachosquilla vicina</i> (Nobili, 1904)	125
<i>Albunea symnista</i> (Linnaeus, 1766)	51
<i>Alpheopsis chalciope</i> De Man, 1910	35
<i>Alpheopsis equalis</i> Coutiere, 1896	35
<i>Alpheus acutocarinatus</i> De Man, 1909	35
<i>Alpheus acutofemoratus</i> Dana, 1852	36
<i>Alpheus alcyone</i> De Man, 1902	36
<i>Alpheus bucephalus</i> Coutiere, 1905	36
<i>Alpheus collumianus probabilis</i> Banner, 1956	36
<i>Alpheus crockeri</i> Armstrong, 1941	36
<i>Alpheus cythereus</i> Banner & Banner, 1966	36
<i>Alpheus deuteropus</i> Hilgendorf, 1878	36
<i>Alpheus dispar</i> Randall, 1840	36
<i>Alpheus edwardsii</i> Audouin, 1826	36
<i>Alpheus ehlersi</i> De Man, 1909	36
<i>Alpheus euphrosyne</i> De Man, 1897	36
<i>Alpheus facetus</i> De Man, 1908	36
<i>Alpheus funafutensis</i> Borradaile, 1898	37
<i>Alpheus gracilipes</i> Stimpson, 1860	37
<i>Alpheus gracilis simplex</i> (Banner, 1953)	37
<i>Alpheus hippothoe</i> De Man, 1888	37
<i>Alpheus leviusculus</i> Dana, 1852	37
<i>Alpheus lobidens</i> De Haan, 1849	37

INDEX

<i>Alpheus lottini</i> Guerin, 1830	37
<i>Alpheus malabaricus</i> (Fabricius, 1775)	37
<i>Alpheus malabaricus songkla</i> Banner & Banner, 1966	37
<i>Alpheus malleodigitus</i> (Bate, 1888)	37
<i>Alpheus microrhynchus</i> De Man, 1897	37
<i>Alpheus microstylus</i> (Bate, 1888)	37
<i>Alpheus obesomanus</i> Dana, 1852	37
<i>Alpheus pacificus</i> Dana, 1852	38
<i>Alpheus paracrinitus</i> Miers, 1881	38
<i>Alpheus paralcione</i> Coutiere, 1905	38
<i>Alpheus parvirostris</i> Dana, 1952	38
<i>Alpheus pomatoceros</i> Banner & Banner, 1966	38
<i>Alpheus proseuchirus</i> De Man, 1908	38
<i>Alpheus rapacida</i> De Man, 1908	38
<i>Alpheus rapax</i> Fabricius, 1798	38
<i>Alpheus serenei</i> Tiwari, 1963	38
<i>Alpheus strenuus</i> Dana, 1852	38
<i>Alpheus sudara</i> Banner & Banner, 1966	38
<i>Alpheus supachai</i> Banner & Banner, 1966	38
<i>Anchisquilla fasciata</i> (De Haan, 1844)	125
<i>Anchistus miersi</i> (De Man, 1888)	34
<i>Arcania crinaceus</i> (Fabricius, 1798)	58
<i>Arcania heptacantha</i> (De Haan, 1861)	58
<i>Arcania novemspinosa</i> Adams & White, 1848	58
<i>Arcania septemspinosa</i> (Fabricius, 1798)	58
<i>Arcania undecimspinosa</i> De Haan, 1850	59
<i>Ashtoret lunaris</i> (Forsk. 1775)	55
<i>Asthenognathus gallardoi</i> Serene & Soh, 1976	103
<i>Asthenognathus hexagonum</i> Rathbun, 1909	103
<i>Atergatis dilatatus</i> De Haan, 1835	93
<i>Atergatis floridus</i> (Linnaeus, 1767)	93
<i>Atergatis integerrimus</i> (Lamarck, 1801)	94
<i>Atergatis reticulatus</i> De Haan, 1835	94
<i>Atergatis roseus</i> (Ruppell, 1830)	94
<i>Athanas dimorphus seedang</i> Banner & Banner, 1966	39
<i>Athanas naga</i> Banner & Banner, 1966	39
<i>Athanas polymorphus</i> Kemp, 1915	39
<i>Atyopsis moluccensis</i> (De Haan, 1849)	30
<i>Atypopenaeus stenodactylus</i> (Stimpson, 1860)	20
<i>Aulacolambrus hoplonotus</i> (Adams & White, 1848)	66
<i>Aulacolambrus whitei</i> H. Milne Edwards, 1872	66
<i>Automate gardineri</i> Coutiere, 1902	39
<i>Baptozium vinosus</i> (H. Milne Edwards, 1834)	82
<i>Bresedium sediliensis</i> (Tweedie, 1940)	97
<i>Calappa calappa</i> (Linnaeus, 1758)	55
<i>Calappa gallus</i> (Herbst, 1803)	55
<i>Calappa hepatica</i> (Linnaeus, 1758)	55
<i>Calappa lophos</i> (Herbst, 1782)	55
<i>Calappa philagi</i> (Linnaeus, 1758)	55
<i>Calappa terrae-reginae</i> Ward, 1936	55
<i>Calcinus elegans</i> (H. Milne Edwards, 1836)	46
<i>Calcinus gaimardi</i> (H. Milne Edwards, 1848)	47
<i>Calcinus laevimanus</i> (Randall, 1839)	47

INDEX

<i>Calcinus latens</i> (Randall, 1839)	47
<i>Callianassa (Callichirus) ranongensis</i> Sakai, 1983	45
<i>Callianidea typa</i> H. Milne Edwards, 1837	45
<i>Camatopsis rubida</i> Alcock & Anderson, 1899	78
<i>Camposcia retusa</i> Latreille, 1892	61
<i>Camptandrium sexdentatum</i> Stimpson, 1858	113
<i>Carcinoplax longimanus</i> (De Haan, 1835)	77
<i>Carcinoplax purpurea</i> Rathbun, 1914	77
<i>Carcinoplax sinica</i> Chen, 1984	77
<i>Cardisoma carnifex</i> (Herbst, 1794)	95
<i>Cardisoma hirtipes</i> Dana, 1851	95
<i>Caridina brachydactyla</i> De Man, 1908	30
<i>Caridina gracilirostris</i> De Man, 1892	30
<i>Caridina gracillima</i> Lanchester, 1901	30
<i>Caridina laevis</i> Heller, 1862	30
<i>Caridina macrophora</i> Kemp, 1918	30
<i>Caridina peninsularis</i> Kemp, 1918	30
<i>Caridina propinqua</i> De Man, 1908	30
<i>Caridina sumatrensis</i> De Man, 1892	31
<i>Caridina tonkinensis</i> Bouvier, 1919	31
<i>Caridina typus</i> H. Milne Edwards, 1837	31
<i>Carinosquilla carinata</i> (Serene, 1950)	126
<i>Carinosquilla thailandensis</i> Naiyanetr, 1983	126
<i>Carpilius convexus</i> (Forsk., 1775)	77
<i>Carpilius maculatus</i> (Linnaeus, 1758)	77
<i>Carupa tenuipes</i> Dana, 1851	68
<i>Ceratoplax ciliata</i> Stimpson, 1858	79
<i>Ceratoplax fulgida</i> Rathbun, 1914	79
<i>Ceratoplax hispida</i> Alcock, 1896	80
<i>Charybdis acutifrons</i> (De Man, 1879)	69
<i>Charybdis affinis</i> Dana, 1852	69
<i>Charybdis anisodon</i> (De Haan, 1850)	69
<i>Charybdis annulata</i> (Fabricius, 1798)	69
<i>Charybdis beauforti</i> Leene & Buitendijk, 1949	70
<i>Charybdis callianassa</i> (Herbst, 1789)	70
<i>Charybdis feriatius</i> (Linnaeus, 1758)	70
<i>Charybdis hellerii</i> (A. Milne Edwards, 1861)	70
<i>Charybdis hongkongensis</i> Shen, 1834	70
<i>Charybdis lucifera</i> (Fabricius, 1798)	70
<i>Charybdis miles</i> De Haan, 1835	70
<i>Charybdis natator</i> (Herbst, 1789)	71
<i>Charybdis ornata</i> (A. Milne Edwards, 1861)	71
<i>Charybdis rorstrata</i> (A. Milne Edwards, 1861)	71
<i>Charybdis truncata</i> (Fabricius, 1798)	71
<i>Charybdis vadorum</i> Alcock, 1899	71
<i>Charybdis variegata</i> (Fabricius, 1798)	71
<i>Chasmocarcinops gelasimoides</i> Alcock, 1900	79
<i>Chiromantes indarum</i> (De Man, 1902)	97
<i>Chiromantes lividum</i> (A. Milne Edwards, 1869)	97
<i>Chlorinoides aculaetus</i> (H. Milne Edwards, 1834)	62
<i>Chlorinoides longispinus</i> (De Haan, 1839)	62
<i>Chlorodiella cytherea</i> (Dana, 1852)	88
<i>Chlorodiella laevis</i> (Dana, 1852)	88

INDEX

<i>Chlorodiella nigra</i> (Forskal, 1775)	89
<i>Chulathelphusa brandti</i> (Bott, 1968)	106
<i>Chulathelphusa neisi</i> (Rathbun, 1902)	106
<i>Cleistostoma lingulatum</i> Rathbun, 1909	114
<i>Clibanarius arethusa</i> De Man, 1888	47
<i>Clibanarius cruentatus</i> (H. Milne Edwards, 1848)	47
<i>Clibanarius infraspinatus</i> Hilgendorf, 1896	47
<i>Clibanarius lineatus</i> (H. Milne Edwards, 1848)	47
<i>Clibanarius longitarsus</i> (De Haan, 1849)	47
<i>Clibanarius merguiensis</i> De Man, 1888	48
<i>Clibanarius padavensis</i> De Man, 1888	48
<i>Clibanarius striolatus</i> Dana, 1852	48
<i>Clibanarius virescens</i> (Krauss, 1843)	48
<i>Clistocoeloma merguiensis</i> De Man, 1888	97
<i>Clistocoeloma suvaense</i> Edmondson, 1951	97
<i>Clorida bombayensis</i> (Chhapgar & Sane, 1967)	126
<i>Clorida decorata</i> Wood-Mason, 1875	126
<i>Clorida latreillei</i> Eydoux & Souleyet, 1842	126
<i>Clorida rotundicauda</i> (Miers, 1880)	126
<i>Cloridina chlorida</i> (Brooks, 1886)	126
<i>Cloridina malaccensis</i> (Manning, 1968)	126
<i>Cloridina microphthalma</i> (H. Milne Edwards, 1837)	126
<i>Cloridina thailandica</i> (Naiyanetr, 1980)	126
<i>Cloridina verrucosa</i> (Hansen, 1926)	126
<i>Cloridopsis bengalensis</i> (Tiwari & Biswas, 1952)	126
<i>Cloridopsis immaculata</i> (Kemp, 1913)	127
<i>Cloridopsis scorpio</i> (Latreille, 1828)	127
<i>Coenobita brevimana</i> Dana, 1853	46
<i>Coenobita cavipes</i> Stimpson, 1858	46
<i>Coenobita hilgendorfi</i> Terao, 1913	46
<i>Coenobita rugosa</i> H. Milne Edwards, 1837	46
<i>Conchodytes biunguiculatus</i> (Paulson, 1875)	34
<i>Conchoecetes andamanicus</i> Alcock, 1899	52
<i>Conchoecetes artificiosus</i> (Fabricius, 1791)	52
<i>Coronidopsis bicuspis</i> Hansen, 1926	122
<i>Cosmonotus grayi</i> Adams & White, 1848	53
<i>Criocarcinus superciliosus</i> (Herbst, 1788)	61
<i>Cryptochirus coralliodytes</i> Heller, 1861	119
<i>Cryptocnemus mortenseni</i> Rathbun, 1909	56
<i>Cryptocnemus siamensis</i> Serene & Soh, 1976	56
<i>Cryptopodia anagulata</i> H. Milne Edwards & Lucas, 1841	65
<i>Cryptopodia dorsalis</i> White, 1847	65
<i>Cryptopodia fornicata</i> (Fabricius, 1781)	65
<i>Cryptopodia laevimana</i> Miers, 1879	65
<i>Crytodromia canaliculata</i> Stimpson, 1858	52
<i>Crytodromia pileifera</i> Alcock, 1899	52
<i>Cymo andreossyi</i> (Audouin, 1826)	90
<i>Cymo melanodactylus</i> De Haan, 1833	90
<i>Cymo quadrilobatus</i> Miers, 1884	90
<i>Daldorfia horrida</i> (Linnaeus, 1758)	66
<i>Demania cultripes</i> (Alcock, 1898)	92
<i>Demania scaberrima</i> (Walker, 1887)	92
<i>Demanietta manii</i> (Rathbun, 1904)	109

INDEX

<i>Demanietta smalleyi</i> (Bott, 1966)	109
<i>Demanietta tritrungensis</i> (Naiyanetr, 1986)	109
<i>Dictyosquilla foveolata</i> (Wood-Mason, 1895)	127
<i>Diogenes avarus</i> Heller, 1865	48
<i>Diogenes custos</i> (Fabricius, 1798)	48
<i>Diogenes diogenes</i> (Herbst, 1791)	48
<i>Diogenes gardineri</i> Alcock, 1905	48
<i>Diogenes goniochirus</i> Forest, 1956	48
<i>Diogenes planimanus</i> Henderson, 1893	49
<i>Diogenes rectimanus</i> Miers, 1884	49
<i>Doclea alcocki</i> Laurie, 1906	62
<i>Doclea armata</i> (De Haan, 1893)	62
<i>Doclea canalifera</i> Stimpson, 1857	62
<i>Doclea gracilipes</i> Stimpson, 1857	63
<i>Doclea ovis</i> (Herbst, 1788)	63
<i>Doclea terruptera</i> Walker, 1890	63
<i>Dorippe dorsipes</i> (Linnaeus, 1758)	54
<i>Dorippe quadridens</i> (Fabricius, 1793)	54
<i>Dorippoides facchino</i> (Herbst, 1785)	54
<i>Dotilla myctiroides</i> (H. Milne Edwards, 1852)	118
<i>Dotilla wichmanni</i> De Man, 1892	118
<i>Dotillopsis brevitarsis</i> (De Man, 1888)	118
<i>Drachiella morum</i> (Alcock, 1896)	56
<i>Dradanus hessii</i> (Miers, 1884)	49
<i>Dradanus imbricatus</i> (H. Milne Edwards, 1848)	49
<i>Dradanus lagopodes</i> (Forsk., 1775)	49
<i>Dradanus megistos</i> (Herbst, 1804)	49
<i>Dromia dehaani</i> Rathbun, 1923	52
<i>Dromidia unidentata</i> (Ruppell, 1830)	52
<i>Dromidiopsis cranioides</i> (De Man, 1888)	53
<i>Dromothelphusa namuan</i> (Naiyanetr, 1993)	109
<i>Dromothelphusa nayung</i> (Naiyanetr, 1993)	109
<i>Dromothelphusa phrae</i> (Naiyanetr, 1984)	109
<i>Dromothelphusa sangwan</i> Naiyanetr, 1997	110
<i>Ebalia heterochalaza</i> Kemp, 1915	56
<i>Ebalia malefactrix</i> Kemp, 1915	56
<i>Ebalia tuberculosa</i> (A. Milne Edwards, 1873)	57
<i>Ebalia woodmasoni</i> Alcock, 1896	57
<i>Echinoecus pentagonus</i> (White, 1847)	65
<i>Emerita emeritus</i> (Linnaeus, 1767)	51
<i>Enosteoides ornatus</i> (Stimpson, 1858)	50
<i>Epiactaea margaritifera</i> (Odhner, 1925)	88
<i>Epixanthus corrosus</i> A. Milne Edwards, 1873	82
<i>Epixanthus dentatus</i> (White, 1847)	82
<i>Epixanthus frontalis</i> (H. Milne Edwards, 1834)	82
<i>Eriphia scabricula</i> Dana, 1852	81
<i>Eriphia sebana</i> (Shaw & Nodder, 1803)	81
<i>Eriphia smithi</i> MacLeay, 1838	82
<i>Erugosquilla woodmasoni</i> (Kemp, 1911)	127
<i>Esanpotamon namson</i> Naiyanetr & Ng, 1997	110
<i>Esanthelephusa chiangmai</i> (Ng & Naiyanetr, 1993)	106
<i>Esanthelephusa denchaii</i> (Naiyanetr, 1984)	106
<i>Esanthelephusa dugasti</i> (Rathbun, 1902)	106

INDEX

<i>Esanthelephusa fangensis</i> (Naiyanetr, 1978)	106
<i>Esanthelephusa nani</i> (Naiyanetr, 1984)	106
<i>Esanthelephusa phetchaburi</i> (Ng & Naiyanetr, 1993)	107
<i>Etisus anaglyptus</i> H. Milne Edwards, 1834	90
<i>Etisus electra</i> (Herbst, 1801)	90
<i>Etisus frontalis</i> Dana, 1852	90
<i>Etisus laevimanus</i> Randall, 1840	90
<i>Etisus utilis</i> Jacquinet, 1852	90
<i>Eucrate alcocki</i> Serene, 1971	78
<i>Eucrate crenata</i> De Haan, 1835	78
<i>Eucrate solaris</i> Yang & Sun, 1979	78
<i>Eucrate sulcatifrons</i> (Stimpson, 1858)	78
<i>Eurycarcinus orientalis</i> A. Milne Edwards, 1868	83
<i>Eutrichocheles modestus</i> (Herbst, 1796)	45
<i>Euxanthus exsculptus</i> (Herbst, 1790)	91
<i>Exhippolysmata ensirostris</i> (Kemp, 1914)	40
<i>Exopalaemon styliferus</i> (H. Milne Edwards, 1840)	31
<i>Fallosquilla fallax</i> (Bouvier, 1914)	127
<i>Favicola rugosum</i> (Edmondson, 1933)	120
<i>Gaillardiiellus ruppellii</i> (Krauss, 1843)	88
<i>Galene bispinosa</i> (Herbst, 1783)	91
<i>Gecarcoidea lalandii</i> H. Milne Edwards, 1837	95
<i>Geograpsus crinipes</i> (Dana, 1851)	95
<i>Geograpsus grayi</i> (H. Milne Edwards, 1853)	95
<i>Geosesarma krathing</i> Ng & Naiyanetr, 1992	97
<i>Glabropilumnus dispar</i> (Dana, 1852)	83
<i>Glabropilumnus edamensis</i> (De Man, 1887)	83
<i>Glabropilumnus laevimanus</i> (Dana, 1852)	83
<i>Glabropilumnus seminudus</i> (Miers, 1884)	84
<i>Globopilumnus actumnoides</i> (A. Milne, Edwards, 1873)	82
<i>Gomezia bicornis</i> Gray, 1831	67
<i>Gonodactylaceus mutatus</i> (Lanchester, 1903)	122
<i>Gonodactylaceus siamensis</i> (Manning & Reaka, 1981)	122
<i>Gonodactylaceus ternatensis</i> (De Man, 1902)	122
<i>Gonodactylellus affinis</i> (De Man, 1902)	122
<i>Gonodactylellus snidvongsi</i> (Naiyanetr, 1987)	123
<i>Gonodactylinus viridis</i> (Serene, 1954)	123
<i>Gonodactylus chiragra</i> (Fabricius, 1781)	123
<i>Gonodactylus platysoma</i> Wood-Mason, 1895	123
<i>Gonodactylus smithii</i> Pocock, 1893	123
<i>Grapsus albolineatus</i> Lamarck, 1818	95
<i>Grapsus tenuicrustatus</i> (Herbst, 1783)	96
<i>Halimede ochtodes</i> (Herbst, 1783)	83
<i>Halimede thurstoni</i> Henderson, 1893	83
<i>Haptosquilla glyptocercus</i> (Wood-Mason, 1875)	123
<i>Haptosquilla pulchella</i> (Miers, 1880)	123
<i>Harpiliopsis beaupresii</i> (Audouin, 1826)	34
<i>Harpiosquilla annandalei</i> (Kemp, 1911)	125
<i>Harpiosquilla harpax</i> (De Haan, 1844)	125
<i>Harpiosquilla japonica</i> Manning, 1969	125
<i>Harpiosquilla raphidea</i> (Fabricius, 1798)	125
<i>Helice leachi</i> Hess, 1865	97
<i>Hepthopelta mortenseni</i> Serene, 1964	79

INDEX

<i>Heterocarpoides levicarina</i> (Bate, 1888)	41
<i>Heteronucia mesanensis</i> Rathbun, 1909	57
<i>Heteropanope changensis</i> (Rathbun, 1909)	84
<i>Heteropanope glabra</i> Stimpson, 1858	84
<i>Heteropilumnus cristatus</i> (Rathbun, 1909)	84
<i>Heteropilumnus setosus</i> (A. Milne Edwards, 1873)	84
<i>Heteropilumnus trichophorus</i> (De Man, 1895)	84
<i>Heteroplax dentata</i> Stimpson, 1858	78
<i>Heteroplax nitida</i> Miers, 1879	78
<i>Heteroplax transversa</i> Stimpson, 1858	78
<i>Heterothelphusa beauvoisi</i> (Rathbun, 1902)	107
<i>Hexapus edwardsi</i> Serene & Soh, 1976	81
<i>Hexapus granuliferus</i> Campbell & Stephenson, 1970	81
<i>Hexapus sexpes</i> (Fabricius, 1798)	81
<i>Hexapus stephensi</i> Serene & Soh, 1976	81
<i>Hippa adactyla</i> Fabricius, 1787	52
<i>Hippa celaeno</i> (De Man, 1896)	52
<i>Holometopus limbense</i> Rathbun, 1914	97
<i>Homoiplax haswelli</i> Rathbun, 1914	79
<i>Hyastenus aries</i> (Latreille, 1825)	63
<i>Hyastenus diacanthus</i> (De Haan, 1839)	63
<i>Hyastenus hilgendorfi</i> De Man, 1888	63
<i>Hyastenus oryx</i> A. Milne Edwards, 1872	63
<i>Hyastenus planasius</i> (Adams & White, 1848)	63
<i>Hyastenus spinosus</i> A. Milne Edwards, 1872	63
<i>Hypocolpus granulatus</i> (De Haan, 1837)	91
<i>Ibacus novemdentatus</i> Gibbes, 1850	44
<i>Ilyograpsus paludicola</i> (Rathbun, 1909)	102
<i>Ilyoplax delsmanni</i> De Man, 1926	118
<i>Ilyoplax integer</i> (Tesch, 1918)	118
<i>Ilyoplax lingulatus</i> (Rathbun, 1909)	119
<i>Ilyoplax obliquus</i> Tweedie, 1935	119
<i>Ilyoplax orientalis</i> (De Man, 1888)	119
<i>Ilyoplax punctatus</i> Tweedie, 1935	119
<i>Iphiculus spongiosus</i> Adams & White, 1848	59
<i>Ixa cylindrus</i> (Fabricius, 1777)	59
<i>Ixa edwardsi</i> Lucas, 1858	59
<i>Jonas distincta</i> (De Haan, 1835)	67
<i>Kanpotamon duangkhaei</i> Ng & Naiyanetr, 1993	110
<i>Keijia lirata</i> (Kemp & Chopra, 1921)	127
<i>Kraussia nitida</i> Stimpson, 1858	67
<i>Labuanium politum</i> (De Man, 1887)	98
<i>Lambdophallus anfractus</i> Rathbun, 1909	81
<i>Laomedia healyi</i> Yaldwin & Wear, 1970	45
<i>Larnaudia beusekomae</i> (Bott, 1970)	110
<i>Larnaudia chaiyaphumi</i> Naiyanetr, 1982	110
<i>Larnaudia larnaudii</i> (A. Milne Edwards, 1869)	110
<i>Latreutes mucronatus</i> (Stimpson, 1860)	40
<i>Leander tenuicornis</i> (Say, 1818)	31
<i>Leandrites indicus</i> Holthuis, 1950	31
<i>Leandrites stenopus</i> Holthuis, 1950	31
<i>Leipocten sordidulum</i> Kemp, 1915	113
<i>Leptocarpus potamiscus</i> (Kemp, 1917)	31

INDEX

<i>Leptodius exaratus</i> (H. Milne Edwards, 1834)	92
<i>Leptodius gracilis</i> (Dana, 1852)	92
<i>Leptodius nudipes</i> (Dana, 1852)	92
<i>Leptodius sanguineus</i> (H. Milne Edwards, 1834)	92
<i>Leucosia anatum</i> (Herbst, 1783)	57
<i>Leucosia craniolaris</i> (Linnaeus, 1758)	57
<i>Leucosia haematostrita</i> Adams & White, 1748	57
<i>Leucosia haswelli</i> Miers, 1884	57
<i>Leucosia longifrons</i> De Haan, 1850	57
<i>Leucosia margaritata</i> A. Milne Edwards, 1874	58
<i>Leucosia perlata</i> De Haan, 1841	58
<i>Leucosia pulcherrima</i> Miers, 1896	58
<i>Leucosia urania</i> (Herbst, 1786)	58
<i>Leucosia vittata</i> Stimpson, 1858	58
<i>Leucosia whitei</i> Bell, 1855	58
<i>Levisquilla incerta</i> (Hansen, 1926)	127
<i>Levisquilla inermis</i> (Manning, 1965)	127
<i>Levisquilla minor</i> (Jurich, 1904)	127
<i>Liagore rubromaculata</i> De Haan, 1835	77
<i>Libystes alphonsi</i> Alcock, 1900	68
<i>Libystes edwardsi</i> Alcock, 1900	68
<i>Limnopilos naiyanetri</i> Christina, Chuang & Ng, 1991	64
<i>Linuparus trigonus</i> (Von Siebold, 1824)	43
<i>Liomera bella</i> (Dana, 1852)	91
<i>Liomera cinctimana</i> (White, 1847)	91
<i>Liomera erythra</i> (Lanchester, 1901)	91
<i>Liomera guttata</i> (De Man, 1888)	91
<i>Liomera laevis</i> (A. Milne Edwards, 1873)	91
<i>Liomera margaritata</i> (A. Milne Edwards, 1873)	92
<i>Liomera stimpsoni</i> (A. Milne Edwards, 1865)	92
<i>Liomera venosa</i> (H. Milne Edwards, 1834)	92
<i>Lissocarcinus arkati</i> Kemp, 1923	68
<i>Lissocarcinus boholensis</i> Semper, 1880	68
<i>Lissoporcellana spinuligera</i> (Dana, 1853)	50
<i>Litocheira cristata</i> Rathbun, 1909	78
<i>Litocheira setosa</i> (A. Milne Edwards, 1873)	78
<i>Lophoplax takakurai</i> Sakai, 1935	79
<i>Lophozozymus dodone</i> (Herbst, 1801)	94
<i>Lophozozymus pictor</i> (Fabricius, 1798)	94
<i>Lucifer hansenii</i> Nobili, 1905	28
<i>Lupocyclus rotundatus</i> Adams & White, 1848	72
<i>Lysiosquilla tredecimdentata</i> Holthuis, 1941	124
<i>Lysiosquillina maculata</i> (Fabricius, 1793)	124
<i>Lysiosquilloides siamensis</i> (Naiyanetr, 1980)	124
<i>Lysmata vittata</i> Stimpson, 1860	40
<i>Macrobrachium equidens</i> (Dana, 1852)	32
<i>Macrobrachium esculentum</i> (Thallwitz, 1891)	32
<i>Macrobrachium idae</i> (Heller, 1862)	32
<i>Macrobrachium lanchesteri</i> (De Man, 1911)	32
<i>Macrobrachium lar</i> (Fabricius, 1793)	32
<i>Macrobrachium latidactylus</i> (Thallwitz, 1891)	32
<i>Macrobrachium mirabile</i> (Kemp, 1917)	32
<i>Macrobrachium neglectus</i> (De Man, 1905)	32

INDEX

<i>Macrobrachium niphanae</i> Shokita & Takeda, 1989	32
<i>Macrobrachium palaemonoides</i> Holthuis, 1950	33
<i>Macrobrachium pilimanus</i> (De Man, 1879)	33
<i>Macrobrachium rosenbergii</i> (De Man, 1879)	33
<i>Macrobrachium sintangense</i> (De Man, 1898)	33
<i>Macrobrachium yui</i> Holthuis, 1950	34
<i>Macromedaeus crassimanus</i> (A. Milne Edwards, 1867)	93
<i>Macrophthalmus bosci</i> Audouin & Savigny, 1825	114
<i>Macrophthalmus brevis</i> (Herbst, 1804)	114
<i>Macrophthalmus convexus</i> Stimpson, 1858	114
<i>Macrophthalmus crassipes</i> H. Milne Edwards, 1906	114
<i>Macrophthalmus definitus</i> Adams & White, 1848	114
<i>Macrophthalmus dentatus</i> Stimpson, 1858	114
<i>Macrophthalmus erato</i> De Man, 1888	114
<i>Macrophthalmus laevimanus</i> H. Milne Edwards, 1852	115
<i>Macrophthalmus latreillei</i> (Desmarest, 1822)	115
<i>Macrophthalmus milloii</i> Crosnier, 1965	115
<i>Macrophthalmus pacificus</i> Dana, 1851	115
<i>Macrophthalmus parvimanus</i> Guerin, 1834	115
<i>Macrophthalmus quadratus</i> A. Milne Edwards, 1873	115
<i>Macrophthalmus sulcatus</i> H. Milne Edwards, 1852	115
<i>Macrophthalmus teschi</i> Kemp, 1919	115
<i>Macrophthalmus tomentosus</i> Souleyet, 1841	115
<i>Macrophthalmus transversus</i> (Latreille, 1817)	116
<i>Macrophthalmus verreauxi</i> H. Milne Edwards, 1848	116
<i>Macrophthalmus vietnamensis</i> Serene, 1971	116
<i>Maldivia trianguiculata</i> (Borradaile, 1902)	86
<i>Manningia pilaensis</i> (De Man, 1888)	122
<i>Manningia thorsoni</i> Naiyanetr, 1987	122
<i>Matuta planipes</i> Fabricius, 1798	56
<i>Matuta victor</i> (Fabricius, 1781)	56
<i>Medaeops granulosis</i> (Haswell, 1882)	91
<i>Megaesthesius sagedae</i> Rathbun, 1909	79
<i>Mekhongthelphusa kengsaphu</i> Naiyanetr & Ng, 1995	107
<i>Mekhongthelphusa tetragonum</i> (Rathbun, 1902)	107
<i>Menaethius monoceros</i> (Latreille, 1825)	61
<i>Mertonia lanka</i> Lauire, 1906	80
<i>Metanephrops andamanicus</i> (Wood-Mason, 1891)	42
<i>Metapenaeopsis barbata</i> (De Haan, 1850)	20
<i>Metapenaeopsis ceylonica</i> Starobogatov, 1972	20
<i>Metapenaeopsis crassissima</i> Racek & Dall, 1965	20
<i>Metapenaeopsis distincta</i> (De Man, 1907)	20
<i>Metapenaeopsis lamellata</i> (De Haan, 1850)	20
<i>Metapenaeopsis mogiensis</i> (Rathbun, 1902)	20
<i>Metapenaeopsis mogiensis intermedia</i> Crosnier, 1991	21
<i>Metapenaeopsis palmensis</i> (Haswell, 1879)	21
<i>Metapenaeopsis sinica</i> Lui & Zhong, 1988	21
<i>Metapenaeopsis stridulans</i> (Alcock, 1905)	21
<i>Metapenaeopsis toloensis</i> Hall, 1962	21
<i>Metapenaeus affinis</i> (H. Milne Edwards, 1837)	21
<i>Metapenaeus anchistus</i> (De Man, 1920)	21
<i>Metapenaeus brevicornis</i> (H. Milne Edwards, 1837)	22
<i>Metapenaeus conjunctus</i> Racek & Dall, 1965	22

INDEX

<i>Metapenaeus dobsoni</i> (Miers, 1878)	22
<i>Metapenaeus elegans</i> De Man, 1907	22
<i>Metapenaeus ensis</i> (De Haan, 1844)	22
<i>Metapenaeus intermedius</i> (Kishinouye, 1900)	22
<i>Metapenaeus krishnatrii</i> Silas & Muthu, 1976	22
<i>Metapenaeus lysianassa</i> (De Man, 1888)	23
<i>Metapenaeus moyebi</i> (Kishinouye, 1896)	23
<i>Metapenaeus suluensis</i> Racek & Dall, 1965	23
<i>Metapenaeus tenuipes</i> Kubo, 1949	23
<i>Metaplex cernulata</i> (Gerstaecker, 1856)	98
<i>Metaplex dentipes</i> (Heller, 1830)	98
<i>Metaplex distinctus</i> H. Milne Edwards, 1852	98
<i>Metaplex elegans</i> De Man, 1888	98
<i>Metaplex longipes</i> Stimpson, 1858	98
<i>Metasesarma aubryi</i> A. Milne Edwards, 1869	98
<i>Metopograpsus frontalis</i> Miers, 1880	96
<i>Metopograpsus latifrons</i> (White, 1847)	96
<i>Metopograpsus messor</i> (Forskål, 1775)	96
<i>Metopograpsus oceanicus</i> (Jacquinot, 1853)	96
<i>Metopograpsus quadridentatus</i> Stimpson, 1858	96
<i>Metopograpsus thukuhar</i> (Owen, 1839)	96
<i>Micippa philyra</i> (Herbst, 1803)	62
<i>Micippa thalia</i> (Herbst, 1803)	62
<i>Mictyris longicarpus</i> Latreille, 1806	103
<i>Miyakea nepa</i> (Latrielle, 1825)	128
<i>Mortensenella forceps</i> Rathbun, 1909	103
<i>Myomenippe granulosa</i> (A. Milne Edwards, 1867)	82
<i>Myomenippe hardwicki</i> (Gray, 1831)	82
<i>Myra affinis</i> Bell, 1855	59
<i>Myra coalita</i> (Hilgendorf, 1873)	59
<i>Myra elegans</i> Bell, 1855	59
<i>Myra fugax</i> (Fabricius, 1798)	59
<i>Myra pentacantha</i> Alcock, 1896	59
<i>Myrodes eudactylus</i> Bell, 1855	59
<i>Nanopilumnus rouxi</i> (Balss, 1935)	84
<i>Nanosesarma andersoni</i> (De Man, 1887)	98
<i>Nanosesarma batavicum</i> (Moreira, 1903)	98
<i>Nanosesarma edamensis</i> (De Man, 1887)	99
<i>Nanosesarma minutum</i> (De Man, 1887)	99
<i>Nanosesarma pontianacensis</i> (De Man, 1895)	99
<i>Neodorippe callida</i> (Fabricius, 1798)	54
<i>Neopisesarma brockii</i> (De Man, 1887)	99
<i>Neopisesarma mederi</i> (H. Milne Edwards, 1853)	99
<i>Neopisesarma palawanensis</i> (Rathbun, 1914)	99
<i>Neopisesarma singaporensis</i> (Tweedie, 1940)	99
<i>Neopisesarma versicolor</i> (Tweedie, 1940)	99
<i>Neorhynchoplax exiguus</i> (Kemp, 1917)	64
<i>Neosarmatium indicum</i> (A. Milne Edwards, 1868)	100
<i>Neosarmatium meinerti</i> (De Man, 1887)	100
<i>Neosarmatium smithi</i> (H. Milne Edwards, 1853)	100
<i>Neosesarma gemmiferum</i> (Tweedie, 1936)	100
<i>Neoxanthops lineatus</i> (A. Milne Edwards, 1867)	93
<i>Neoxenophthalmus obscurus</i> (Henderson, 1893)	105

INDEX

<i>Nephropsis stewarti</i> Wood-Mason, 1872	42
<i>Notonyx vitreus</i> Alcock, 1900	79
<i>Notopus dorsipes</i> (Fabricius, 1798)	53
<i>Nuciops modesta</i> (Ihle, 1918)	57
<i>Nursia lar</i> (Fabricius, 1798)	60
<i>Nursilia tonsor</i> Alcock, 1898	60
<i>Ocypode ceratophthalma</i> (Pallas, 1772)	116
<i>Ocypode cordimana</i> Latreille, 1818	116
<i>Ocypode nobilii</i> De Man, 1902	116
<i>Ocypode stimpsoni</i> Ortmann, 1897	116
<i>Odontodactylus scyllarus</i> (Linnaeus, 1758)	123
<i>Ogyrides striaticauda</i> Kemp, 1915	41
<i>Onychomorpha lamelligera</i> Stimpson, 1858	56
<i>Oratosquilla gonypetes</i> (Kemp, 1911)	128
<i>Oratosquilla interrupta</i> (Kemp, 1911)	128
<i>Oratosquilla perpensa</i> (Kemp, 1911)	128
<i>Oratosquilla quinquedentata</i> (Brooks, 1886)	128
<i>Oratosquilla sollicitans</i> Manning, 1978	128
<i>Oreophorus rugosus</i> Stimpson, 1858	57
<i>Ozium granulatus</i> De Man, 1879	82
<i>Ozium guttatus</i> H. Milne Edwards, 1834	83
<i>Pachycheles garciaensis</i> (Ward, 1942)	50
<i>Pachycheles sculptus</i> (H. Milne Edwards, 1837)	50
<i>Pachygrapsus minutus</i> A. Milne Edwards, 1873	96
<i>Pachygrapsus planifrons</i> De Man, 1888	96
<i>Pachygrapsus propinquus</i> De Man, 1908	96
<i>Palaemon semmelinkii</i> (De Man, 1881)	34
<i>Palaemon serrifer</i> (Stimpson, 1860)	34
<i>Palaemon sewelli</i> (Kemp, 1925)	34
<i>Palaemonella tenuipes</i> Dana, 1852	35
<i>Palinurellus wieneckii</i> (De Man, 1881)	44
<i>Palinustus waguensis</i> Kubo, 1963	43
<i>Panulirus homarus</i> (Linnaeus, 1758)	43
<i>Panulirus longipes</i> (A. Milne Edwards, 1868)	43
<i>Panulirus ornatus</i> (Fabricius, 1798)	43
<i>Panulirus penicillatus</i> (Olivier, 1791)	43
<i>Panulirus polyphagus</i> (Herbst, 1793)	43
<i>Panulirus stimpsoni</i> Holthuis, 1963	43
<i>Panulirus versicolor</i> (Latreille, 1804)	43
<i>Paracleistostoma depressum</i> De Man, 1895	113
<i>Paracleistostoma longimanus</i> Tweedie, 1937	114
<i>Paracleistostoma microcheirum</i> Tweedie, 1937	114
<i>Paranursia abbreviata</i> (Bell, 1855)	60
<i>Parapanope siamensis</i> Guinot, 1985	86
<i>Parapenaeopsis cornutus</i> (Kishinouye, 1900)	23
<i>Parapenaeopsis coromandelica</i> Alcock, 1906	23
<i>Parapenaeopsis hardwickii</i> (Miers, 1878)	23
<i>Parapenaeopsis hungerfordi</i> Alcock, 1905	24
<i>Parapenaeopsis maxillipedo</i> Alcock, 1905	24
<i>Parapenaeopsis sculptilis</i> (Heller, 1862)	24
<i>Parapenaeopsis tenella</i> (Bate, 1888)	24
<i>Parapenaeopsis uncta</i> Alcock, 1905	24
<i>Parapenaeopsis venusta</i> De Man, 1907	24

INDEX

<i>Parapenaeus longipes</i> Alcock, 1905	24
<i>Parasesarma lanchesteri</i> (Tweedie, 1950)	100
<i>Parasesarma lepidum</i> (Tweedie, 1950)	100
<i>Parasesarma leptosoma</i> (Hilgendorf, 1869)	100
<i>Parasesarma melissum</i> De Man, 1887	100
<i>Parasesarma pictum</i> (De Haan, 1835)	100
<i>Parasesarma plicatum</i> (Latreille, 1806)	100
<i>Paratymolus pubescens</i> Miers, 1879	61
<i>Pariphiculus mariannae</i> (Herklots, 1852)	60
<i>Parribacus antarcticus</i> (Lund, 1793)	44
<i>Parthenope longimanus</i> (Linnaeus, 1764)	66
<i>Parthenope pransor</i> (Herbst, 1796)	66
<i>Penaeus canaliculatus</i> (Olivier, 1811)	24
<i>Penaeus japonicus</i> Bate, 1888	25
<i>Penaeus latisulcatus</i> Kishinouye, 1896	25
<i>Penaeus longistylus</i> Kubo, 1943	25
<i>Penaeus merguensis</i> De Man, 1888	25
<i>Penaeus monodon</i> Fabricius, 1798	25
<i>Penaeus penicillatus</i> Alcock, 1905	25
<i>Penaeus semisulcatus</i> De Haan, 1850	26
<i>Penaeus silasi</i> Muthu & Motoh, 1979	26
<i>Percnon planissimum</i> (Herbst, 1804)	97
<i>Periclimenes brevicarpalis</i> (Schenkel, 1902)	35
<i>Periclimenes consobrinus</i> (De Man, 1902)	35
<i>Periclimenes diversipes</i> Kemp, 1992	35
<i>Periclimenes elegans</i> (Paulson, 1875)	35
<i>Periclimenes grandis</i> (Stimpson, 1860)	35
<i>Periclimenes holthuisi</i> Bruce, 1969	35
<i>Periclimenes magnificus</i> Bruce, 1979	35
<i>Perisesarma darwinensis</i> (Campbell, 1967)	101
<i>Perisesarma dussumieri</i> (H. Milne Edwards, 1853)	101
<i>Perisesarma eumolpe</i> (De Man, 1895)	101
<i>Perisesarma fasciata</i> (Lanchester, 1900)	101
<i>Perisesarma haswelli</i> (De Man, 1887)	101
<i>Perisesarma onychophorum</i> (De Man, 1895)	101
<i>Perisesarma semperi</i> (Burger, 1893)	101
<i>Petrolisthes asiaticus</i> (Leach, 1820)	50
<i>Petrolisthes boscii</i> (Audouin, 1826)	50
<i>Petrolisthes hastatus</i> Stimpson, 1858	50
<i>Petrolisthes lamarckii</i> (Leach, 1820)	50
<i>Petrolisthes teres</i> Melin, 1939	50
<i>Phaibulamon stilipes</i> Ng, 1992	110
<i>Phalangipus indicus</i> (Leach, 1815)	64
<i>Phalangipus longipes</i> (Linnaeus, 1758)	64
<i>Philyra globulosa</i> H. Milne Edwards, 1837	60
<i>Philyra granulosa</i> Ihle, 1918	60
<i>Philyra heterograna</i> Ortmann, 1892	60
<i>Philyra olivacea</i> Rathbun, 1909	60
<i>Phricotelphusa aedes</i> (Kemp, 1923)	105
<i>Phricotelphusa deharvengi</i> Ng, 1988	105
<i>Phricotelphusa limula</i> (Hilgendorf, 1882)	105
<i>Phricotelphusa ranongi</i> Naiyanetr, 1982	105
<i>Phricotelphusa sirindhorn</i> Naiyanetr, 1989	106

INDEX

<i>Phymodius monticulosus</i> (Dana, 1852)	89
<i>Phymodius nitidus</i> (Dana, 1852)	89
<i>Phymodius unguatus</i> (H. Milne Edwards, 1834)	90
<i>Pilodius areolatus</i> (H. Milne Edwards, 1834)	89
<i>Pilodius granulatus</i> Stimpson, 1858	89
<i>Pilodius nigrocrinitus</i> Stimpson, 1858	89
<i>Pilodius pugil</i> Dana, 1852	89
<i>Pilodius scabriculus</i> Dana, 1852	89
<i>Pilodius serenei</i> Miyake & Takeda, 1968	89
<i>Pilumnopeus indicus</i> (De Man, 1887)	84
<i>Pilumnopeus makiana</i> (Rathbun, 1929)	84
<i>Pilumnopeus sexangula</i> (Rathbun, 1909)	84
<i>Pilumnus cursor</i> A. Milne Edwards, 1873	85
<i>Pilumnus forskali</i> A. Milne Edwards, 1873	85
<i>Pilumnus hirsutus</i> Stimpson, 1858	85
<i>Pilumnus longicornis</i> Hilgendorf, 1878	85
<i>Pilumnus minutus</i> De Haan, 1835	86
<i>Pilumnus parapilumnoides</i> Takeda & Miyake, 1970	86
<i>Pilumnus scabriusculus</i> Adams & White, 1848	86
<i>Pilumnus vespertilio</i> (Fabricius, 1793)	86
<i>Pinnixa haematosticta</i> Sakai, 1934	104
<i>Pinnotheres affinis</i> Burger, 1893	104
<i>Pinnotheres burgeri</i> Rathbun, 1909	104
<i>Pinnotheres cardii</i> Burger, 1893	104
<i>Pinnotheres glaberrimus</i> Burger, 1893	104
<i>Pinnotheres gracilis</i> Burger, 1893	104
<i>Pinnotheres kamensis</i> Rathbun, 1909	104
<i>Pinnotheres kutensis</i> Rathbun, 1909	104
<i>Pinnotheres lanensis</i> Rathbun, 1909	104
<i>Pinnotheres nigrans</i> Rathbun, 1909	104
<i>Pinnotheres parvulus</i> Simpson, 1858	104
<i>Pinnotheres quadratus</i> Rathbun, 1909	105
<i>Pinnotheres siamensis</i> Rathbun, 1909	105
<i>Pinnotheres sinensis</i> Shen, 1932	105
<i>Pisidia gordonii</i> (Johnson, 1970)	50
<i>Pisidia serratifrons</i> (Stimpson, 1858)	51
<i>Plagusia tuberculata</i> Lamarck, 1818	97
<i>Planopilumnus penicillatus</i> (Gordon, 1930)	86
<i>Platylambrus echinatus</i> (Herbst, 1790)	66
<i>Platypodia alcocki</i> Buitendijk, 1941	94
<i>Platypodia anaglypta</i> (Heller, 1861)	94
<i>Platypodia granulosa</i> (Ruppell, 1830)	94
<i>Platypodia semigranosa</i> (Heller, 1861)	94
<i>Plesionika martia orientalis</i> Chace, 1985	41
<i>Plesionika ocellus</i> (Bate, 1888)	41
<i>Plesionika quasigrandis</i> Chace, 1985	41
<i>Pleurophrycoides roseus</i> (Nobili, 1906)	119
<i>Podophthalmus vigil</i> (Fabricius, 1798)	68
<i>Polyonyx biunguiculatus</i> (Dana, 1852)	51
<i>Polyonyx obesulus</i> Miers, 1884	51
<i>Polyonyx telestophilus</i> Johnson, 1958	51
<i>Pontocaris pennata</i> Bate, 1888	42
<i>Porcellanella picta</i> Stimpson, 1858	51

INDEX

<i>Portunus argentatus</i> (White, 1847)	72
<i>Portunus brockii</i> (De Man, 1887)	72
<i>Portunus gladiator</i> (Fabricius, 1798)	72
<i>Portunus gracilimanus</i> (Stimpson, 1858)	72
<i>Portunus granulatus</i> (H. Milne Edwards, 1834)	72
<i>Portunus hastatoides</i> (Fabricius, 1798)	72
<i>Portunus inominatus</i> (Rathbun, 1909)	73
<i>Portunus longispinosus</i> (Dana, 1852)	73
<i>Portunus minutus</i> (Shen, 1937)	73
<i>Portunus orbicularis</i> (Richters, 1880)	73
<i>Portunus orbitosinus</i> Rathbun, 1911	73
<i>Portunus pelagicus</i> (Linnaeus, 1758)	73
<i>Portunus pseudoargentatus</i> Stephenson, 1961	73
<i>Portunus pulchricristatus</i> (Gordon, 1931)	74
<i>Portunus rubromarginatus</i> (Lanchester, 1900)	74
<i>Portunus sanguinolentus</i> (Herbst, 1783)	74
<i>Portunus tenuipes</i> (De Haan, 1835)	74
<i>Portunus tuberculosus</i> (A. Milne Edwards, 1861)	74
<i>Portunus tweediei</i> (Shen, 1938)	74
<i>Potamon alcockianum</i> Kemp, 1923	110
<i>Potamon boonyaratae</i> (Naiyanetr, 1987)	110
<i>Potamon doichiangdao</i> Naiyanetr & Ng, 1990	110
<i>Potamon doisutep</i> Natyanetr & Ng, 1990	110
<i>Potamon erawanense</i> Naiyanetr, 1992	111
<i>Potamon jarujini</i> Ng & Naiyanetr, 1993	111
<i>Potamon kanchanaburiense</i> Naiyanetr, 1992	111
<i>Potamon lipkei</i> Ng & Naiyanetr, 1993	111
<i>Potamon maehongsonense</i> Naiyanetr, 1992	111
<i>Potamon maesariang</i> Ng & Naiyanetr, 1993	111
<i>Potamon maesotense</i> Naiyanetr, 1992	111
<i>Potamon namlang</i> Ng & Naiyanetr, 1993	111
<i>Potamon nan</i> Ng & Naiyanetr, 1993	111
<i>Potamon phuluangensis</i> (Bott, 1970)	111
<i>Potamon phuphanense</i> Naiyanetr, 1992	111
<i>Potamon smithianum</i> Kemp, 1923	111
<i>Potamon somchaii</i> Ng & Naiyanetr, 1993	112
<i>Potamon ubon</i> Ng & Naiyanetr, 1993	112
<i>Potamon yotdomensis</i> (Naiyanetr, 1984)	112
<i>Psaumis cavipes</i> (Dana, 1852)	88
<i>Pseudocryptochirus crescentus</i> (Edmondson, 1925)	120
<i>Pseudocryptochirus sheni</i> (Fize & Serene, 1955)	120
<i>Pseudolambrus calappoides</i> (Adams & White, 1848)	66
<i>Pseudolambrus harpax</i> (Adams & White, 1848)	66
<i>Pseudolambrus ozakii</i> Sakai, 1969	66
<i>Pseudoliomera granosimana</i> (A. Milne Edwards, 1865)	88
<i>Pseudoliomera speciosa</i> (Dana, 1852)	88
<i>Pseudophilyra melita</i> De Man, 1888	60
<i>Pseudophilyra tridentata</i> Miers, 1848	60
<i>Pseudoporcellanella manoliensis</i> Sankarankutty, 1961	51
<i>Pseudosesarma bocourti</i> (A. Milne Edwards, 1868)	101
<i>Pseudosesarma crassimanum</i> (De Man, 1887)	102
<i>Pseudosesarma laevimana</i> (Zehntner, 1894)	102
<i>Pseudosesarma moeschi</i> (De Man, 1892)	102

INDEX

<i>Pseudosquilla ciliata</i> (Fabricius, 1787)	124
<i>Ptychognathus barbatus</i> (A. Milne Edwards, 1873)	102
<i>Pudaengon mukdahan</i> Ng & Naiyanetr, 1995	112
<i>Pudaengon sakonnakorn</i> Ng & Naiyanetr, 1995	112
<i>Pudaengon thatphanom</i> Ng & Naiyanetr, 1995	112
<i>Pudaengon wanonniwat</i> Ng & Naiyanetr, 1995	112
<i>Puerulus sewelli</i> Ramadan, 1938	43
<i>Pullosquilla thomassini</i> Manning, 1978	125
<i>Pyxidognathus deianira</i> De Man, 1888	103
<i>Racilius compressus</i> Paulson, 1875	39
<i>Randallia eburnea</i> Alcock, 1896	60
<i>Randallia glans</i> Alcock, 1896	61
<i>Ranina ranina</i> (Linnaeus, 1758)	53
<i>Raninoides personatus</i> Henderson, 1888	53
<i>Raninoides serratifrons</i> Henderson, 1893	53
<i>Raoulius cultrifer</i> (White, 1850)	123
<i>Raphidopus ciliatus</i> Stimpson, 1858	51
<i>Rhabdonotus pictus</i> A. Milne Edwards, 1878	65
<i>Rhinolambrus contrarius</i> (Herbst, 1796)	66
<i>Rhinolambrus longispinis</i> (Miers, 1879)	67
<i>Rhinolambrus pelagicus</i> (Ruppell, 1830)	67
<i>Rhizopa gracilipes</i> Stimpson, 1858	80
<i>Rhizopa sasekumari</i> Serene, 1970	80
<i>Rynchoplax coralicola</i> Rathbun, 1909	64
<i>Salangathelphusa brevicarinata</i> (Hilgendorf, 1882)	107
<i>Salmoneus brevirostris</i> (Edmondson, 1930)	39
<i>Salmoneus bruni</i> Banner & Banner, 1966	39
<i>Salmoneus cristatus</i> (Coutiere, 1897)	39
<i>Sarmatium crassum</i> Dana, 1851	102
<i>Sarmatium germaini</i> (A. Milne Edwards, 1868)	102
<i>Sarmatium punctatum</i> (A. Milne Edwards, 1875)	102
<i>Saron marmoratus</i> (Olivier, 1811)	40
<i>Sayamia bangkokensis</i> (Naiyanetr, 1982)	107
<i>Sayamia germaini</i> (Rathbun, 1902)	108
<i>Sayamia maehongsonensis</i> (Naiyanetr, 1987)	108
<i>Sayamia sexpunctatum</i> (Lanchester, 1906)	108
<i>Scalopidia spinosipes</i> Stimpson, 1858	79
<i>Schizophrys aspera</i> (H. Milne Edwards, 1834)	62
<i>Schizophrys longipes</i> (Linnaeus, 1767)	62
<i>Scopimera intermedia</i> Balss, 1934	119
<i>Scopimera pilula</i> Kemp, 1919	119
<i>Scopimera proxima</i> Kemp, 1919	119
<i>Scylla serrata</i> (Forsk., 1755)	75
<i>Scylla tranquebarica</i> (Fabricius, 1789)	75
<i>Scyllarides squamosus</i> (H. Milne Edwards, 1837)	44
<i>Scyllarides tridacnophagus</i> Holthuis, 1967	44
<i>Scyllarus bertholdii</i> Paulson, 1875	44
<i>Scyllarus martensii</i> Pfeffer, 1881	44
<i>Scyllarus rugosus</i> H. Milne Edwards, 1837	44
<i>Scyllarus sordidus</i> (Stimpson, 1860)	44
<i>Sesarmoides borneensis</i> (De Man, 1887)	102
<i>Sesarmoides kraussi</i> (De Man, 1887)	102
<i>Siamosquilla hyllebergi</i> Naiyanetr, 1989	123

INDEX

<i>Siamthelphusa acutidens</i> Ng & Naiyanetr, 1997	108
<i>Siamthelphusa faxoni</i> (Rathbun, 1902)	108
<i>Siamthelphusa holthuisi</i> Naiyanetr & Ng, 1991	108
<i>Siamthelphusa improvisa</i> (Lanchester, 1901)	109
<i>Siamthelphusa nan</i> Ng & Naiyanetr, 1997	109
<i>Siamthelphusa paviei</i> (De Man, 1898)	109
<i>Siamthelphusa transversa</i> Ng & Naiyanetr, 1997	109
<i>Siamthelphusa variegata</i> Ng & Naiyanetr, 1997	109
<i>Sicyonia lancifera</i> (Olivier, 1811)	27
<i>Sicyonia ommanneyi</i> Hall, 1956	27
<i>Singhaplax ockelmanni</i> (Serene, 1971)	79
<i>Solenocera bedokensis</i> Hall, 1962	27
<i>Solenocera choprai</i> Nataraj, 1945	28
<i>Solenocera crassicornis</i> (H. Milne Edwards, 1837)	28
<i>Solenocera hextii</i> Wood-Mason & Alcock, 1891	28
<i>Solenocera melantho</i> De Man, 1907	28
<i>Solenocera pectinata</i> (Bate, 1888)	28
<i>Solenocera subnuda</i> Kubo, 1949	28
<i>Sphaerozium nitidus</i> Stimpson, 1858	83
<i>Spiropagurus spiriger</i> (De Haan, 1849)	49
<i>Spiropagurus spiriger profundorum</i> Alcock, 1905	49
<i>Stenopus hispidus</i> (Olivier, 1811)	29
<i>Stereomastis andamanensis</i> (Alcock, 1894)	42
<i>Stoliczia ekavibhathai</i> Ng & Naiyanetr, 1986	112
<i>Stoliczia panhai</i> Ng & Naiyanetr, 1986	112
<i>Synalpheus acanthitelsonis</i> Coutiere, 1905	39
<i>Synalpheus bakeri stormi</i> De Man, 1897	39
<i>Synalpheus bituberculatus</i> De Man, 1910	39
<i>Synalpheus coutieri</i> Banner, 1953	39
<i>Synalpheus gravieri</i> Coutiere, 1905	39
<i>Synalpheus hastilicrassus</i> Coutiere, 1905	40
<i>Synalpheus heroni</i> Coutiere, 1909	40
<i>Synalpheus laticeps</i> Coutiere, 1905	40
<i>Synalpheus pachymeri</i> Coutiere, 1905	40
<i>Synalpheus stimpsoni</i> De Man, 1888	40
<i>Synalpheus streptodactylus</i> Coutiere, 1905	40
<i>Synalpheus thai</i> Banner & Banner, 1966	40
<i>Synalpheus theano</i> De Man, 1910	40
<i>Synalpheus tumidomanus</i> (Paulson, 1875)	40
<i>Terrapotamon abbotti</i> (Rathbun, 1898)	112
<i>Terrapotamon palian</i> Ng & Naiyanetr, 1997	112
<i>Tetralia glaberrima</i> (Herbst, 1790)	87
<i>Tetrias fischeri</i> (A. Milne Edwards, 1867)	104
<i>Thacanophrys albanyensis</i> (Ward, 1933)	64
<i>Thacanophrys halimoides</i> (Miers, 1879)	64
<i>Thaiphusa chantaburiensis</i> (Chuensri, 1973)	112
<i>Thaiphusa sirikit</i> (Naiyanetr, 1992)	113
<i>Thaipotamon chulabhorn</i> Naiyanetr, 1993	113
<i>Thaipotamon dansai</i> Ng & Naiyanetr, 1993	113
<i>Thaipotamon lomkao</i> Ng & Naiyanetr, 1993	113
<i>Thaipotamon siamensis</i> (A. Milne Edwards, 1869)	113
<i>Thaipotamon smitinandi</i> (Naiyanetr & Turkay, 1984)	113
<i>Thaipotamon varoonphornae</i> Ng & Naiyanetr, 1993	113

INDEX

<i>Thaksinthelephusa yongchindaratae</i> (Naiyanetr, 1988)	106
<i>Thalamita admete</i> (Herbst, 1803)	75
<i>Thalamita chaptali</i> Audouin & Savigny, 1825	75
<i>Thalamita crenata</i> (Latreille, 1829)	75
<i>Thalamita danae</i> Stimpson, 1858	75
<i>Thalamita foresti</i> Crosnier, 1962	76
<i>Thalamita imparimanus</i> Alcock, 1899	76
<i>Thalamita muusi</i> Serene & Soh, 1976	76
<i>Thalamita parvidens</i> (Rathbun, 1907)	76
<i>Thalamita picta</i> Stimpson, 1858	76
<i>Thalamita prymna</i> (Herbst, 1794)	76
<i>Thalamita sexlobata</i> Miers, 1886	76
<i>Thalamita sima</i> H. Milne Edwards, 1834	76
<i>Thalamita spinifera</i> Borradaile, 1903	76
<i>Thalamita spinimana</i> Dana, 1852	76
<i>Thalamita stimpsoni</i> A. Milne Edwards, 1861	76
<i>Thalamita tenuipes</i> Borradaile, 1902	77
<i>Thalassina anomala</i> (Herbst, 1804)	45
<i>Thalassocaris crinita</i> (Dana, 1852)	41
<i>Thaumastoplax chuenensis</i> Rathbun, 1909	81
<i>Thaumastoplax orientalis</i> Rathbun, 1909	81
<i>Thenus orientalis</i> (Lund, 1793)	44
<i>Thor paschalis</i> (Heller, 1862)	41
<i>Tlos muriger</i> Adams & White, 1843	57
<i>Toshimitsu tiwarii</i> (Blumstein, 1974)	128
<i>Tozeuma lanceolatum</i> Stimpson, 1860	41
<i>Trachypenaeus albicomus</i> Hayashi & Toriyama, 1980	26
<i>Trachypenaeus asper</i> Alcock, 1905	26
<i>Trachypenaeus curvirostris</i> (Stimpson, 1860)	26
<i>Trachypenaeus granulatus</i> (Haswell, 1879)	26
<i>Trachypenaeus longipes</i> (Paulson, 1875)	26
<i>Trachypenaeus malaianus</i> Balss, 1933	27
<i>Trachypenaeus pescadoreensis</i> Schmitt, 1931	27
<i>Trachypenaeus sedili</i> Hall, 1961	27
<i>Trapezia areolata</i> Dana, 1852	87
<i>Trapezia cymodoce</i> (Herbst, 1801)	87
<i>Trapezia ferruginae</i> Latreille, 1825	87
<i>Trapezia wardi</i> Serene, 1970	87
<i>Trigonoplax unguiformis</i> (De Haan, 1839)	64
<i>Troglocarcinus heimi</i> Fize & Serene, 1955	120
<i>Tylodiplax tetratylophora</i> De Man, 1895	114
<i>Typhlocarcinodes hirsutus</i> (Borradaile, 1903)	80
<i>Typhlocarcinops canaliculata</i> Rathbun, 1909	80
<i>Typhlocarcinus nudus</i> Stimpson, 1858	80
<i>Typhlocarcinus rubidus</i> Alcock, 1900	80
<i>Typhlocarcinus villosus</i> Stimpson, 1858	80
<i>Uca annulipes</i> (H. Milne Edwards, 1837)	116
<i>Uca bellator</i> (Adams & White, 1848)	116
<i>Uca bengali</i> Crane, 1975	117
<i>Uca coarctata</i> (H. Milne Edwards, 1852)	117
<i>Uca dussumieri</i> (H. Milne Edwards, 1852)	117
<i>Uca forcipata</i> (Adams & White, 1848)	117
<i>Uca hesperiae</i> Crane, 1975	117

INDEX

<i>Uca paradussumieri</i> (Bott, 1973)	117
<i>Uca perplexa</i> (H. Milne Edwards, 1837)	117
<i>Uca rosea</i> (Tweedie, 1937)	118
<i>Uca tetragonon</i> (Herbst, 1790)	118
<i>Uca triangularis</i> (A. Milne Edwards, 1873)	118
<i>Uca urvillei</i> (H. Milne Edwards, 1852)	118
<i>Uca vocans</i> (Linnaeus, 1758)	118
<i>Upogebia heterocheir</i> Kemp, 1915	46
<i>Urocaridella urocaridella</i> (Holthuis, 1950)	34
<i>Varuna litterata</i> (Fabricius, 1798)	103
<i>Viaderina striata</i> (De Man, 1888)	78
<i>Viaderina typica</i> Ward, 1942	78
<i>Wolffogebia phuketensis</i> Sakai, 1982	46
<i>Xanthias lamarcki</i> (H. Milne Edwards, 1834)	93
<i>Xanthias punctatus</i> (H. Milne Edwards, 1834)	93
<i>Xenophthalmodes dolichophallus</i> Tesch, 1918	80
<i>Xenophthalmus pinnotheroides</i> White, 1846	105
<i>Zalasius sakaii</i> Balss, 1938	93
<i>Zebrida adamsi</i> White, 1847	65
<i>Zozimus aeneus</i> (Linnaeus, 1758)	94
<i>Zozymodes cavipes</i> (Dana, 1852)	94